# IconEdit

# **Graphic Font & Symbol Designer for Windows**

# **Quick Guide**



27 April 2025

This manual is valid from version 8.4.07 of the IconEdit.

This guide applies to both the Black & White and the Color versions of the IconEdit program. The functionality of the Black&White version is a subset of the Color version, and Grey and Color examples and commands are only valid for the Color version of the program.

**DanMagic** 

# Main content

This manual describes how to use the functions of the IconEdit program. A description of the functions and data formats are in the manual *IconEditManual.pdf*.

# Disclaimer

The information in documents supplied with the IconEdit tool, and information provided by the IconEdit tool is subject to change without notice. While information contained herein is assumed to be accurate, DanMagic assumes no responsibility for any errors or information.

# **Copyright Notices, Trademarks, and Immaterial rights**

The IconEdit user is obliged to respect all intellectual proprietary rights and copyrights associated with the IconEdit product. See the IconEdit license terms for details.

IconEdit program tool enables the user to use existing graphic designs and fonts installed on the PC as templates during the creation of his/her product designs. The IconEdit user is assumed to oblige and respect all copyrights and trademark rights associated with such material.

With respect to fonts installed on the PC and used as part of the tool users new product creation, this is normally considered "fair use" of a PC font. However if you are in doubt it is recommended to use Open Fonts and Openclipart which may be downloaded from the internet.

"Fair use" is a doctrine in the law of the United States that permits limited use of copyrighted material without having to first acquire permission from the copyright holder.

# How to view the document

The PDF file viewer should be set to display the document 1:1 - usually called 100% - to avoid distortion the images.

# **Contents Overview** Click on item to JUMP

00: ANIMATED DEMOS FOR MAKING C-SOURCE CODE FONTS IN 2 MINUTES OR LESS	
01: QUICK WAYS OF CREATING A PROTOTYPE FONT IN ICONEDIT	11
02: DIFFERENT WAYS OF STORING DATA IN ICONEDIT	
03: DIFFERENT WAYS OF CREATING FONTS IN ICONEDIT	
04: HOW TO BUILD FONTS FROM SCRATCH	
05: HOW TO BUILD FONTS FROM EXISTING FONTS OR GROUPS	94
06: HOW TO USE ICONEDIT TOOLS AND MAKE PALETTE COLORS	158
07: HOW TO WORK WITH INTENSITY LEVEL SMOOTHED CHARACTERS	210
08: HOW TO DRAW SYMBOLS	
09: HOW TO IMPORT AND CONVERT IMAGES	295
10: HOW TO DISPLAY ASIAN LANGUAGES ON SMALL EMBEDDED SYSTEMS	307
11: HOW TO USE THE BACKWARD COMPATIBILITY TOOLS	329
12: HOW TO USE THE BATCH COMMANDS	330
APPENDIX A: KEY TERMS AND CONCEPTS AS USED IN THE ICONEDIT PROGRAM	336
TECHNICAL SUPPORT	341

# **Contents Full** Click on item to JUMP

00: ANIMATED DEMOS FOR MAKING C-SOURCE CODE FONTS IN 2 MINUTES OR LESS	8
A: Fonts based on the EuropeanFonts library	8
1: Multi Language Fonts from Scratch	8
2: Text Optimized Fonts from Master Font	8
3: Middle Eastern Fonts from Master Font	9
4: Reduce a Master Font to a Multi Language Font	9
5: Reduce a Master Font to a Text Optimized Font	9
B: Fonts based on Windows fonts	9
1: Multi Language Fonts from Scratch	9
2: Text Optimized Fonts from Windows font	9
3: Middle Eastern Fonts from Windows font	9
4: South East Asian Fonts from Windows font	10
5: Emoji Fonts from Windows font	10
C: DATA CONVERSIONS	10
1: Convert C-string text to UTF-8 text	10
2: How to Convert Images to C-Source code in Batch	10
01: QUICK WAYS OF CREATING A PROTOTYPE FONT IN ICONEDIT	11
A: CREATE A FONT FOR EUROPE AND AMERICA FROM THE START DIALOG BOX:	11
B: CREATE A FONT FOR A LANGUAGE IN THE LANGUAGE & REGION WINDOW:	12
C: OPEN A TEXT OR TEXT CATALOGUE FILE TO MAKE A FONT DIRECTLY:	14

D: CREATE A CODE POINT CHARACTER LIST FOR A FONT IN THE NEW DIALOG BOX: E: QUALITY IMPROVEMENT:	
02: DIFFERENT WAYS OF STORING DATA IN ICONEDIT	
A. How to Save your Work without a Valid Licence	18
1: Formats that Retain all Relevant Data	
2: Save Formats that May Reduce or Change Information	
B: HOW TO SAVE YOUR WORK WITH A VALID LICENCE	
1: Formats that Retain all Relevant Data	
2: Export Formats that May Reduce or Change Information	
C: How to Work with Projects	
03: DIFFERENT WAYS OF CREATING FONTS IN ICONEDIT	
A: CREATE A CHARACTER LIST IN THE NEW DIALOG BOX:	
1: Create Manually:	
2: Based on Existing Font:	
B: LANGUAGE & REGION FILTERS:	
C: UNICODE SCRIPTS & SYMBOLS:	
D: READ TEXT, TEXT CATALOGUE OR CODE POINT CHARACTER LIST FILE AS MARKS:	
1: Font that Fits a Text:	
2: Font that Fits a Text Catalogue:	
3: Font that Fits a Code Point Character List:	
E: PASTE LEXT AS FONT:	
F: IMPORT TEXT OR TEXT CATALOGUE FILE TO CREATE A TEXT OPTIMIZED FONT:	
1: Plain Text with Diacritics generating Auto-generated Characters	
2. C Text Calalogue with Auto-generated Characters Instead of Diacritics	
5. Make a New Font Based on an Existing a Code I ofni Character List.	
04: HOW TO BUILD FONTS FROM SCRATCH	
A: HOW TO DRAW A BLACK & WHITE ASCII FONT WITH 95 CHARACTERS	
1: How to Add a Foreign Language to an Existing Font	
2: How to Check that an Existing Font is According to Unicode	
5: How to Squeeze and Mono-Space an existing Font Manually	
D: HOW TO DRAW A GREY ALPHA LEVEL FONT WITH GREEK ANTI-ALIASED CHARACTERS	
1: How Many Bits per Pixel are Really Necessary	
2. How to Make a Sami Transparent Alpha Level Font	
C. How to DRAW A COLOR FONT WITH FMOUS	
1: Two emoiis without anti alias in private area	56
2: A range of faces in high plane with anti alias by squeezing	57
D: HOW TO MAKE A TEXT OPTIMIZED FONT FOR TEXT IN MANY LANGUAGES	
1: How to Save the Characters in a Font as a Text File	
E: HOW TO DRAW A PROPORTIONAL FONT WITH ONLY NUMBERS	
1: Semi Automatic Minimizing	
2: Manual Minimizing for Greater Control	
F: HOW TO DRAW AN 8-BIT CLASSIC FONT WITH 256 CHARACTERS	
1: How to Save ROM Space with a Code Point Character List file	
G: HOW TO USE A CODE POINT CHARACTER LIST AS TEMPLATE FOR A NEW NARROW FONT	
1: How to Save ROM Space by Removing Unused Space	
2: How to Save ROM Space by Squeezing to a Byte Border	
3: How to Save ROM Space by Removing White-Space	
H: HOW TO MAKE AN EUROPEAN FONT WITH COLORED OUTLINES FOR SUBTITLES	
1: How to Make a Black & White Font with only the Outline	
I: HOW TO MAKE AN EUROPEAN ANTI-ALIAS OUTLINE FONT	
J: HOW TO MAKE AN EUROPEAN FONT WITH DITHERED GREYTONES FOR B&W	
05: HOW TO BUILD FONTS FROM EXISTING FONTS OR GROUPS	
A: HOW TO REDUCE AN EXISTING FONT TO FIT A LANGUAGE	
1: How to Save only the Language	
2: How to Save Language and Additional Signs	
B: HOW TO REDUCE A FONT TO FIT A TEXT	
C: HOW TO MAKE A NEW FONT FROM AN EXISTING FONT	
1: ноw to Squeeze and Mono-Space an existing Font Automatically	
D: NOW 10 MAKE A NEW LANGUAGE FUNT FROM AN EXISTING FUNT.	
1. HOW IO FIL NEW UNAFACIETS IO AN EXISTING FONL	

E: HOW TO COMBINE TWO OR MORE EXISTING FONTS	
F: HOW TO CONVERT 8 BIT CLASSIC FONTS AND TEXTS TO 16 BIT UNICODE	
1: Convert Font from a Classic 8 bit Font Encoding to Unicode:	123
2: Convert a Text with Classic 8 bit Font Encoding to Unicode:	
G: HOW TO CONVERT 16 BIT UNICODE FONT OR TEXT TO 8 BIT CLASSIC ENCODING	
1: Convert a Unicode Font to a Classic 8 bit Font Encoding:	
2: How to Check for Correct Unicode Values Before Converting	
3: Save as a Classic 8 bit Font:	
4: Save as an 8 bit Memory Optimized Font:	
5: Convert a Unicode Text to a Classic 8 bit Font Encoding:	134
H: HOW TO CONVERT A GROUP OF SYMBOLS TO CHARACTERS IN A FONT	
1: General ClinBoard Method	137
2: Fast Code Point Edit Method	138
3: Check for correct Unicode values after the conversion	140
A: How to Save Characters or Symbols as a BitMan	140
I. HOW TO INCLUDE DRIVATE SYMPOLY IN A UNICODE FONT	1/2
I. HOW TO INCLUDE FRIVATE STIMBOLS IN A UNICODE FONT	
J. HOW TO UPSCALE, DOWNSCALE OR RESHAPE A FONT OR OROUP	
K: HOW TO ADD CHARACTERS TO A KESHAPED FONT.	
L: HOW TO CONVERT ANY B&W FONT TO AN OUTLINE FONT	155
6: HOW TO USE ICONEDIT TOOLS AND MAKE PALETTE COLORS	158
A: HOW TO CHANGE TOOL AND PALETTE COLORS	158
B: HOW TO USE THE VARIOUS FLOOD FILL FUNCTIONS	
C: HOW TO USE SMOOTHING OF THE EDGES OF CHARACTERS AND LINES	
D: HOW TO COMBINE SMOOTHING WITH FLOOD FILL	
E: HOW TO USE FRAMES FOR MAKING SYMMETRICAL FIGURES	
F: HOW TO USE FRAMES FOR MAKING SUB- AND SUPERSCRIPTS	
G: HOW TO USE THE TEXT IN FRAME TOOL	
H: HOW TO WRITE TEXT IN FOREIGN LANGUAGES	
I: HOW TO MAKE AND SAVE SEMI-TRANSPARENT COLORS	
J: HOW TO MODIFY THE TRANSPARENCY AND MAKE SHADING	
K: HOW TO ADD SYMBOLS TO A GROUP.	
L: HOW TO ADD CHARACTERS TO A FONT	
1: Insert Empty Symbols at Code Points	182
2: Insert Empty Sympols at Code Points	182
2: Modify Symbol at Code Point	183
1: Dasta New Characters from Master Font at Code Doints	
4. I usie New Churaciers from musier Font at Code Fonts	
M. HOW TO MODIFY SEVERAL CHARACTERS OR SYMBOLS SIMULTANEOUSLY	
N: HOW TO CONVERT BETWEEN PROPORTIONAL AND MONO-SPACED CHARACTERS	
1: Convert to Mono-Space	
2: Convert to Proportional	
O: HOW TO MAKE NARROW CHARACTERS AND FONTS	
1: Squeeze One Character at a Time	
2: Squeeze the Whole Font	
3: Squeeze Part of the Font	
4: Generate Narrow or Wide Fonts from a Windows Master Font	
P: HOW TO ADD SMILEYS AND EMOJIS TO A FONT	
1: Put Emojis in 16 bit Address Space	
2: Put Emojis in 8 bit ASCII Address Space	
Q: HOW TO USE DITHER FOR IMPROVED IMAGE QUALITY.	
1: Photo with 4 bit per pixel	
2: Photo with 2 bit per pixel	
R: How to Use the Text and Code Modifier	202
S: HOW TO USE THE EDGE PIXEL VALUE TOOL FOR IMPROVED QUALITY OF FONTS	205
T: HOW TO USE FYTRA SMOOTH ANTI ALLAS FOR IMPROVED OLIALITY OF FONTS	206
U. HOW TO DRAW TEXTS WITH COLORED OUTLINES AS SUBTITIES	200
7. HOW TO WORK WITH INTENSITY I EVEL SMOOTHED CHADA CTERS	
A HOWER DE WELTER AND AND A LEVEL SWOUTHED CHARACTERS	
A: HOW TO DRAW INTENSITY LEVEL SMOOTHED CHARACTERS ON SYMBOLS	
B: HOW TO CONVERT INTENSITY LEVEL SMOOTHED SYMBOLS TO SEMI TRANSPARENCY	
C: HOW TO CONVERT SEMI-TRANSPARENT SYMBOLS TO INTENSITY LEVEL ANTI ALIAS	
D: HOW TO CONVERT COLOR SYMBOLS TO HIGH CONTRAST INTENSITY LEVEL ANTI ALIAS	
1: Automatic conversion	
2: Single step conversion and rendering test	
E: HOW TO EXTRACT SYMBOLS FROM AN ORIGINAL SCREEN DESIGN FOR COLORED ANIMATION	225

1: Symbol with sharp edges and only two colors	225
2: Symbol with smooth edges and anti aliasing by interpolating between two colors	227
08: HOW TO DRAW SYMBOLS	
A. HOW TO DRAW & CROWN OF DATTERN LUDICATION COMPANY	220
A: HOW TO DRAW A GROUP OF BATTERY INDICATOR SYMBOLS	
<b>B</b> : How to Lise On Ore Thansparency to Draw Buttons with Pound Corners	
1: How to Reduce On Off Transparency Memory Consumption	
C How to ADD ONE SYMBOL ON TOP OF ANOTHER USING SEMI-TRANSPARENCY	249
1. Add an arrow	250
2: Add a text	
3: Import a logo	
D: HOW TO DRAW A 5 ARM ANTI-ALIASED STAR BY ADDING TRANSPARENT LAYERS	
1: Save only the Alpha Channel with Reduced Memory Footprint	
2: Save from IconEdit with a Black & White license	
E: HOW TO DRAW A SPEEDOMETER BY ADDING TRANSPARENT LAYERS	
1: Add Numbers to the speedometer	
2: Save only the Alpha Channel with Reduced Memory Footprint	
3: Save from IconEdit with a Black & White license	
F: HOW TO DESIGN A SCREEN PREVIEW WITH LIBRARY FONTS	
09: HOW TO IMPORT AND CONVERT IMAGES	
A: HOW TO CONVERT SEVERAL IMAGES TO A SINGLE SYMBOL FILE	295
1: Reduce Memory Consumption to 8 bit per Pixel - RGB	
2: Reduce Memory Consumption to 8 bit per Pixel – Optimized Palette	
3: Reduce Memory Consumption to 6 bit per Pixel – Optimized Palette with Dither	299
B: HOW TO IMPORT A LARGE PICTURE FOR REDUCTION FROM THE CLIPBOARD	302
C: How to Import and Reduce a OR Code Image	
10: HOW TO DISPLAY ASIAN LANGUAGES ON SMALL EMBEDDED SYSTEMS	
	211
A: HOW TO MAKE AN IMAGE OF A TEXT.	
B: HOW TO COMBINE CHARACTERS AND DIACRITICS OR SURROGATES AS NEW SYMBOLS	
1: Plain Text with Auto-generated Composed Characters	
2. C Text Catalogue with Auto-generated Composed Characters	
C: HOW TO USE AKABIC PRESENTATION CHARACTERS	
D. HOW TO MAKE AND SUNCHDONIZE EVTDAL INVED FONTS	
L. HOW TO MAKE AND STINCHRONIZE EATRA LINKED FONTS	
2: How to Undate Extra Fonts to Keen Sunchronism between the Fonts	
2. How to Opdate EARTH Forts to Reep Synchronism between the Forts	
11. HOW TO LISE THE DACKWADD COMDATIBILITY TOOLS	320
11: HOW TO USE THE BACKWARD COMPATIBILITY TOOLS	
12: HOW TO USE THE BATCH COMMANDS	
A: TEXT OPTIMIZED FONT FROM A TEXT CATALOGUE:	
1: New font with or without anti alias	
2: Font based on existing Master Font	
B: NEW COPY OF A FONT WITH THE SAME CHARACTERS BUT DIFFERENT LOOK:	
C: TEXT OPTIMIZED FONT FOR SEVERAL PLAIN TEXTS OR TEXT CATALOGUES:	
D: TEXT OPTIMIZED FONT FOR MODIFIED C-SOURCE CODE TEXT STRINGS:	
1: European Languages	
2: Middle Eastern Languages	
3: South Asian Languages	
E: BULK CONVERSION OF IMAGES TO C-SOURCE CODE:	
APPENDIX A: KEY TERMS AND CONCEPTS AS USED IN THE ICONEDIT PROGRAM	
Symbol:	
GROUP:	
CHARACTER:	
SYMBOL NUMBER & CODE POINT:	
PRESENTATION CHARACTERS:	
AUTO-GENERATED PRESENTATION CHARACTERS:	
Font:	
PROPORTIONAL AND MONO-SPACED FONTS:	

CLASSIC CODEPAGE FONTS WITH NAME AND NUMBER:	
CODE POINT CHARACTER LIST:	
DEFAULT CHARACTER:	
Palette:	
System Palette:	
DATASET:	
DATA SET FILE NAME:	
FILE MODE AND PROJECT MODE:	
SYM Format:	
IEF AND IEP FORMAT:	
SAVE, OPEN, IMPORT AND EXPORT:	
Master Font:	
TRUETYPE & OPENTYPE, CLEARTYPE, XP STANDARD AND SMOOTHING:	
GLYPH:	
ASCII STANDARD:	
UNICODE STANDARD:	
UNICODE DIACRITIC OR ACCENT:	
UNICODE PRE-COMPOSED CHARACTER:	
UNICODE PRESENTATION CHARACTER:	
UNICODE COMBINED CHARACTER OR LIGATURE:	
UNICODE SCRIPTS & SYMBOLS:	
LANGUAGE & REGION FILTERS:	
ALPHA BLENDING, ANTI-ALIASING AND SMOOTHING:	
ON OFF TRANSPARENCY:	
BASIC COLOR:	
GREY TONE:	
INTENSITY LEVEL:	
Dither:	
TECHNICAL SUPPORT	

## 00: Animated demos for making C-source code fonts in 2 minutes or less

**Basic Assumption:** All examples in this manual assume that IconEdit is reset to factory defaults except for continuations.

The demos show each simple step with yellow highlight for the action in that step:

Size and Name for C File Width 32 Height 32 Font_A.c	Directory C:\cpp2010\IconEdit\J\ Browse
Font Setup Symbol Color Defined by Intensity Level for Color Rendering 1 Bit Black and White - On & Off Intensity - No Anti Alias 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias	Symbol Setup Symbol Color Defined by Pixel Color C 4 Bit TRGB 1111 - 8 Colors + 1 Transparency C 8 Bit RGB 332 - 256 Colors C 16 Bit RGB 565 - 65536 Colors C 24 Bit RGB 888 - 16777216 Colors
Master Font Times New Roman 32 Bold Create New American English FONT for USA	Symbol Color Defined by Transparent Pixel Color 32 Bit ARGB 8888 - 16777216 Colors 256 Alpha Levels Create New Color SYMBOL
Create New Multi Language FONT for Europe & America Create New FONT or SYMBOL with More Options	Open Font, Symbol, Text, or Image File Help Exit Continue With Previous Files

The demos comes in two groups, bitmap fonts based on a font from the **EuropeanFont** library and bitmap fonts based on a **Windows** vector font.

The demos also show how to make each font or process in batch.

See also other and more detailed descriptions and instructions in the "How to" chapters.

#### A: Fonts based on the EuropeanFonts library

#### 1: Multi Language Fonts from Scratch

Set up an EuropeanFonts library master font and create fonts for many languages just by a few clicks.

https://www.ramtex.dk/iconedit/how-to-make-a-multi-language-font-from-library.htm

#### 2: Text Optimized Fonts from Master Font

IconEdit can find texts in C-strings and make fonts with only the characters found.

https://www.ramtex.dk/iconedit/how-to-make-a-text-optimized-font-from-library.htm

#### 3: Middle Eastern Fonts from Master Font

Middle Eastern texts are written from right to left (RtL) but stored in C-strings left to right (RtL). IconEdit can find texts in C-strings, make fonts with presentation characters, and reverse the C-string texts for use on normal displays.

https://www.ramtex.dk/iconedit/how-to-make-an-arabic-text-optimized-font-from-library.htm

#### 4: Reduce a Master Font to a Multi Language Font

Drag and Drop an EuropeanFonts library master font on IconEdit and reduce the font to a few languages by just a few clicks.

https://www.ramtex.dk/iconedit/how-to-reduce-to-a-multi-language-font-from-library.htm

#### 5: Reduce a Master Font to a Text Optimized Font

IconEdit can find texts in C-strings and mark characters in a font with the characters found.

https://www.ramtex.dk/iconedit/how-to-reduce-to-a-text-optimized-font-from-library.htm

## B: Fonts based on Windows fonts

#### 1: Multi Language Fonts from Scratch

Set up a Windows master font and create fonts for many languages just by a few clicks.

https://www.ramtex.dk/iconedit/how-to-make-a-multi-language-font.htm

#### 2: Text Optimized Fonts from Windows font

IconEdit can find texts in C-strings and make fonts with only the characters found.

https://www.ramtex.dk/iconedit/how-to-make-a-text-optimized-font.htm

#### 3: Middle Eastern Fonts from Windows font

Middle Eastern texts are written from right to left (RtL) but stored in C-strings left to right (RtL). IconEdit can find texts in C-strings, make fonts with presentation characters, and reverse the C-string texts for use on normal displays.

https://www.ramtex.dk/iconedit/how-to-make-an-arabic-text-optimized-font.htm

#### 4: South East Asian Fonts from Windows font

South East Asian texts are written as a combination of basic characters and diacritics that has to be combined before they can be displayed. IconEdit can find texts in C-strings, make fonts with combined characters and modify the C-string texts for use on normal displays.

https://www.ramtex.dk/iconedit/how-to-make-an-indian-text-optimized-font.htm

#### 5: Emoji Fonts from Windows font

Emoji has 20-bit Unicode code points, but emojis in texts are written as a combination of two 16-bit surrogate characters. IconEdit can find 20-bit pseudo code for emojis in C-strings, make fonts with the emojis, and convert the 20-bit pseudo code to two 16-bit surrogate characters.

https://www.ramtex.dk/iconedit/how-to-make-an-emoji-text-optimized-font.htm

## C: Data conversions

#### 1: Convert C-string text to UTF-8 text

UTF-8 is a way to encode Unicode texts as 8-bit bytes instead of 16-bit words. UTF-8 has advantages in some cases:

- Your texts are primarily latin characters (ASCII).
- Your old compiler does not understand 16-bit Unicode.

https://www.ramtex.dk/iconedit/how-to-make-an-utf-8-text.htm

#### 2: How to Convert Images to C-Source code in Batch

The demo will show you how to convert all images of a certain type in a directory to c-souce code in batch.

The conversion can be made from .BMP, .JPG, and .PNG images to many different color modes .

https://www.ramtex.dk/iconedit/how-to-batch-convert-images.htm

# 01: Quick Ways of Creating a Prototype Font in IconEdit

**Basic Assumption:** All examples in this manual assume that IconEdit is reset to factory defaults except for continuations.

This chapter will show 4 fast ways to create a prototype font:

A: Create a Font for Europe and America from the start dialog boxB: Create a Font for a Language in the Language & Region WindowC: Open a Text or Text Catalogue File to Make a Font DirectlyD: Create a Code Point Character List for the Font in the New Dialog Box

Other and more detailed descriptions and instructions follows in the "How to" chapters.

## A: Create a Font for Europe and America from the start dialog box:

Press the Create New Multi Language Font for Europe & America button in the start dialog box:

Create New Multi Language FONT for Europe & America

This makes a font directly:

0020	0021 !	0022	0023 #	0024 \$	0025 %	0026 &	0027	0028 (	0029 )	002A *	002В +	002C ,	002D -	002E	002F /	0030 0	0031 1	0032 2	0033 3	0034 4	0035 5
0036	0037	0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B
6	7	8	9			<	=	>	?	a	A	в	С	D	E	F	G	н	1	J	ĸ
004C L	004D M	004E N	004F 0	0050 P	0051 Q	0052 R	0053 S	0054 T	0055 U	0056 V	0057 W	0058 X	0059 Y	005A Z	005в [	005C \	005D ]	005E ^	005F	0060	0061 a
0062 b	0063 C	0064 d	0065 e	0066 f	0067 g	0068 h	0069 i	006A i	006B k	006C 1	006D m	006E n	006F 0	0070 D	0071 0	0072 r	0073 S	0074 t	0075 u	0076 v	0077 W
0078	0079	007A	оо7в	0070	007D	007E	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	00AB	00AC	00AD	00AE	00B0
A 00B1	9 00B2 2	2 00B3 3	۱ 00B4	00B5	ያ 00B6 ¶	~ 00В7	OOBS	¢ 0089 1	OOBA	OOBB	* 00BC 1/2	i 00BD 14	S 00BE 3/4	OOBF		00C1	~ 00C2 Â	00C3	- 00C4 Å	00C5	00C6
00C7	00C8	00C9 É	00CA Ê	д 00СВ Е	10 00CC Ì	00CD	OOCE Î	00CF	00D1 Ň	// 00D2 0	00D3	00D4	00D5	с 00D6 Ö	A 00D7 ×	а 00D8 Ø	00D9	00DA Ú	A OODB Ĥ	A OODC II	00DD
QODF	00E0	00E1	00E2	00E3	00E4	00E5	00E6	00E7	00E8	00E9	00EA	OOEB	00EC	00ED	OOEE	00EF	00F1	00F2	00F3	00F4	00F5
00F6	a 00F7	a 00F8	a 00F9	a OOFA	a OOFB	a OOFC	ae OOFD	ç OOFF	e 0100	e 0101	e 0105	e 0103	1 0104	1 0105	1 0106	1 0107	п 010А	0 010B	0 010C	0 010D	0 010E
Ö 010F	÷ 0110	0 0111	<b>ú</b> 0112	<b>u</b> 0113	ü 0116	ü 0117	ý 0118	ÿ 0119	A 011A	ā 011B	A 011C	ā 011D	Ą 011E	ą 011F	C 0120	C 0121	C 0122	Ċ 0123	C 0126	Ċ 0127	D 012A
ď	Ð	đ	Ē	ē	Ė	ė	Ę	ę	Ĕ	ĕ	Ĝ	ĝ	Ğ	ğ	Ġ	ġ	Ģ	ģ	Ħ	ħ	Ĩ
012В ī	012E I	012F i	0132 IJ	0133 ij	0136 K	0137 <b>k</b>	0137 k	0138 K	0139 Ĺ	013A Í	013B L	013C l	013D E	013E ľ	0141 L	0142 1	0143 Ń	0144 ń	0145 N	0146 <b>n</b>	0147 Ň
0148 ň	0150 Ö	0151 ő	0152 Œ	0153 œ	0154 Ŕ	0155 ŕ	0156 R	0157 r	0158 Ř	0159 ř	015A Ś	о́15В ś	015E S	015F S	0160 Š	0161 š	0162 T	0163 t	0164 Ť	0165 ť	016A Ū
016B ū	016E Ú	016F ů	0170 Ú	0171 ű	0172 U	0173 u	0178 Ÿ	0179 Ź	017A ź	017в Ż	017C ż	017D Ž	017E ž	0189 Đ	018в а	018C d	01C4 DZ	01C5 Dž	01C6 dž	$_{ m LJ}^{ m 01C7}$	01C8 Li
- 01C9 li	01CA NJ	oice Ni	01CC ni	- 01F1 DZ	01F2 Dz	7 01F3 dz	02DB	02DD	0384	 0385	0386 A	- 0388 E	0389 H	038A T	038C 0	038E Y	038F Ω	0390 ຖື	0391 A	0392 B	0393 Г
0394 A	0395 F	0396 Z	0397 H	0398 0	0399 I	039A K	039В А	039C M	039D N	039E	039F	- 03A0 Π	03A1 P	03A3 2	03A4 T	03A5 V	03A6 Ф	03A7 X	03A8 Ψ	03A9	03AA 1
Q3AB	03AC	03AD	03AE	03AF	03B0	03B1	03B2	03B3	03B4	03B5	03B6	03B7	03B8	03B9	03BA	03BB	03BC	03BD	03BE	03BF	03C0
1	α 0702	8 0707	<u>л</u> 0704	L 0705	0706	α 0707	P	/ 0709	0704	8 07CB	5 0700	<b>Л</b> 0700-	0705	1 0406	K 040D	A 0410	μ 0411	V 0412	9 0417	0	π 0415
ρ	S S	σ	τ.	υ υ	φ	χ.	Ψ	ω	ï	ΰ ΰ	ó	ύ	ώ	I	Й	A	Б	B	Γ	Д	E
0416 Ж	0417 3	0418 И	0419 Й	041A K	041B Л	041C M	041D H	041E 0	041F П	0420 <b>P</b>	0421 C	0422 T	0423 <b>Y</b>	0424 <b>Ф</b>	0425 X	0426 Ц	0427 Ч	0428 Ш	0429 Щ	042А <b>Ъ</b>	042С <b>Б</b>
042D Э	042E Ю	042F <b>Я</b>	0430 a	0431 б	0432 B	0433 Г	0434 д	0435 e	0436 ж	0437 3	0438 н	0439 й	043A K	043B л	043C M	043D H	043E 0	043F п	0440 D	0441 c	0442 T
0443 V	0444 ው	0445 X	0446	0447 W	0448	0449	044A	044B	044C	044D	044E	044F	045D	2019	20AC €	2116					
2	Ψ	A	щ	-	ш	щ	D	DI	9	3	10	я	н		C	2.45					

The small number above each character is the Unicode Code Point in hexadecimal notation. This value will follow the image of the character during all editing, and eventually end up in the Code Point Character List file that is associated with the symbol file when the font is saved.

Your Font is ready for saving ....



Press the *Save All As...* button in the Main tool bar to save the data as *European.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

#### B: Create a Font for a Language in the Language & Region Window:

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:



Choose a color format, either Black & White On & Off intensity with fully opaque colors or Intensity Level semi transparent colors for smoothing of edges. This option is only available in the color version of IconEdit.

Symbol Color Defined by Intensity Level for Color Rendering 1 Bit Black and White - On & Off Intensity - No Anti Alias 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias

Press OK.

This creates a font with only one character.

Switch to the Language & Region window

#### Language & Region

Scroll down to a language for instance Greek



Choose Greek in the tick box to create the characters necessary for Greek



The font now looks like this:



The small number above each character is the Unicode Code Point in hexadecimal notation. This value will follow the image of the character during all editing, and eventually end up in the Code Point Character List file that is associated with the symbol file when the font is saved.

Your Font is ready for saving ....

# ٢

Press the *Save All As...* button in the Main tool bar to save the data as *Greek.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

#### C: Open a Text or Text Catalogue File to Make a Font Directly:

To make a new text optimized font to fit a text or text catalogue press the *Open File* button in the Main Toolbar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open the file *ButtonText.cpp*:

#endif

This in turn opens the create font dialog box:

Create New Font

Choose a color format, either Black & White On & Off intensity with fully opaque colors or Intensity Level semi transparent colors for smoothing of edges. This last option is only available in the color version of IconEdit.



Press OK.

The text or text catalogue is analyzed for all occurring characters either in the whole text or, in the case of a C source code text catalogue, only the text inside the text strings to build a font. The resulting font then gets an auto-generated name *ButtonText\_cpp.c*:



The small number above each character is the Unicode Code Point in hexadecimal notation. This value will follow the image of the character during all editing, and eventually end up in the Code Point Character List file that is associated with the symbol file when the font is saved.

When the font is created the text is shown with the new font in a separate window:



The blue marking makes it easier to trace the characters in the different windows.

Mouse help identifies the character and shows how long the text string will be on the target display.

Your Font is ready for saving ....



Press the *Save All As...* button in the Main tool bar to save the data as *ButtonText\_cpp.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

## D: Create a Code Point Character List for a Font in the New Dialog Box:

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

Symbol Type Font with Characters from MasterFont O Group of Symbols Filled With Background Color

Choose a color format, either Black & White On & Off intensity with fully opaque colors or Intensity Level semi transparent colors for smoothing of edges. This last option is only available in the color version of IconEdit.



Most applications need the Numbers and the basic Latin characters in the range from 0x20 to 0x7E, this is known as the ASCII range. To make them open the Character List dialog box:

Create a Character List for Font Directly

Mark SPACE with a mouse click and mark the character range from SPACE to TILDE with a shift mouse click on TILDE. The characters are highlighted in orange to indicate insert:



Press OK.

The font now looks like this:

9020	0021 1	0022 "	0023 #	0024 <b>\$</b>	0025 %	0026 <i>R</i> 7	0027 1	0028 (	0029 )	002A *	002В +	0020	002D	002E	002F /	0030 0	0031 1	0032 2	0033 3	0034 / <b>1</b>	0035 5	0036 6
0077	•	0070	<i>π</i>	Ψ	2020	0070	0075	0075	/	0044		/	-	• 0045	/ 0046	0047	<b>▲</b>	-	-	<b>T</b>	0040	00.40
003/	0038	0039	003A	0038	0030	0030	003E	003F	0040	0041	0042	0043	0044	0045	0046	004/	0048	0049	004A	0048	- -	0040
7	8	9	:	;	<	=	>	?	@	Α	В	C	D	E	F	G	Η	Ι	J	Κ	L	Μ
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064
Ν	0	Р	Q	R	s	Т	U	V	W	X	Y	Ζ	[	١	]	^		1	a	b	с	d
0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B
e	f	g	h	i	j	k	1	m	n	0	р	q	r	s	t	u	v	w	x	y	z	{
007C	007D	007E																				
1	}	~																				

The small number above each character is the Unicode Code Point in hexadecimal notation. This value will follow the image of the character during all editing, and eventually end up in the Code Point Character List file that is associated with the symbol file when the font is saved.

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data as *ASCII.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

#### E: Quality Improvement:

Such auto-generated fonts are usually sufficient in the development and debug phase of a project, but before the first release of the project all characters should be checked for readability and harmony.

For options for quality improvement, adding languages or character sets and minimizing the ROM footprint of the font see the chapters in the section **How to Build Fonts from Scratch**.

# 02: Different Ways of Storing Data in IconEdit

## A: How to Save your Work without a Valid Licence

#### 1: Formats that Retain all Relevant Data

IconEdit can store data in any B&W or Color format in an IEF file *Name.ief*. IEF is a fast input/output disk file format for temporary storage of symbol data. It contains the same information as the normal c-sym-cp-pal file quad of the symbol data format, but in a much smaller proprietary format.

Several DataSets can be stored together in an IEP file *ProjectName.iep*. IEP is a container for all the DataSets in a project, it has a general header for the project followed by a number of DataSets in IEF format, all in one format for easy exchange of data with other members of a project group or for working on several projects almost simultaneously.

Data stored in the IEF or IEP formats can later be converted to C-source code and other formats when IconEdit is running under a valid licence.

B&W fonts and symbol groups can be stored as the classic font Glyph Bitmap Distribution Format *Name.bdf*.

Small test fonts and symbol groups can be stored as C-source code in *Name.c*. The maximum number of characters or symbols is 42, and the maximum size 42x42.

#### 2: Save Formats that May Reduce or Change Information

Any B&W or Color format can be stored as a Windows bitmap *Name.bmp*, a JPG image *Name.jpg*, a PNG image *Name.png*, or if it is small enough a Windows Icon *Name.ico* for use in illustrations or presentations.

## B: How to Save your Work with a Valid Licence

#### 1: Formats that Retain all Relevant Data

IconEdit normally store data in any B&W or Color format in a set of 2 to 4 separate disk files: A header file *Name.c* that defines the necessary data structures and includes the other files. There is always a pixel data file *Name.sym*. Fonts usually have a Code Point Character List file *Name.cp* with Code Points for the symbols defined in the *sym* file. Color files can have a palette file *Name.pal* with definitions of pixel colors or tool colors. The files are all in 'C' source format and can be read by a text editor or included directly in a 'C' source code for a program.

IconEdit can store data in any B&W or Color format in an IEF file *Name.ief* or an IEP project file *ProjectName.iep*. The project files are meant for easy exchange of data with other members of a project group or for working on several projects simultaneously. These formats are much smaller than all the other input / output formats in IconEdit, but the data can only be read by the IconEdit program.

B&W font data can be saved as Binary Distribution File *Name.bdf*, this format can be read by most font editors.

B&W data can be saved as binary or 'C' files *Name.bin* or *Name.h* these formats can be configured to any of 8 possible byte and bit orientations to fit most B&W displays.

#### 2: Export Formats that May Reduce or Change Information

Any B&W or Color format can be stored as a Windows bitmap *Name.bmp*, a JPG image *Name.jpg*, a PNG image *Name.png*, or if it is small enough a Windows Icon *Name.ico* for use in illustrations or presentations.

The Code Points in a font can be stored as a Unicode text *Name.txt* for use in text editors or as Comma Separated Values *Name.csv* for use in spreadsheets.

#### C: How to Work with Projects

IconEdit can store a number of DataSets in any mixture of B&W or Color formats in an IEP file *Name.iep*. IEP is a fast input/output disk format, and all the DataSets are stored in one file. This is for use in the beginning of a design project to keep the DataSets together and for exchanging data with other members of a work group.

At a later stage of the design project when the symbols and fonts are included in source code files via the *Name.c* header files the DataSets have to be stored in the *Name.c Name.sym Name.cp Name.pal* file quad.

IconEdit can automatically reload a number of files in any mix of formats known to IconEdit at program start-up, and it can save all changes to the DataSets at program exit.

This reload is achieved with the *File -> Reload Files at Startup* option. IconEdit keeps a list of recent files and opens them all at program start if the option is activated.

To make it possible to work on several design projects more or less simultaneously the recent files list can be saved in a *Name.rll* file for later use. The command *File -> Open All Files in a Previously Saved Reload List...* can prompt you for a file of the type *Name.rll*, activate the *File -> Reload Files at Startup* option and restart IconEdit with the new list of reloadable files.

This means that you can switch between different groups of DataSets with a single command.

# 03: Different Ways of Creating Fonts in IconEdit

**Basic Assumption:** All examples in this manual assume that IconEdit is reset to factory defaults except for continuations.

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

-Symbol Type • Font with Characters from MasterFont • Group of Symbols Filled With Background Color

From here there are several ways:

#### A: Create a Character List in the New Dialog Box:

The New dialog box has several ways of creating a Code Point Character List:

#### 1: Create Manually:

Create a Character List for Font Directly

One default character has already been selected, if more than one character is selected use:

Clear All Except Default Character

This does not clear the default character.

Mark from SPACE to TILDE with the mouse. The characters are highlighted in orange to indicate insert:



Press Insert:

Insert 95 Characters

Press OK to leave the New dialog box with the Code Point Character List as Font.

Your Font is ready for saving.

#### 2: Based on Existing Font:

Create Font by Import of a Code Point with a list of characters:

Import One Code Point Character List File

Open NAME.cp and press Insert Characters.

Press OK to leave the New dialog box with the Code Point Character List as Font.

Your Font is ready for saving.

#### B: Language & Region Filters:

Press OK to leave the New dialog box with only the default character SPACE.

*Warning: Language & Regions only works with Master Fonts according to the Unicode standard as described at www.unicode.org. See the chapter* **How to Check that an Existing Font is According to Unicode**.

Press Language & Region Filters:

#### Language & Region

To enter language edit mode:



Press the tick-box for a language, for example Belarusian:

#### 🗌 Belarussian

This highlights the chosen language and adds the missing characters. All the characters included in the language are marked in yellow:



Your Font is ready for saving.

#### C: Unicode Scripts & Symbols:

Press OK to leave the New dialog box with only the character SPACE.

Warning: Scripts & Symbols only works with Master Fonts according to the Unicode standard as described at www.unicode.org. See the chapter How to Check that an Existing Font is According to Unicode.

Press Unicode Scripts & Symbols:

Scripts & Symbols

To enter Unicode edit mode:



Press the tick-box for a script, for example Hiragana:

#### 🗌 Hiragana

This highlights the chosen script and adds all the characters in the script. All the characters included in the script are marked in yellow:



## D: Read Text, Text Catalogue or Code Point Character List File as Marks:

This uses a file menu command that marks the characters in the font that are already present, and it adds those that are not present in the font from the Master Font. You can build one single Font for any number of input files by importing them one by one in any order.

Press OK to leave the New dialog box with only the character SPACE.

Change to *Font Edit* mode:

#### Font Edit

Fonts can either be made to fit one or more texts, only contain the actual texts in several text catalogues, or based on the Code Point Character List of one or more existing fonts.

#### 1: Font that Fits a Text:

This option interprets Files with the extension .txt.

Open a Unicode text such as *Mkhedruli.txt* with **Text** –>**Import Text or Text Catalogue to Mark or Create Characters**:

სექციების სია [დამალვა]

- 1 ასტრონომიის დარგები
- 2 ასტრონომიის ისტორია
- 3 ასტრონომიის საერთო ცნებები და ტერმინები
- 3.1 ასტრონომიული ობიექტები
- 3.2 ასტრონომიული ხელსაწყოები
- 4 გამოჩენილი ასტრონომები
- 5 გამოჩენილი ქართველი ასტრონომები
- 6 ასტრონომიული დაწესებულებები
- 7 ქართული რესურსები ინტერნეტში

#### Press Yes to Insert New Additional Characters.

The program finds all the different Basic Characters, Combined Characters and Presentation Forms including non-displayable control characters, and marks the already present characters with green and the newly added characters from the Master Font with grey:



IconEdit automatically opens the **Show Imported Text** window so you can see how the text will look with the new font:



სექციების სია [დამალვა]

- 1 ასტრონომიის დარგები
- 2 ასტრონომიის ისტორია
- 3 ასტრონომიის საერთო ცნებები და ტერმინები
- 3.1 ასტრონომიული ობიექტები
- 3.2 ასტრონომიული ხელსაწყოები
- 4 გამოჩენილი ასტრონომები
- 5 გამოჩენილი ქართველი ასტრონომები
- 6 ასტრონომიული დაწესებულებები
- 7 ქართული რესურსები ინტერნეტში

Your Font is ready for saving.

#### 2: Font that Fits a Text Catalogue:

This option interprets Files with the extensions .c .h .cpp and .cs.

Open the Unicode text catalogue *Astronomy.cpp* with **Text -> Import Text or Text Catalogue to Mark** or **Create Characters**:

This opens the Choose Autogenerated Characters dialogbox:

Font Genaration Make Diacritics as Separate Characters Combine Characters & Diacritics as Presentation Characters

Press OK.

Press Yes to Insert New Additional Characters.

The program finds all the different Basic Characters, Combined Characters and Presentation Forms including non-displayable control characters inside the 'C' strings, and marks the already present characters and symbols with green and the newly added characters from the Master Font with grey:



The texts in the strings are displayed automatically with the new font and a blue mark to identify the characters individually:

#ifdef ARABIC wchar\_t szAstronomy\_00[]={L<sup>"</sup>مثل النجوم، والكواكب"}; wchar\_t szAstronomy\_01[]={L<sup>"</sup>مثل النجوم، والكواكب"}; #elif THAI wchar\_t szAstronomy\_00[]={L<sup>"</sup>ดาราศาสตร์ คือวิชาวิทยา"}; wchar\_t szAstronomy\_01[]={L<sup>"</sup>อาทิ ดาวฤกษ์ ดาวเคราะห์"}; #endif

(The text window can be closed with the Show Imported Text button)



Your Font is ready for saving.

#### 3: Font that Fits a Code Point Character List:

This option interprets Files with the extension .cp.

Open the Code Point *BelarussianASCII.cp* with **File** –>**Import Code Point Character List to Mark or Create Characters**:

Press Yes to Insert New Additional Characters.

Change to Font Edit

The program marks the already present characters with green and the newly added characters from the Master Font with grey:

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F	0030	0031	0032	0033
	!	''	#	\$	%	&	'	(	)	*	+	,	-		/	0	1	2	3
0034	0035	0036	0037	0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047
4	5	6	7	8	9	:	;	<		>	?	a	Α	B	С	D	E	F	G
0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B
Η	Ι	J	Κ	$\mathbf{L}$	Μ	Ν	0	P	Q	R	S	Т	U	V	W	Χ	Y	Ζ	[
0050	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F
\	]	^		`	a	b	C	d	e	f	g	h	i	j	k	1	m	n	0
0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	0070	007D	007E	0401	0406	040E	0410	0411
р	q	r	S	t	u	V	W	X	у	Z	{		}	~	E	Ι	У	Α	Б
0412	0413	0414	0415	0416	0417	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426
B	Γ	Д	E	Ж	3	И	К	Л	$\mathbf{M}$	$\mathbf{H}$	0	Π	P	C	T	У	$\Phi$	Χ	Ц
0427	0428	042B	0420	042D	042E	042F	0430	0431	0432	0433	0434	0435	0436	0437	0439	043A	043B	0430	043D
Ч	Ш	Ы	Ь	Э	Ю	Я	a	б	В	Г	д	e	ж	3	й	К	Л	М	H
043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	044B	044C	044D	044E	044F	0451	0456	045E	2116
0	Π	р	C	Т	у	ф	X	Ц	Ч	ш	ы	Ь	Э	ю	я	ë	i	ў	№

Your Font is ready for saving.

## E: Paste Text as Font:

From a text editor such as Notepad or Word or from a Browser mark a text and copy it to the Clip Board with <Ctrl>C:

Tørt og skyet vejr, men i løbet af eftermiddagen opklaring.

In IconEdit press OK to leave the create box.

Change to Font Edit.

#### Font Edit

Paste the text with <Ctrl>V, and select Put All as Characters:

Put All as Characters

This generates a small Latin font including the necessary punctuation marks:



The text displayed automatically with the new font and blue marks to identify the characters individually:

# Tørt og skyet vejr, men i løbet af eftermiddagen opklaring.

Your Font is ready for saving.

## F: Import Text or Text Catalogue File to Create a Text Optimized Font:

This file menu command does not operate on an already existing font, but create a new font based on the Master Font.

The function can be accessed in two ways, either as a menu command with **Text** –>**Import Text**, **Text Catalogue to Create a Text Optimized Font** or directly by opening a text file:

#### 1: Plain Text with Diacritics generating Auto-generated Characters

This option interprets Files with the extension .txt.

Press the File Open button in the Main tool bar:



Open the Unicode text *Thai.txt*:

ปรินส์ออฟเปอร์เซีย เป็นเกมแนวอาร์เกด 1 เนื้อเรื่อง 2 ดัวละคร 2.1 เจ้าชาย 2.2 เจ้าหญิง 2.3 จาฟฟาร์ 2.4 เจ้าชายร่างกระจก และหากเห็นผู้ใดเข้ามารักนางถือเป็นตัว

#### This opens the Create New Text Font dialog box:

 Font Size and Name for C File

 Height
 24

 Thai\_txt.c

In the color version of IconEdit there is an additional choice of Color Mode:



Press OK.

This opens the Choose Autogenerated Characters dialogbox:

Faul Councilian
Font Genaration
Make Diacritics as Separate Characters
Combine Characters & Diacritics as Presentation Characters

Press *OK*, and IconEdit analyses the input for combinations of basic characters and diacritics and generates the necessary Auto-generated Characters:

000A	000D	0020	002E	0031	0032	0033	0034	0E01	0E02	0E04	0E07	0E08	0E0A	OEOB	OEOD	0E14	0E15	0E16	0E19	OE1B	0E10	0E1F
				1	2	3	4	ก	บ	ค	4	ຈ	ช	ช	ល្ង	ଜ	ଜ	ຄ	น	ป	ដ	ฟ
0E21	0E22	0E23	0E25	0E27	0E2A	0E2B	0ESD	0E30	0E32	0E40	0E41	0E43	E700	E701	E202	E703	E704	E705	E706	E707	E708	3 E709
ม	ย	3	6	3	ส	ห	อ	š	า	L	แ	l	ริ	ส์	ร์	ชื	ป	นึ	รี	ตั	จ้	ល្ងិ
E70A	E70B	E70C	E70D	E70E	E70F																	
ร่	ห็	<b>រ</b> ្ម័	ข้	วั	ถื																	

The text displayed automatically with the new font and blue marks to identify the characters individually:

ปรินส์ออฟเปอร์เซีย เป็นเกมแนวอาร์เคด 1 เนื้อเรื่อง 2 ตัวละคร 2.1 เจ้าชาย 2.2 เจ้าหญิง 2.3 จาฟฟาร์ 2.4 เจ้าชายร่างกระจก และหากเห็นผู้ใดเข้ามารักนางถือเป็นตัว

Your Font is ready for saving.

#### 2: "C" Text Catalogue with Auto-generated Characters instead of Diacritics

This option interprets Files with the extensions .c .h .cpp and .cs.

Press the *File Open* button in the Main tool bar:



Open the Unicode text Astronomy.cpp:

This opens the *Create New Font* dialog box:

-Font Size and Name for C File										
Height	24	Astronomy_cpp.c								

In the color version of IconEdit there is an additional choice of Color Mode:

	Symbol Color Defined by Intensity Level for Color Rendering
I	
I	1 Bit Black and White - On & Off Intensity - No Anti Alias
	2 Bit Intensity Level - 4 Alpha Levels for Anti Alias

- 4 Bit Intensity Level 16 Alpha Levels for Anti Alias
- 🔘 8 Bit Intensity Level 256 Alpha Levels for Anti Alias

#### Press OK.

This opens the Choose Autogenerated Characters dialogbox:

Font Genaration

- Make Diacritics as Separate Characters
- Combine Characters & Diacritics as Presentation Characters

Press *OK*, and IconEdit analyses the input for combinations of basic characters and diacritics inside the "C" strings and ignores the code. This generates a small Thai and Devanagari font including the necessary Auto-generated Characters necessary for rendering the texts:

0020	0600	<u></u> 0623	0627	0628	0629	062B	0620	062F	0631	0633	0639	0643	0644	0645	0646	0648	064A	0E01	0E04	0E0A	0E14	0E15	0E17
	•	)	1	÷	5	ث	3	۵	5	س	٤	ی	J	e	Û	و	ي	ก	ค	ช	ଭ	ଜ	ท
0E22	0E23	0E24	0E27	0E28	0E29	0E2A	0E2B	0ESD	0E30	0E32	0E40	E700	E701	E702	E703	E704	E705	FE92	FE94	FE9C	FEA0	FEAA	FEAE
ย	ว	ຖ	3	ମ	¥	ส	ห	อ	ž	า	ι	ź	คื	ີວ	ทิ	19	ห์	÷	Ä	2	÷	د	J
FEB3	FECC	FEDB	FEDC	FEDE	FEDF	FEE0	FEE1	FEE3	FEE4	FEE8	FEEE	FEF4	FEF8										
~	2	2	2	5	-	1	e	-	-	-	و	÷	צ										

The texts in the strings are displayed automatically with the new font and a blue mark to identify the characters individually:

```
// Disclaimer: These texts are only for demonstration of the principle

// and may not make any sense to someone familiar with the language

#ifdef ARABIC

wchar_t szAstronomy_00[]={L, "مثل لنجوم، ولكوكج"};

wchar_t szAstronomy_01[]={L, "متا لنجوم، ولكوكج"};

#elif THAI

wchar_t szAstronomy_00[]={L, "מיזרפו מיז פֿו מיזרפו מיזרפ
```

Your Font is ready for saving.

#### 3: Make a New Font Based on an Existing a Code Point Character List:

This option interprets Files with the extension .cp.

Press the *File Open* button in the Main tool bar:



Open the Code Point Character List AZ09.cp:

This opens the *Create New Font* dialog box:

Font Size and Name for C File Height 18 AZ09\_cp.c

Press OK. This creates a new font:



Your Font is ready for saving.

# 04: How to Build Fonts from Scratch

All examples in this manual assume that IconEdit is reset to factory defaults except for continuations.

We recommend filling the character symbols with auto-generated characters from a Master Font as a guideline:

Symbol Type	
Font with Characters from MasterFont	
C Group of Symbols Filled With Background Color	

Such auto-generated fonts are usually sufficient for the development and debug phase of a project, but before the first release of the project all characters should be checked for readability and harmony. The characters can usually be edited on the font or script level by changing the Thickness and Relative Width settings for the Master Font so the characters can be used as they are without much individual editing.

## A: How to Draw a Black & White ASCII Font with 95 Characters

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

Symbol Type Font with Characters from MasterFont C Group of Symbols Filled With Background Color

Choose a color format, here Black & White. This option is only available in the color version of IconEdit:

Symbol Color Defined by Intensity Level for Color Rendering

1 Bit Black and White - On & Off Intensity - No Anti Alias

2 Bit Intensity Level - 4 Alpha Levels for Anti Alias

4 Bit Intensity Level - 16 Alpha Levels for Anti Alias

8 Bit Intensity Level - 256 Alpha Levels for Anti Alias

Choose a master font, in this example a TrueType or OpenType vector font already installed in Windows:

The exact text on the Master Font buttons may vary depending on the operating system version and prior settings in IconEdit.

First, select a Windows font either from the Recent list or pick a new Windows font:



If the recent fonts are not ideal, pick another Windows font as this example shows:

#### Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

Fill in the 3 top fields to choose for example Palatino Bold and 24. The last field is the height of the whole Character including top and bottom white space. This number will be the height of the each symbol in pixels.

#### Palatino Linotype Bold 24

Press OK.

Confirm chosen Windows font:

W Palatino Linotype

OK Palatino Linotype 24 Bold

The displayable ASCII characters range from 0x20 to 0x7E. Open the Character List dialog box:

Create a Character List for Font Directly

One or more characters in addition to the default character may already selected, so:

Clear All Except Default Character

This does not delete the default character that is used when a character is not present in the font.

Mark from SPACE to TILDE with the mouse. The characters are highlighted in orange to indicate insert:



Press Insert:

Insert 95 Characters

Give the font a name, only valid 'C' names are valid here and the extension should not be changed:

File Names										
Name for C File	ASCII.c									
System Palette File Name ASCII.pal										
Directory C:\F	onts\	Browse								

The name of the Code Point Character List file is automatically added.

Press OK.

To better view the font, use *Change Zoom*:



Make the picture smaller or bigger with the  $+ - /2 \approx 2$  button.

The font now looks like this:

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D
		"	#	¢.	0/	R-	1	1	1	*	+		
			Π	Ψ	70	0		٩.	1			7	
002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B
	1	0	1	2	3	4	5	6	7	8	9		•
-	· /	v	-			-		<b>V</b>	5				1
0030	0030	003E	003F	0040	0041	0042	0043	0044	0045	0046	004/	0048	0049
e 📃			2	$\mathbf{a}$	$\mathbf{A}$	R	C	D	F	F	C	H	T
					4 B							**	
004A	004B	004C	004D	004E	004F	0050	0051	0052	0053	0054	0055	0056	0057
T	$\mathbf{K}$	T	M	N	$\cap$	Р	$\mathbf{\Omega}$	R	S	T	TI	$\mathbf{V}$	$\mathbf{W}$
J	1		1 T I	1.4		1 III.	Y.	17		1 × 11			
0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062	0063	0064	0065
$\mathbf{v}$	$\mathbf{v}$	7	<b>F</b>	A.	1	Λ		2		h		4	<u>a</u>
$\mathbf{\Lambda}$		4	L		1				a			u	•
0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073
£		1.	2	11	1.	1					~		
1	g	11	1		К	1	III	11	U	P	9	Γ	5
0074	0075	0076	0077	0078	0079	007A	007B	0070	0070	007E			
4						_	1		1				
t	u	V	W	X	Y	Z	i		)	~			

The small number above each character is the Unicode Code Point. This value will follow the image of the character during all editing, and eventually end up in the Code Point Character List file that is associated with the symbol file when the font is saved.

Modification at character level can be done in this edit mode.

To change the numbers in the font to italics first change the master font press *MasterFont*:



To enter the master font dialog box:

Master Font

Press Italics:

OK Palatino Linotype 24 Bold Italics

Mark the numbers with the mouse in normal text editor style:



The *Redraw Characters* now has a green frame to indicate that only the marked characters will be redrawn, press it to redraw the marked characters:



New numbers are drawn and the markings are now grey to indicate new characters:



The width of the font is auto-generated to have room to draw any character in the master font.

To remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested:



Press OK to reduce the font to its minimum size:

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F	0030	0031
	1	"	#	\$	%	&	'	(	)	*	+		-		/	0	1
0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043
2	3	4	5	6	7	8	9	:	;	<	=	>	?	@	Α	B	С
0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053	0054	0055
D	E	F	G	Η	Ι	J	Κ	L	Μ	Ν	0	Р	Q	R	S	Т	U
0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067
V	W	X	Y	Ζ	[	١	]	^		`	а	b	С	d	e	f	g
0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079
h	i	j	k	1	m	n	ο	p	q	r	S	t	u	v	w	x	y
007A	007в {		007D }	007E													
_																	

Your Font is ready for saving ....


Press the *Save All As...* button in the Main tool bar to save the data as *ASCII.c* in the proper directory. The Sym and Code Point Character List files with the corresponding glyphs and Code Points are saved automatically.

## 1: How to Add a Foreign Language to an Existing Font

This example is a continuation and uses the font and settings of the previous example.

**Warning:** Language & Region filters are probabilistic in nature; they contain the characters normally associated with a Language or a Region, but they may not cover technical terms, foreign words or names. This will do fine during development, but before release, when all the texts in the project are defined, the font should be checked with the function: Text -> Import Text or Text Catalogue to Mark or Create Characters...

*Warning:* Language & Region only works with Master Fonts according to the Unicode standard as described at www.unicode.org. See the chapter **How to Check that an Existing Font is According to Unicode**.

Press Language & Region Filters:

#### Language & Region

To enter language edit mode:



Upon entry to Language & Region edit mode, the present font is already marked to avoid accidental erasure of existing symbols in this edit mode:

#### ASCII

# Warning: If this is un-ticked and no other filter is chosen by a tick, all characters except the default character are marked for delete.

The default character is marked by highlighting the number in cyan, and the languages already included in the font are highlighted in white.

Press the tick box for a language, for example Belarusian:

#### 🗌 Belarussian

This highlights the chosen language and adds the missing characters:



The language tick box is highlighted in green and the language and the new characters are marked in yellow; the tick box can be used for removing the language again.

Switch back to *Font Edit* mode to check:

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039
	!	"	#	\$	%	&z	1	(	)	*	+	,	-		/	0	1	2	3	4	5	6	7	8	9
003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053
:	;	<	=	>	?	@	Α	B	С	D	E	F	G	Η	Ι	J	Κ	L	Μ	Ν	0	P	Q	R	S
0054	0055	0056	0057	0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D
Т	U	V	W	X	Y	Ζ	[	۱.	]	۸		`	a	b	c	đ	е	f	g	h	i	j	k	1	m
006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	0070	007D	007E	0401	0406	040E	0410	0411	0412	0413	0414	0415
n	o	р	q	r	s	t	u	v	w	x	y	z	{	I	}	~	Ë	Ι	Ў –	A	Б	B	Γ	$\mathcal{A}$	E
0416	0417	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	042B	0420	042D	042E	042F	0430	0431	0432
Ж	3	Й	K	Δ	M	H	0	П	P	С	Τ	$\boldsymbol{Y}_{-}$	${\Phi}$	Χ	Ц	Ч	Ш	Ы	Ь	Э	Ю	Я	a	б	6
0433	0434	0435	0436	0437	0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	044B	044C	044D	044E	044F
2	д	e	ж	3	Ă	к	л	м	н	0	Ħ	p	С	m	y –	ø	x	Ц	ų	m	14	t	э	<del>10</del>	я
0451	0456	045E	2116																						
ë	i	Ŭ,	$\mathcal{N}_{2}$																						

To remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested. Select Copy Pixel to Pixel.

Press OK to reduce the font to its minimum size.

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data as *BelarussianASCII.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

## 2: How to Check that an Existing Font is According to Unicode

This example is a continuation and uses the font and settings of the previous example.

Press *MasterFont* button:



Check that the Master Font is a Unicode Windows font:

#### W Palatino Linotype

It is not important which Windows Master Font it is as long as it is Unicode and the font actually has defined the characters you want to check.

Press OK.

Press Compare Symbols: Show Symbols in Actual Size:



Press again as Compare Symbols: Show Symbols and Master Font Together:



This opens a window for comparing the existing font on the top row with the Master Font on the bottom row:



Scroll through the whole font with the mouse and check that the top and bottom glyph represent the same character.

#### 3: How to Squeeze and Mono-Space an existing Font Manually

This example is a continuation and uses the font and settings of the previous example.

In some applications it is preferable that all characters have the same width, it simplifies the calculation of string lengths and reduces flicker when strings are changed. In addition mono-space fonts usually require less memory space because the widest characters are squeezed somewhat.

For Black & White fonts we recommend that squeezing is done for one character at a time with the **Squeeze or Stretch Character with Mouse** in **Character Edit** mode to keep track on the deformation of the characters whereas squeezing of Grey fonts can normally be done safely for the whole font as one operation in **Font Edit** mode with the use of **Squeeze Oversize Characters** in the **Resize All Symbols** function.

These two methods are described in chapter 04.A.3 and 05.C.1 respectively.

In this example we will squeeze the B&W font *BelarussianASCII.c* from 23x24 to 16x24.

First select all characters with the *Mark All Symbols* button:



Then leftset all characters with the *Leftset Character* button:



Change to **Character Edit** by right click on the letter A to make a reference frame 16x24.



Use *Place Drawing Reference Frame* to make a 16x24 frame for future reference, *Show Drawing Reference Frame* is automatically activated:





Catch the lower left corner of the frame with the mouse and move it to Frame 16x24:



The reference frame is now visible and the character is within the frame:

Disable the *Place Reference Frame* by pressing it again, or by activating another tool such as *Draw Pixels*:



To see the reference frame for many characters press the *Show Symbols in Actual Size* and *Show Symbols and Master Font for Comparison* buttons if the functions are not already active. The reference frame is now shown on all symbols:



This provides a quick check to see if any of the symbols are outside the frame.

To find the largest of the characters that is larger than the frame click *Get Biggest Character*:



This shows the four extremes of the glyphs and the widest character, click the button for *Right*:



Activate the *Squeeze or Stretch Character with Mouse* tool:



Click on the lower right corner and move the cursor left until the symbol is inside the frame:



Repeat this procedure until all characters are inside the frame.

In case of *italics* characters it is acceptable that the glyph takes up the whole width of the symbol, but if there are vertical lines at the right side of the glyph there should be at least one empty column:



When all glyphs are inside the frame change to Font Edit by a right click on the symbol:

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039
	!	"	#	\$	%	&z	1	(	)	*	+	,	-		/	0	1	2	3	4	5	6	7	8	9
003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053
:	;	<	=	>	?	@	Α	B	C	D	E	F	G	H	I	J	Κ	L	Μ	Ν	0	P	Q	R	S
0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	0060	006D
Т	U	V	W	X	Y	Ζ	[	١	]	۸		`	a	b	с	đ	e	f	g	h	i	j	k	1	m
006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E	0401	0406	040E	0410	0411	0412	0413	0414	0415
n	o	р	q	r	s	t	u	v	w	x	y	z	{		}	~	Ë	Ι	Ў –	A	Б	B	Γ	Д	E
0416	0417	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	042B	0420	042D	042E	042F	0430	0431	0432
Ж	3	Й	K	Λ	M	Ħ	0	П	P	С	Τ	<b>y</b>	Φ	X	Ц	Ч	Ш	Ы	Ь	Э	Ю	Я	a	б	6
0433	0434	0435	0436	0437	0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	044B	044C	044D	044E	044F
2	д	e	ж	3	Ă	ĸ	л	м	н	0	Ħ	p	с	m	y	ø	x	Ц	ų	m	14	t	э	ю	я
0451	0456	045E	2116																						
ë	i	ÿ	M.																						

To remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested. Select X = 16 and *Copy Pixel* to *Pixel*. Press OK to reduce the font to the reference frame size:

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039
	1	"	#	\$	%	&z	1	(	)	*	+	,	- 1		/	0	1	2	3	4	5	6	7	8	9
003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053
:	;	<	=	>	?	@	Α	B	С	D	E	F	G	Η	I	J	K	L	Μ	Ν	0	P	Q	R	S
0054	0055	0056	0057	0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D
Т	U	V	W	X	Y	Ζ	[	۱.	]	^		1	a	b	с	d	e	f	g	h	i	j	k	1	m
006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E	0401	0406	040E	0410	0411	0412	0413	0414	0415
n	0	р	q	r	s	t	u	v	w	x	y	z	{		}	~	Ë	Ι	Ў	A	Б	B	Γ	Д	E
0416	0417	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	042B	042C	042D	042E	042F	0430	0431	0432
Ж	3	Й	K	Λ	M	Ħ	0	П	P	С	Τ	<b>y</b>	Φ	Χ	Ц	Ч	Ш	Ы	Ь	Э	Ю	Я	a	б	6
0433	0434	0435	0436	0437	0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	044B	044C	044D	044E	044F
2	д	e	ж	3	Ă	ĸ	л	м	H	0	Ħ	p	с	m	IJ.	ø	x	Ц	ų	m	14	t	э	10	я
0451	0456	045E	2116																						
ë	i	Й	No.																						

The Squeezed Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data as *BelarussianASCII\_S.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

To make a mono-space font select all characters with the *Mark All Symbols* button:



Then mono-space all characters with the *Monospace and Center Character* button:

B
---

0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039
	1	"	#	\$	%	&z	1	(	)	*	+	,	- 1		1	0	1	2	3	4	5	6	7	8	9
003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053
21	;	<		>	?	@	Α	B	С	D	Ε	F	G	Η	Ι	J	K	L	Μ	Ν	0	P	Q	R	S
0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D
Τ	U	V	W	X	Y	Ζ	[	ł	1	۸		`	a	b	С	đ	e	f	g	h	i	j	k	1	m
006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E	0401	0406	040E	0410	0411	0412	0413	0414	0415
n	0	p	q	r	S	t	u	v	w	x	y	z	{	1	}	~	Ë	Ι	Ÿ	A	Б	B	Γ	Д	E
0416	0417	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	042B	0420	042D	042E	042F	0430	0431	0432
Ж	3	Й	K	Δ	M	Ħ	0	П	P	С	T	y	Φ	Χ	Ц	Ч	Ш	Ы	Ь	Э	Ю	Я	a	б	6
0433	0434	0435	0436	0437	0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	044B	044C	044D	044E	044F
2	ð	e	ж	3	Ă	ĸ	л	м	H	0	Ħ	p	с	Ħ	IJ	ø	x	Ц	ų	m	14	U	Э	10	я
0451	0456	045E	2116																						
ë	i	ÿ	M.																						

The mono-spaced font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data as *BelarussianASCII\_M.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

# B: How to Draw a Grey Alpha Level Font with Greek Anti-Aliased Characters

This example applies only to the color version of IconEdit.

## 1: How Many Bits per Pixel are Really Necessary

The first thing to decide is how many bits to use per pixel.

Below are a Times New Roman font in sizes 18 and 32 drawn with 1 bit per pixel black and white and 2, 4 and 8 bits per pixel grey alpha levels, all of which are made by the Windows rendering engine.

These engines are slightly different on different versions of Windows, XP makes 16 shades, Windows Vista, 7 and 8 makes 64 shades, and Windows 10 makes 80 shades, but even 4 shades are usually enough to make the text look smooth.

The difference for the grey resolutions seems important if the characters are blown up:





But when shown in actual size, the different sizes of grey anti aliased texts are difficult to tell apart:

(a) ABCabc

To limit the amount of memory needed to store the font, 2 bits per pixel will be used, because it is usually sufficient.

## 2: How to Make a Grey Alpha Level Font

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

```
    Symbol Type
    Font with Characters from MasterFont
    Group of Symbols Filled With Background Color
```

Choose a color format:



Choose a master font, in this example a font already installed in Windows:

The exact text on the Master Font buttons may vary depending on the operating system version and prior settings in IconEdit.

Master Font Palatino Linotype 32 Bold

First, select a Windows font either from the Recent list or pick a new Windows font:



If the recent fonts are not ideal, pick another Windows font as this example shows:

Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

Fill in the 3 top fields to choose for example Arial Regular and 24. The last field is height of the whole Character including top and bottom white space. This number is the height of each symbol in pixels.

#### Arial Regular 24

Press OK.

Confirm chosen Windows font:



This is a grey tone vector font, and the conversion to grey with limited resolution can be fine trimmed.

Choose the conversion:

Font Height C Internal 32 💿 Window 24

Adjust the thickness of the edge of the character until the connectivity is OK.

Characters with diagonal lines like / @ A W are usually the most critical.



Or turn off Zoom to see several characters.

Λ	М	Ν	Ξ	0	Π
Ρ		Σ	Т	Υ	Φ
Х	Ψ	Ω	Ï	Ÿ	ά
έ	ή	í	ΰ	α	β
γ	δ	3	ζ	η	θ
L	К	λ	μ	v	ξ

Press OK.

OK Arial 24 Bold

The displayable Greek characters range from 0x386 to 0x3CE.

Open the Character List dialog box:

Create a Character List for Font Directly

One or more characters in addition to the default character may already selected, so:

Clear All Except Default Character

This does not delete the default character that is used when a character is not present in the font.

Select SPACE 0x20 and scroll to page 03xx, select 0x0386 to 0x03CE with Ctrl + mouse:



Press Insert.

Insert 74 Characters

Press OK.

The font now looks like this:



The characters 0x38B, 0x38D and 0x3A2 are undefined. Mark with control + mouse click:



*Delete* the marked characters:





To remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested. Select *Copy Pixel to Pixel*. Press OK to reduce the font to its minimum size.

0020	0386	0387	0388	0389	038A	0380	038E	038F	0390	0391	0392	0393	0394	0395
	Ά	•	Έ	Ή	1	Ό	Ϋ́	Ώ	Ϊ	А	В	П	Δ	E
0396	0397	0398	0399	039A	039B	0390	039D	039E	039F	03A0	03A1	03A3	03A4	03A5
Z	Н	Θ		Κ	Λ	Μ	Ν	Ξ	0	П	P	Σ	Т	Y
03A6	03A7	03A8	03A9	0344	03AB	03AC	03AD	03AE	03AF	0380	03B1	03B2	03B3	03B4
Φ	Х	Ψ	Ω	I.	Y	ά	έ	ή	Í	ΰ	α	β	γ	δ
03B5	03B6	03B7	03B8	03B9	03BA	03BB	03BC	03BD	03BE	03BF	0300	0301	0302	0303
ε	ζ	η	θ	I	К	λ	μ	V	ξ	0	Π	ρ	ς	σ
0304	0305	0306	0307	03C8	03C9	03CA	03CB	0300	03CD	03CE				
T	U	φ	χ	Ψ	ω	ï	Ü	Ó	Ú	ώ				

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data in the proper directory. The Sym and Code Point Character List files are saved automatically with the .c file.

# 3: How to Make a Semi Transparent Alpha Level Font

This is a continuation of the previous example.

In order to get a reasonable grey-tone resolution the number of alpha level should be higher, press *Modify Grey Anti Alias Font*:



Change to 4 bit resolution:

Symbol Color Defined by Intensity Level for Color Rendering 1 Bit Black and White - On & Off Intensity - No Anti Alias 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias Maximize Contrast between Tool and Background Color

Set a rendering color for local use to show the transparency, this color has no influence on how the font can be displayed on the target display:

Rendering Color

Click on the color circle to get a color:



Press OK.

Use the rendering color:



Press OK.

The font look is unchanged, but it is now shown in color on a chequered background:

0020	0386	0387	0388	0389	038A	0380	038E	038F	0390	0391	0392	
	Ά		Έ	Ή	1	Ő	ľΥ	Ω	Î	Α	В	
0393	0394	0395	0396	0397	0398	0399	039A	039B	0390	039D	039E	
Γ	Δ	Ε	Ζ	Η	Θ	Į.	K	Λ	Μ	N	Ξ	
039F	03A0	03A1	03A3	03A4	03A5	03A6	03A7	03A8	03A9	03AA	03AB	
0	П	P	Σ	Т	Y	Φ	X	Ψ	Ω		Y	
03AC	03AD	03AE	03AF	03B0	03B1	03B2	03B3	03B4	03B5	03B6	03B7	
ά	Ś	ή	Í	Ü	α	β	γ	Ō	3	ζ	η	
03B8	03B9	03BA	03BB	03BC	03BD	03BE	03BF	0300	0301	0302	0303	
θ	1	K	A.	μ	V	ξ	0	Π	ρ	S	σ	
0304	0305	0306	0307	03C8	0309	03CA	03CB	0300	03CD	03CE		
Т	U	φ	X	Ψ	ω	Ï	Ü	Ó	Ú	ώ		

Activate the tool color palette:





The top half of the buttons show the rendering color, the bottom half shows the degree of transparency the tool color represents.

Choose a transparency level:



Mark All Symbols for redrawing:



Redraw Characters with the new tool color:



The font is now semitransparent:

0020	0386	0387	0388	0389	038A	0380	038E	038F	0390	0391	0392
	A		Έ	Ή	1	<b>O</b>	IY	Ω		A	В
0393	0394	0395	0396	0397	0398	0399	039A	039B	0390	039D	039E
	$\Delta$	Ε	Z	Η	Θ		K	$\wedge$	M	N	Ξ
039F	03A0	03A1	03A3	03A4	03A5	03A6	03A7	0348	03A9	03AA	03AB
0	Π	P	Σ	Т	Y	Φ	X	Ψ	Ω		Y
03AC	03AD	03AE	03AF	0380	03B1	0382	0383	0384	0385	0386	03B7
ά	έ	ń		Ü	α	β	V	ō	ε	ζ	n
0388	03B9	03BA	03BB	03BC	03BD	03BE	03BF	0300	0301	0302	0303
Θ		K	λ	μ	$\mathbf{V}$	ξ	0	Π	ρ	ς	σ
0304	0305	0306	0302	03C8	0309	03CA	03CB	0300	0300	03CE	
Т	U	φ	X	Ψ	ω		Ü	Ó	Ú	ώ	

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data in the proper directory. The Sym and Code Point Character List files are saved automatically with the .c file.

# C: How to Draw a Color Font with Emojis

This example applies only to the color version of IconEdit.

Normally fonts only require a foreground and a background color and should be created with one of the **Intensity Level** formats for color rendering at runtime, but if more colors are required for the characters the font should be created with the rendering colors already in the font.

Warning: Emojis and other high plane characters are only supported on Windows version 8 and newer.

To make a new color font press the *New Font or Symbol Group* button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

Symbol Type Font with Characters from MasterFont Group of Symbols Filled With Background Color

Choose a master font, in this example a font already installed in Windows:

Master Font Times New Roman 24 Bold

First, select a Windows font either from the Recent list or pick a new Windows font:



If the recent fonts are not ideal, pick another Windows font as this example shows:

Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

Fill in the 3 top fields to choose for example Palatino Bold and 32. The last field is the height of the whole Character including top and bottom white space. This is the height of each symbol in pixels.

#### Palatino Linotype Bold 32

Press OK.

Confirm chosen Windows font:

#### W Palatino Linotype

This is a grey-tone vector font, and the conversion to grey levels can be fine trimmed.

Choose the conversion:

Light Re	lative Edge Pixe	el Value 100%	Press for 100%	6 Dark
4				•
Grey Cont	rast 📀 0%	○ 25% ○	50% 🔿 75% (	0 100%
Narrow	Relative Wid	ith 100% Pre	ess for 100%	Wide
•				•
C Regula	ar 🔿 SemiBold		Italics 🔲 Extr	a Smooth

Press OK.

The New dialog box has several color modes, for anti alias with colors use **32 Bit ARGB** and without anti alias use **4 Bit Color Palette** to save memory space:

Choose a color mode:



Enable On Off Transparency and select the single transparent color;



Press light grey:

☑ Use On Off Transparency Transparent Color

Do the same for background:

Background Color	
Colors	
Tool Color	Background Color
Use On Off Transparency	Transparent Color

The Emoji are in the ranges 0x1F300 to 0x1F6FF and 0x1F900 to 0x1F9FF.

From here we will explore two options, a few emojis without anti aliasing in the private area and the whole range of faces with anti alias in the high plane.

### 1: Two emojis without anti alias in private area

Open the Character List dialog box:

Create a Character List for Font Directly

One or more characters in addition to the default character may already selected, so:

Clear All Except Default Character

This does not delete the default character that is used when a character is not present in the font.

⊙ Plane 0 - Living Languages O Plane 1 - Emojis & Ancient Scripts O Plane 2 - CJK O Plane 3 - CJK

Change to Plane 1

Scroll to F6xx and use the Ctrl and mouse to select 0x1F603 and 0x1F60D:



Press Insert 2 Characters.

Keep the default size 32

Symbol Size -		
X 32	Y 32	Characters in Font 2

Press **OK** to create the font.

Press Show CheckerBoard to show the transparent areas:



The font is now a 4 Bit palette font with transparent background:



In the 16 bit version of IconEdit the two emoji are relocated automatically to the Unicode private area to stay inside the 16-bit address room, in the 32 bit version use the **Move High Plane Symbols** commands in the **Script & Symbols** window to move them.



Right click the first emoji to enter Character Edit mode and show the color palette:



Use Flood Fill to change the color of the characters:



Choose the colors and redraw the emoji with new colors, change to the next character with TAB:









Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the font as *Emoji.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

## 2: A range of faces in high plane with anti alias by squeezing

Floodfill and anti alias smoothing together are described in chapter **06.D** How to Combine Smoothing with Floodfill, here we will do floorfill and smoothing separately by colorind and then squeezing an oversize font.

Change size to 100:

– Symbol Size –		
X 100	Y 100	Characters in Font 1

Press **OK** to create a font with only the default character.

Switch to **Scripts & Symbols**:

Scripts & Symbols

Click Emoji Faces:

	EGYPTIAN HIEROGLYPH
	ELBASAN
	ELYMAIC
	EMOJI ANIMALS
1	EMOJI FACES
	EMOJI FOOD & DRINK
	EMOJI PLANTS
	EMOJI TRANSPORT

This creates a font with the faces in the plane 1:



Change to Character Edit:

#### Character Edit

Use Tab to find the emoji you want to color, and activate Surface Flood Fill:

 $\diamond$ 

Choose colors other then the transparent color and fill:



When you are finished coloring the ones you want change to **Font Edit**:

#### Font Edit

Press **Resize All** to squeeze the font:



Press OK:



The font is now 32 bit high and anti aliased with transparent background



Your Font is ready for saving ....



Press the Save All As... button in the Main tool bar to save the font as Faces.c in the proper directory. The Sym and Code Point Character List files are saved automatically.

# D: How to Make a Text Optimized Font for Text in many Languages

The Code Point Character list system makes it possible to make ROM optimized fonts to fit texts with Unicode characters. Only the characters actually needed to write the text is included in the font, and this can lead to substantial savings in memory space.

This example uses several texts about astronomy in different languages.

Most fonts in Windows support a large number of different languages as Unicode.

The site <u>www.unicode.org</u> contains the official information about how and where the characters for a specific language or alphabet are encoded.

In this example we will use Armenian and Mkhedruli.

Open the first text file. The order in which the text files are opened is irrelevant.

Press the File Open button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Choose Armenian.txt. This opens the Create New Text Font dialog box:

In the color version of IconEdit there is a choice of Color Mode:

```
Symbol Color Defined by Intensity Level for Color Rendering

C 1 Bit Black and White - On & Off Intensity - No Anti Alias

2 Bit Intensity Level - 4 Alpha Levels for Anti Alias

C 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias

C 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias
```

To select a master font press the *Change Master Font* button:

Master Font Arial 32 Bold

The exact text on the Master Font buttons may vary depending on the operating system version and prior settings in IconEdit.

First, select a Windows font either from the Recent list or pick a new Windows font:



If the recent fonts are not ideal, pick another Windows font as this example shows:

Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

Fill in the 3 top fields to choose for example Times New Roman, Bold and 24. The last field is height of the whole Character including top and bottom white space. This is the height of the each symbol in pixels.

#### **Times New Roman Bold 24**

Press OK:

Check chosen Windows font:

#### W Times New Roman

This is a grey-tone vector font, and the conversion to black & white or to grey level can be fine trimmed.

Characters with diagonal lines like / @ A W are usually the most critical.



Light	Relative Edge Pixel Value 125%	Press for 100%	Dark
•	<u></u>		Þ

Or remove Zoom to see more characters together.

А	В	С	D	Е	F	
G	Η	Ι	J	Κ	L	
Μ	Ν	0	Р	Q	R	
S	Т	U	V	W	Х	
Υ	Ζ	[	\	]	$\wedge$	
_	`	a	b	c	d	
_						
						OK Times New Roman 24 Bold

Press OK.

The Armenian.txt font looks like this:

000A	000D	0020	0028	0029	0050	002D	002E	0031	0037	0039	005B	005D	0065	006E	03AC	03AF	03B1	03BC	03BD	03BF	0301	0305
			(	)	,	-		1	7	9	[	]	e	n	ά	ί	α	μ	v	0	ρ	ς
0303	0304	0300	0531	0532	0534	0535	0537	0539	0540	0544	054D	054E	054F	0554	055D	0561	0562	0563	0564	0565	0566	0567
σ	τ	Ó	u	F	ጉ	t	Է	9	Ż	ប	U	પ્	S	£		ш	F	q	л	ե	q	t.
0568	0569	056B	0560	056D	056E	056F	0570	0571	0572	0574	0575	0576	0578	0579	057A	057B	0570	057D	057E	057F	0580	0581
e	P	ի	1	խ	ծ	կ	h	à	η	ป	J	١.	n	٤	щ	2	D	u	ų	ហ	p	g
0582	0583	0584	0585	0587	0589																	
۱	փ	₽	0	և	:																	

The program does not do any filtering of the text, so Carriage Return and Line Feed are still there. The new characters are marked in dark grey. The next languages have to be added to this font this way:

#### Text -> Import Text or Text Catalogue to Mark or Create Characters...

Open *Mkhedruli.txt* and answer **Yes** to **New Additional Characters** to get new characters marked in dark grey. Characters already present, but used again are marked in green:

000A	000D	0020	0028	0029	0020	002D	002E	0030	0031	0035	0033	0034	0035	0036	0037	0039	003A	003B	005B	005D	0065	006E
			(	)	,	-		0	1	2	3	4	5	6	7	9	:	;	[	]	e	n
03AC	03AF	03B1	03BC	03BD	03BF	0301	0302	0303	0304	0300	0531	0532	0534	0535	0537	0539	0540	0544	054D	054E	054F	0554
ά	ί	α	μ	v	0	ρ	ς	σ	τ	Ó	u	Բ	Դ	t	Ŀ.	6	Ż	ប	U	પ્	S	£
055D	0561	0562	0563	0564	0565	0566	0567	0568	0569	056B	056C	056D	056E	056F	0570	0571	0572	0574	0575	0576	0578	0579
	ш	F	q	л	ե	q	£ 🛛	p	P	ի	1	խ	δ	ų	h	à	η	ป์	J	ն	n	٤
057A	057B	0570	057D	057E	057F	0580	0581	0582	0583	0584	0585	0587	0589	10D0	10D1	1002	10D3	10D4	10D5	10D6	10D7	10D8
щ	2	D	u	վ	n	p	g	L	փ	₽	0	և	=	2	8	δ	Q	9	3	ծ	თ	0
10D9	10DA	10DB	10DC	10DD	10DE	10E0	10E1	10E2	10E3	10E4	10E5	10E6	10E7	10E8	10E9	10EA	10EB	10EC	10ED	10EE	10EF	2014
3	ሮ	9	6	œ.	3	6	ն	ð	<b>ៗ</b>	3	b	2	9	9	B	6	9	5	3	Ъ	x	$\square$
201D "																						

The control characters below 0x0020 are not needed, mark them with the mouse:

000A	000D	0020	0028	0029	0020	002D	002E	0030	0031	0032	0033	0034	0035	0036	0037	0039	003A	003B	005B	005D	0065	006E
			(	)	,	-		0	1	2	3	4	5	6	7	9	:	;	[	]	e	n
03AC	03AF	03B1	03BC	03BD	03BF	0301	0302	0303	0304	0300	0531	0532	0534	0535	0537	0539	0540	0544	054D	054E	054F	0554
ά	ί	α	μ	v	0	ρ	ς	σ	τ	Ó	u	Բ	Դ	t	Ę	9	ረ	ប	U	પ્	S	£
055D	0561	0562	0563	0564	0565	0566	0567	0568	0569	056B	056C	056D	056E	056F	0570	0571	0572	0574	0575	0576	0578	0579
	ш	F	q	л	ե	q	t,	ף	P	ի	1	խ	δ	4	h	à	η	ป	J	ն	n	٤
057A	057B	0570	057D	057E	057F	0580	0581	0582	0583	0584	0585	0587	0589	10D0	10D1	10D2	10D3	10D4	10D5	10D6	10D7	10D8
щ	2	D	u	વ	ហ	p	g	L	փ	₽	0	և	=	2	2	8	Q	<b>9</b>	3	ծ	თ	0
10D9	10DA	10DB	10DC	10DD	10DE	10E0	10E1	10E2	10E3	10E4	10E5	10E6	10E7	10E8	10E9	10EA	10EB	10EC	10ED	10EE	10EF	2014
3	ሮ	9	6	α.	3	6	Ն	ð	<b>ៗ</b>	3	d	2	9	9	B	6	9	6	3	b	x	$\square$
201D																						
"																						

And *Delete* 



0020	0028	0029	0020	002D	002E	0030	0031	0035	0033	0034	0035	0036	0037	0039	003A	003B	005B	005D	0065	006E	03AC	03AF
	(	)	,	-		0	1	2	3	4	5	6	7	9	:	;	[	]	e	n	ά	í
03B1	03BC	03BD	03BF	0301	0302	0303	0304	0300	0531	0532	0534	0535	0537	0539	0540	0544	054D	054E	054F	0554	055D	0561
α	μ	v	0	ρ	ς	σ	τ	Ó	u	Բ	Դ	t	Ę.	9	Ż	ប	U	પ્	S	£		ш
0562	0563	0564	0565	0566	0567	0568	0569	056B	056C	056D	056E	056F	0570	0571	0572	0574	0575	0576	0578	0579	057A	057B
F	q	л	ե	q	t.	ם	P	ի	1	խ	δ	ų	h	ል	η	ป	J	١.	n	٤	щ	2
057C	057D	057E	057F	0580	0581	0582	0583	0584	0585	0587	0589	10D0	10D1	10D2	10D3	10D4	10D5	10D6	10D7	10D8	10D9	10DA
D	u	પ	n	p	g	L	փ	₽	0	և	:	3	8	5	Q	9	3	Ֆ	თ	0	3	ሮ
10DB	10DC	10DD	10DE	10E0	10E1	10E2	10E3	10E4	10E5	10E6	10E7	10E8	10E9	10EA	10EB	10EC	10ED	10EE	10EF	2014	201D	
9	6	œ.	3	6	Ե	ð	<b>ៗ</b>	3	b	2	9	9	B	6	Ð	6	<del>]</del>	b	x	-	"	

To remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested.



Press OK to reduce the font to its minimum size.

Your combined Font is ready for saving.



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *ArmenianMkhedruli.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

For quality control and later reference the data can be saved as a Unicode text file:

## 1: How to Save the Characters in a Font as a Text File

This is a continuation of the previous example.

Any font can be saved as a Unicode text file, all characters including control characters are saved in alphabetical order according to Unicode.

*Warning:* Only the character list information is saved in this operation, the character symbols should be saved as sym or ief format.

Press *Text -> Export Font Character List as Unicode Text File...* in the menu to save the text file in the proper directory.

This text file can be opened by any text editor that support Unicode, and will look like this in NotePad:

(), -.012345679:;[]enάίαμνορςστό ԱԲԴԵԷ ԹՀՄՍՎՏՔ՝ աբգդեզէըթիլիսծկհձղմյնոչպջոսվտրցւփբօև։ ծծგდევზთიკლმნოპრსტუფქლეშβემწჭხχ-"

# E: How to Draw a Proportional Font with only Numbers

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

```
    Symbol Type
    Font with Characters from MasterFont
    Group of Symbols Filled With Background Color
```

Choose a color format, here 2 Bit Intensity Level for Anti Alias. This option is only available in the color version of IconEdit:

Symbol Color Defined by Intensity Level for Color Rendering

- 🔘 1 Bit Black and White On & Off Intensity No Anti Alias
- 2 Bit Intensity Level 4 Alpha Levels for Anti Alias
- 🔘 4 Bit Intensity Level 16 Alpha Levels for Anti Alias
- 🔘 8 Bit Intensity Level 256 Alpha Levels for Anti Alias

First, select a Windows font either from the Recent list or pick a new Windows font:

Master Font Arial 32 Bold

The exact text on the Master Font buttons may vary depending on the operating system version and prior settings in IconEdit.



If the recent fonts are not ideal, pick another Windows font as this example shows:

Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

Fill in the 3 top fields to choose for example Times New Roman, Bold and 240. The last field is the height of the whole Character including top and bottom white space. This is the height of the each symbol in pixels.

#### Times New Roman Bold 240

For orientation the character name and the size the glyph is listed under the image of the chosen character:



Press OK.

The numbers and operators range from 0x20 to 0x3F. Open the Character List dialog box:

Create a Character List for Font Directly

One or more characters in addition to the default character may already selected, so:

Clear All Except Default Character

This does not delete the default character that is used when a character is not present in the font.

Select . and from 0...9 with Ctrl mouse, this deletes the default character:

 Γ1
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I

Press Insert 11 characters.

Insert 11 Characters

Press OK.

The font now looks like this:



The font now has a lot of unused space on the right-hand end of each character and in top and bottom. Getting rid of that can be done semi automatic or manually for greater control.

# 1: Semi Automatic Minimizing

To get rid of surplus white space press the resize button:





Press OK.



## 2: Manual Minimizing for Greater Control

To get rid of surplus white space mark the whole font by pressing Mark All Symbols:



Press the *Move Characters as High as Possible*:



Then press *Leftset Character*:





Press Get Biggest Character:



This makes a list of the extremes of the glyphs and in which character they can be found. There may be more than one character with the same extreme. This function lists the first:

Left 0 in Char 0x002E
Right 95 in Char 0x0037
Bottom 146 in Char 0x002E
Top 0 in Char 0x0030
Width 112 in Char 0x0037
Cancel

The biggest character is 95x146.

Press Cancel to close.

Press *Resize all Symbols* to make the font 100x146:



Press OK.

And then press *Monospace and Center Character* 

# В

to make the symbols look like this:



Your Font is ready for saving ....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Ten100x146.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

# F: How to Draw an 8-bit Classic Font with 256 Characters

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

Symbol Type Font with Characters from MasterFont C Group of Symbols Filled With Background Color

Choose a color format, here Black & White. This option is only available in the color version of IconEdit:

– Symbol Color Defined by Intensity Level for Color Rendering –

- 1 Bit Black and White On & Off Intensity No Anti Alias
- 🔘 2 Bit Intensity Level 4 Alpha Levels for Anti Alias
- 🔘 4 Bit Intensity Level 16 Alpha Levels for Anti Alias
- 🔘 8 Bit Intensity Level 256 Alpha Levels for Anti Alias

First, select a Windows font either from the Recent list or pick a new Windows font:

Master Font Arial 32 Bold

The exact text on the Master Font buttons may vary depending on the operating system version and prior settings in IconEdit.



If the recent fonts are not ideal, pick another Windows font as this example shows:

Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

Fill in the 3 top fields to choose for example Palatino Bold and 24. The last field is the height of the whole Character including top and bottom white space. This number will be the height of the each symbol in pixels.

#### Palatino Linotype Bold 24

Press OK.

Check chosen Windows font:

W Palatino Linotype

OK Palatino Linotype 32 Bold

The ISO 8859 fonts normally contain all 256 symbols in the 8-bit address space, and therefore do not need or use a Code Point Character List. In this example we will build the font by using the Unicode to ISO converter, so we start with only the default character.

Open the Character List dialog box:

Create a Character List for Font Directly

One or more characters in addition to the default character may already selected, so:
This does not delete the default character that is used when a character is not present in the font.

Insert 1 Characters

Press OK.

The font has only one empty character and looks like this in *Character Edit* mode:



Change to *Language & Region*:





Press Convert 16 bit Unicode Font to 8 bit Font:



This opens the conversion dialog box:

Convert 16 bit characters in New\_10.sym to :

Choose a conversion:

ISO8859-11 Latin + Thai

This shows the result of the conversion. Characters missing in the original font, in this case all except space will be added from the Master Font:



Press Convert:

This draws the missing symbols, change to *Font Edit* to view them all:

0000	0001	0002	0003	0004	0005	0006	0007	0008	0009	000A	000B	0000	000D	000E	000F	0010	0011	0012	0013	0014	0015	0016
	Г	1	L	L	1	-	•				8	*		fi	₽	ł	◀	1	!!	P	T	т
0017	0018	0019	001A	001B	001C	001D	001E	001F	0020	0021	0055	0023	0024	0025	0056	0027	0028	0029	002A	002B	0020	002D
-	1	F	→	←						1	"	#	\$	%	&	'	(	)	*	+	,	-
002E	002F	0030	0031	0035	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044
	/	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?	@	Α	B	C	D
0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B
E	F	G	Η	Ι	J	Κ	L	Μ	Ν	0	Р	Q	R	S	Т	U	V	W	X	Y	Ζ	[
005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072
$\backslash$	1	۸		1	a	b	с	d	e	f	g	h	i	i	k	1	m	n	0	р	q	r
0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E	007F	0080	0081	0082	0083	0084	0085	0086	0087	0088	0089
s	t	11	v	w	x	v	z	{		}	~	п										
008A	- 0088	0080	- 008D	008E	008E	0090	0091	0092	0093	, 0094.	0095	0096	0097	0098	0099	0094	0098	0090	nnep.	009E	009E	00A0
00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	OOAB	00AC	OOAD	00AE	00AF	0080	00B1	00B2	00B3	00B4	00B5	00B6	00B7
ก	7	ซ	ค	ค	ห	4	9	ฉ	ช	ช	ณ	ល្អ	ฎ	រា	ş	91	ଭା	ณ	ิด	ต	ถ	ท
00B8	00B9	OOBA	OOBB	OOBC	OOBD	OOBE	OOBF	0000	00C1	0002	0003	00C4	0005	0006	0007	0008	0009	00CA	оосв	0000	OOCD	OOCE
ð	น	ນ	ป	ជ	ฝ	Ж	М	ภ	ม	ម	ĩ	ฤ	a	ฦ	า	ମ	Ħ	ส	и	พ้	9	ฮ
00CF	OODO	00D1	0002	00D3	00D4	0005	00D6	00D7	00D8	00D9	OODA	OODB	OODC	OODD	OODE	OODF	00E0	00E1	00E2	00E3	00E4	00E5
۶	:	-	า	'n	•	a	đ	a								₿	ι	u	1	1	1	า
00E6	00E7	00E8	00E9	OOEA	OOEB	OOEC	OOED	OOEE	OOEF	OOFO	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	OOFA	OOFB	OOFC
ๆ	C		ν		•	1	•	£	Θ	ο	໑	Ъ	m	a	ũ	б	C)	ಡ	œ	1	C•••	
DOFD	OOFE	OOFF																				

The font now contains all 256 symbols required to address the characters correctly without Code Point Character List.

Your Font is ready for saving ....

# 

Press the *Save All As...* button in the Main tool bar to save the pixel data in the *isollthai.c* file in the proper directory. The Sym file is saved automatically. There will be no Code Point Character List file.

Alternatively the font can be saved as a Code Point Character List font to save ROM space:

### 1: How to Save ROM Space with a Code Point Character List file

This is a continuation of the previous example.

ISO 8859 does not define symbols for the symbol ranges 0x00-0x1F and 0x80-0x9F. Often some the symbols in the range 0xA0-0xFF are not defined either, in this case a total of 72 symbols.

#### Change to *Font Edit* mode

#### Font Edit

Mark the undefined symbols with the mouse and Shift and Ctrl:

0000	0001	0002	0003	0004	0005	0006	0007	0008	0009	000A	OOOB	0000	000D	000E	000F	0010	0011	0012	0013	0014	0015	0016
	Г	1	L	L		-	•	•			8	*		Ħ	Ц.	Ŧ	◀	1		P	T	т
0017	0018	0019	001A	001B	0010	001D	001E	001F	0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	A200	002B	0020	002D
1	1	F	→	←						1	"	#	\$	%	&	'	(	)	*	+	,	-
002E	002F	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044
-	/	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?	@	Α	B	С	D
0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B
Ε	F	G	Η	Ι	J	Κ	L	Μ	Ν	0	P	Q	R	S	Т	U	V	W	X	Y	Ζ	[
005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	006C	006D	006E	006F	0070	0071	0072
1	]	^		`	a	b	с	d	e	f	g	h	i	i	k	1	m	n	o	р	q	r
0073	0074	0075	0076	0077	0078	0079	007A	007B	007C	007D	007E	007F	0080	0081	0082	0083	0084	0085	0086	0087	0088	0089
s	t	u	v	w	x	v	z	{		}	~											
0084	0088	0080	0080	008E	008E	0090	0091	0092	0093	0094	0095	0096	0097	0098	0099	0094	0098	0090	0090	0095	0095	0040
00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	OOAB	OOAC	OOAD	OOAE	00AF	00B0	00B1	00B2	00B3	00B4	00B5	00B6	00B7
ก	Ŋ	Ħ	ค	ฑ	ห	1	9	ฉ	ช	ช	ณ	លូ	រា្ត	ฏ	ş	91	ଭା	ณ	ด	ต	ถ	ท
00B8	00B9	OOBA	OOBB	OOBC	OOBD	OOBE	OOBF	0000	00C1	0002	0003	00C4	0005	0006	0007	0008	0009	00CA	OOCB	0000	OOCD	00CE
ð	น	ນ	ป	ы	ฝ	W	М	ภ	ม	ម	ĩ	ฤ	a	ฦ	า	ମ	Ħ	ส	И	พ้	9	ฮ
00CF	00D0	00D1	00D2	00D3	00D4	00D5	00D6	00D7	00D8	00D9	OODA	OODB	OODC	OODD	OODE	OODF	00E0	00E1	00E2	00E3	00E4	00E5
ч	:	۳	า	'n	^	a	a	4								₿	ι	u	1	1	1	า
00E6	00E7	00E8	00E9	00EA	OOEB	OOEC	OOED	OOEE	OOEF	OOFO	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	00FA	OOFB	OOFC
ๆ	C		ν		•	1	•	ε	Θ	ο	໑	ю	a	a	ũ	ď	Ø	໔	œ	1	Gwu	
OOFD	OOFE	OOFF																				

Press *Delete*:



0020	0021	0055	0023	0024	0025	0026	0027	0028	0029	002A	002B	002C	002D	002E	002F	0030	0031	0035	0033	0034	0035	0036
	1	"	#	\$	%	&	1	(	)	*	+	,	-		/	0	1	2	3	4	5	6
0037	0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D
7	8	9	:	;	<	=	>	?	@	Α	B	C	D	Ε	F	G	Η	Ι	J	K	L	Μ
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062	0063	0064
Ν	0	P	Q	R	S	Т	U	$\mathbf{V}$	W	X	Y	Ζ	[	۱	]	^		1	a	b	с	d
0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B
e	f	g	h	i	i	k	1	m	n	0	р	q	r	s	t	u	v	w	x	y	z	{
007C	007D	007E	00A0	00A1	00A2	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA	OOAB	00AC	00AD	00AE	00AF	00B0	00B1	00B2	00B3
1	}	~		ก	71	Ħ	ค	ค	ห	4	9	ฉ	ช	ช	ณ	ល្អ	ភ្ន	ฏ	ş.	91	ଭା	ณ
00B4	00B5	00B6	00B7	00B8	00B9	OOBA	OOBB	оовс	OOBD	OOBE	OOBF	0000	00C1	0002	0003	00C4	0005	0006	0007	0008	0009	00CA
ด	ต	ถ	ท	ð	น	ນ	ป	M	ฝ	W	M	ภ	ม	ម	ĩ	ฤ	a	ฦ	า	ମ	Ħ	ส
оосв	0000	OOCD	00CE	OOCF	00D0	00D1	00D2	00D3	00D4	00D5	00D6	00D7	00D8	00D9	OODA	OODF	00E0	00E1	00E2	00E3	00E4	00E5
и	พั	9	Ð	۶	:	"	า	ำ	^	4	4	4				₿	ι	u	1	1	1	า
00E6	00E7	00E8	00E9	00EA	OOEB	OOEC	OOED	OOEE	00EF	00F0	00F1	00F2	00F3	00F4	00F5	00F6	00F7	00F8	00F9	OOFA	OOFB	
ໆ	6				•	ſ	•	ĩ	Θ	ο	໑	ю	M	a	ũ	ď	Ø	๘	œ'	1	C•••	

The font now contains only the 184 characters defined by ISO 8859-11.

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *isol1thai.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

# G: How to Use a Code Point Character List as Template for a New Narrow Font

To make a new tall and narrow font based on an existing font such as AZ09:



Press the File Open button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open the existing Code Point Character List AZ09.cp.

This opens the create dialog box:

#### **Create New Font**

Choose a color format, here 2 Bit Intensity Level for smoothing the edges. This option is only available in the color version of IconEdit:



Choose a height and a new name:

Font Size and Name for C File								
Height	64	AZ09_64_cp.c						

The Master Font is automatically updated to the new size; press it to change the rendering:

Master Font Times New Roman 64 Bold

Change relative width from 100% to 60%:

Narrow	Relative Width 60%	Press for 100%	Wide
•			F

This changes the width of the glyphs:



Press OK in the Master Font setup.

Press OK in the Create New Font dialog box:



## 1: How to Save ROM Space by Removing Unused Space

There is normally unused space to the left of the widest character, to remove this press *Resize All Symbols* and choose copy with the pre-selected new width:



Press OK:



## 2: How to Save ROM Space by Squeezing to a Byte Border

Press *Resize All Symbols* and choose squeeze to a new width at an integral number of 8:



Press OK, the Code Point hexadecimal numbers above squeezed characters are highlighted in yellow:



## 3: How to Save ROM Space by Removing White-Space

Press Resize All Symbols and choose remove empty rows:





Press OK:



Your Font is ready for saving ....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *AZ09\_64.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

## H: How to Make an European Font with Colored Outlines for Subtitles

Press New Font or Symbol Group to make a basic font:



This opens the *Create* dialog box.

Choose a data format, 2 bit Color palette gives the smallest memory footprint:



Choose a basic *Height* of the black part of the font i.e. 2 smaller than the end product height of 66:

Symbol Size		
X 32	Y 64	Characters in Font 1

Choose a look:

Master Font Times New Roman 32 Bold
Georgian_cpp 64 new_4 64 Outline_34_g2 34 W Arial W Calibri W Consolas W Courier New W Georgia W Impact W Lucida Console W MingLiU_HKSCS-ExtB W Palatino Linotype W Tahoma W Times New Roman Zap Recent Windows Fonts List
$\bigcirc$ Regular $\bigcirc$ SemiBold $\bigcirc$ Bold $\hfill \square$ Italics

Press OK.

Set Colors:

Colors	
Tool Color	Background Color
✓ Use On Off Transparency	Transparent Color

Press OK.

This gives one SPACE character:



To make the rest of the font switch to *Language & Region* window.

Select *European EU*:



Switch to the Font Edit window, this is how A will look:



Click Setup Outline Width to select width of the outline:

-Normal Outline		
1 pix	2 pix	3 pix
Filled Corner O	utline	
1 pix	2 pix	3 pix
	Cancel	

Click one.

To make room for the outlines make the font 2 pixel wider and 2 pixel higher.

Press the *Resize for Outline* button:



This will change from 79x64 to 80x66 shift the glyphs to new places:

The symbol A now looks like this and is ready for drawing the outline:



Right click *Draw Outline* to choose the outline color as White:



Palette Index 3 RGB 00 FF 00	Cancel

Just click the white field.

Left click *Draw Outline* to draw the outlines:





Then click *Resize* to remove excess pixels:



The resize function suggests the minimum size:



Click OK.

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Edge\_64.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

## 1: How to Make a Black & White Font with only the Outline

This is a continuation of the previous example.

Right click A to change to Character Edit:



Change the colors with *Global Substitute*, right click through the different *Flood Fills* to *Global*:



Change the Tool color to an unused color, in this case Green.



Press Global Substitute and change white to green:





Then change red and black to white:



Finally change green to black:



This is now a BW font, change the color format to fit.

Press the *Modify Color Format* button:



Change color format to *B***&***W*:



Press OK.

Press OK.

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Edge\_64\_BW.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

## I: How to Make an European Anti-Alias Outline Font

Press New Font or Symbol Group to make a basic font:



This opens the *Create* dialog box.

Choose a data format, 2 bit Color palette is a good start format:



Choose a basic *Height* of the black part of the font as (EndProduct-2)\*2:



Choose a look:



Press OK.

Set Colors:

Colors	
Tool Color	Background Color
✓ Use On Off Transparency	Transparent Color

Press OK.

This gives one SPACE character:



To make the rest of the font switch to *Language & Region* window.

Select *European EU*:



Switch to the Font Edit window, this is how A will look:



Click Setup Outline Width:

Normal Outline	
Filled Corner Outline	
Cancel	

Click two.

To make room for the outlines make the font 4 pixel wider and 4 pixel higher.

Press the *Resize for Outline* button:



This will change the font from 90x64 to 94x68 and rearrange the glyphs.

The symbol A now looks like this and is ready for drawing the outline:



Right click *Draw Outline* to choose the outline color as White:



Palette Index 3 RGB 00 FF 00	Cancel

Just click the white field.

Left click *Draw Outline* to draw outlines:





Right click A to change to Character Edit:



Change the colors with *Global Substitute*, right click through the different *Flood Fills* to *Global*:



Change the Tool color to an unused color, in this case Green.



Press *Global Substitute* and change white to green:





Then change black to red:



Change green to black:



Change red to white:



This is now a BW font, change the color format to fit Anti-Alias.

Press the *Modify Color Format* button:



Change color format to 2 Bit Anti Alias:



Press OK.



Press the *Resize* button:



The function suggests a minimum size:



Change *Y* to 34 and select *Stretch or Squeeze*:



Press OK.

Font is now an Anti Alias Outline font.



Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Outline\_34\_g2.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

## J: How to Make an European Font with Dithered Greytones for B&W

Press New Font or Symbol Group to make a basic font:



This opens the *Create* dialog box.

Choose a data format, 32 bit ARGB Color to make the greytones:

Symbol Color Defined by Transparent Pixel Color	
32 Bit ARGB 8888 - 16777216 Colors 256 Alpha Levels	

Choose a basic *Height* of the black font symbols:



Choose a look:



Press OK.

Set Colors:

Colors	
Tool 000000	Back FFFFFFFF
Use On Off Transparency	Trans FFFFFF

### Press OK.

This gives one SPACE character:



To make the rest of the font switch to Language & Region window.

#### Select *European EU*:



Switch to the Font Edit window, this is how A will look:



Right click A to change to Character Edit:



Change the colors with *Global Substitute*, right click through the different *Flood Fills* to *Global*:



Change the Tool color to an intermediate grey color.



Press Global Substitute and change black to grey:





Press Modify 32 Bit Transparent Color to change to B&W



#### Select Use Dithering

☑ Use Dithering to Reduce Aliases when Converting Color Resolution

#### Select Black and White

Symbol Color Defined by Intensity Level for Color Rendering
I Bit Black and White - On & Off Intensity - No Anti Alias
🔿 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias
O 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias
🔿 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias
Maximize Contrast between Tool and Background Color

#### Press OK



Press OK



Your Font is ready for saving ....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Dit64BW50pct.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

# **05: How to Build Fonts from Existing Fonts or Groups**

All examples in this manual assume that IconEdit is reset to factory defaults except for continuations.

The Code Point Character List system is for removing unused characters and keeping track of used characters. This means that characters can be added to or removed from a font without losing the Code Points (Unicode code-point).

## A: How to Reduce an existing Font to fit a Language

The Code Point Character List system is for removing unused characters and keeping track of used characters. This example shows how to make a font with only numbers and language specific letters from a larger font without loosing the Code Points.

This double example will show how to reduce a font to only Bulgarian or Bulgarian and fractions.

Press the *File Open* button in the Main tool bar:

Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open an existing font, for example LatinGreekCyrillic.c.

0020	0021 !	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	оо2в +	002C	002D -	002E	002F /	0030 0	0031 1	0032 2	<sup>0033</sup> 3	<sup>0034</sup> 4	0035 5	<sup>0036</sup>	<sup>0037</sup> 7
0038 8	0039 9	003A :	003В ,	003C	003D	003E	003F ?	0040 @	0041 A	${}^{0042}$	0043 C	0044 D	0045 E	0046 F	0047 G	0048 H	0049 I	004A J	004в К	oo4c L	$^{004D}$	004e N	004F
0050 P	0051 Q	0052 R	0053 S	0054 T	0055 U	0056 V	0057 W	0058 X	0059 Y	<sup>005a</sup> Z	005в [	0050	005D ]	005E	005F	0060	0061 a	оосе b	0063 C	0064 d	0065 e	<sup>0066</sup> f	0067 g
0068 h	0069 İ	ооба ј	<sup>ооєв</sup>	ообс 1	006D m	<sup>006Е</sup>	006F 0	0070 p	0071 q	0072 <b>ľ</b>	0073 S	0074 t	0075 U	0076 V	0077 W	0078 X	0079 У	007A Z	оо7в {	0070	007D }	007E ~	00A7 §
00В0 О	0391 A	${}^{\scriptscriptstyle 0392}$	0393 Г	0394 Δ	0395 E	0396 Z	0397 H	0398 🕑	0399 I	039A K	039в Л	${}^{039C}$	o39d N	039E	039F	озао П	${}^{O3A1}$	03A3 2	03A4 T	03A5 Y	озаб Ф	03A7 X	<sup>03А8</sup> Ч
<sup>03Α9</sup>	osaa Ï	озав Ÿ	03AC ά	озар É	<sup>озае</sup> ή	0ЗАF ĺ	озво ΰ	03B1 α	озв2 В	озвз 7	озв4 δ	03в5 Е	озве ζ	озв2 η	озве Ө	03B9 1	03ВА <b>К</b>	озвв 入	озвс µ	03BD V	озве Š	03BF O	<sup>03C0</sup> π
озс1 р	озсе С	03C3	03C4 τ	03C5 V	озсе Ф	03CZ X	озсе ¥	<sup>03C9</sup> თ	03СА Ї	03СВ Ü	озсс Ó	озср ΰ	03CE Ю	0401 Ë	<sup>0402</sup> Ъ	0403 Ѓ	0404 E	0405 S	0406 I	0407 Ï	0408 J	<sup>0409</sup> Љ	<sup>040А</sup> Њ
${}^{\scriptscriptstyle 040B}$	040C K	040E У	040F U	0410 A	<sup>0411</sup> Б	0412 B	0413 Г	<sup>0414</sup> Д	0415 E	<sup>0416</sup> Ж	0417 3	<sup>0418</sup> И	0419 И	041A K	<sup>041В</sup> Л	$^{041C}$	${}^{\rm 041D}$	041E O	041F	0420 P	0421 C	0422 T	<sup>0423</sup> У
<sup>0424</sup> Ф	0425 X	<sup>0426</sup> Ц	0427 Ч	0428 Ш	<sup>0429</sup> Щ	ъ	<sup>042в</sup> Ы	042С Ь	<sup>042D</sup> Э	042E Ю	<sup>042F</sup> Я	0430 a	<sup>0431</sup> б	0432 <b>B</b>	0433 <b>Г</b>	0434 Д	0435 e	0436 Ж	0437 <b>3</b>	0438 И	<sup>0439</sup> Й	043A K	043B Л
043C M	043D H	043E 0	043F П	0440 p	0441 C	0442 T	0443 У	<sup>0444</sup> ф	0445 X	0446 Ц	0447 <b>प</b>	0448 Ш	0449 Щ	044А Ъ	044В Ы	044С <b>Ь</b>	044D Э	044E Ю	044F Я	0451 Ë	0452 ђ	0453 Ѓ	0454 €
0455 S	0456 İ	0457 Ï	0458 j	0459 Љ	045А Њ	045в ћ	045C K	045Е Ў	045F <b>U</b>	20AC €	2116 №9	2153 <mark>1⁄3</mark>	2154 <mark>2⁄3</mark>	215B <mark>1⁄8</mark>	2150 3⁄8	215D 5⁄8	215E 7⁄8	2190 ←	2191	2192 →	2193 ↓	2194 ↔	2195 ‡

Press Modify Font:



Give the font a new name:

Name for C File Bulgarian.c

Press OK.

Change to Language & Region

Warning: Language & Regions and Unicode Scripts & Symbols only works with Master Fonts according to the Unicode standard as described at www.unicode.org. See the chapter **04.A.2 How to Check that an Existing Font is According to Unicode.** 

Language & Region

	Albanian American		0020	0021	0022	0023	0024 ው	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F
Н	Arabic			1	· ·	Ħ	\$	%	æ	1	(	)	Ŧ	+	,			/
	Armenian		0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003A	003B	0030	003D	003E	003F
	AzeriCyrillic		h	1	2	2	4	5	6	7	8	0			<		5	2
	AzeriLatin		Υ	1	4	2	•	2	V	1	0	2	•	,				1
	Belarussian		0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F
	Belgian		(a)	Α	В	С	D	E	F	G	H	I	J	K	L	Μ	Ν	0
	BosnianCyrillic		0050	0051	0052	0057	0054	0055	0056	0057	0058	0059	0054	0058	0050	0050	0055	0055
	BosnianLatin		Б	6	D	d 0000	T	TT	37	337	$\mathbf{v}$	v	7	r	N	1		0001
	Brasilian		Р	R.	Л	3	1	U	V	VV	$\Lambda$	r	L	L	1			_
H	BulgarianCyrillic		0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F
H	Ganadian		<u>`</u>	а	h	c	d	е	f	σ	h	i	i	k	1	m	n	0
H	ChineseSimple1stLevel		0070	0074	0070	¥ 	0074	~	<b>*</b>	5		-	J	12	1			0007
н	ChineseSimple2ndLevel		00/0	00/1	00/2	00/3	00/4	00/5	00/6	00//	00/8	00/9	00/A	00/B	00/0	0070	00/E	UUA/
Ы	ChineseSimple3rdLevel		p	q	r	S	t	u	V	W	Х	y	Z	{		}	$\sim$	§.
	ChineseTraditionalBig5		оово	0391	0392	0393	0394	0395	0396	0397	0398	0399	039A	039B	0390	039D	039E	039F
	Croatic		0		$\mathbf{P}$	$\mathbf{r}$	Δ	F	7	ш	6	T	$\mathbf{V}$	Λ	м	NL		$\overline{\mathbf{O}}$
	Danish			А	D	L.	$\Delta$	Ľ		11	9	1	L	11	IVI	IΝ	-	0
	Dutch		03A0	03A1	03A3	03A4	03A5	03A6	03A7	03A8	03A9	03AA	03AB	03AC	03AD	03AE	03AF	03B0
	English		Π	P	Σ	Т	Y	Φ	Х	Ψ	Ω	T	Y	ά	έ	ń	í.	ΰ
	Estonian		0791	0782	0797	0794	0785	0786	0797	0780	0780	0784	0788	0780	0780	0785	0785	0700
	Faeroeish		0361	0362	0363	0364	0365	9	036/	0360	0365	USDH	0366 A	0360	0360	936E	USDF	0300
H	Farsi Fissish		α	р	Ŷ	0	ε	5	η	A	ι	κ	٨	μ	ν	ς	0	π
H	Finnish		0301	0302	0303	0304	0305	0306	0307	0308	0309	03CA	03CB	0300	03CD	03CE	0401	0402
H	French		6	C	σ	τ	n	ω	~	w	ω	ï	ï)	ó	ń	ώ	Ë.	Ъ
Ы	Gaelic		M	5		•		Ψ	<u>~</u>	Ψ				<u> </u>			-	17
	Georgian		U4U3	0404	0405	-0406 T	0407 1 <del>2</del>	0408 T	0409	040A	040B	040C	U40E	U40⊦ T T	0410	0411 T	0412 D	0413
	German		μ.	E	S	1	L	J	JЪ	њ	h	К	У	Ц.	А	Б	в	1
	GermanSwiss		0414	0415	0416	0417	0418	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423
	Greek		π	F	Ж	2	и	й	ĸ	Π	м	н	$\cap$	Π	D	C	т	V
	GreekLatin		А	Ľ	ж	9	¥Т	¥1	T.	1	141	11	$\sim$	11	1	$\sim$	1	3
	GreekPolytonic		0424	0425	0426	0427	0428	0429	042A	042B	0420	042D	042E	042F	0430	0431	0432	0433
H	Hebrew		Φ	Х	Ш	Ч	ш	Ш	Ъ	Ы	Ь	Э	Ю	Я	a	б	в	Г
H	Hunganian		0434	0435	0436	0437	0438	0439	0434	043B	0430	043D	043E	043E	0440	0441	0442	0443
H	Icelandic			0.000		6		2	10						5		-	
Н	Inukitut		д	e	ж	3	и	и	К	л	м	н	0	11	P	C	T	У
	Irish		0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	0451	0452	0453	0454
	Italian		dh 👘	x	Π	ч	ш	ш	ъ	ы	ь	э	ю	я	ë	ħ	ŕ	£
	Kazakh		Ψ	Ω 04Ε0		-			0450	0450	0455	0455		<u></u>	0157	2	-	0450
	Kanji		0455	0456	045/	0458	0459	045A	045B 1	0450	045E	045F	ZUAC	2116	2153	2154	2158	2150
	Katakana		s	1	1	1	љ	њ	n	К	У	Ų	ŧ	JN⁰	1/3	*/3	1/8	3/8
	Kyrgyz		215D	215E	2190	2191	2192	2193	2194	2195	-							
	LatinAmerican		5/	7/2	4	1		1	$ \rightarrow $	1								
	Latvian		/8	∕ <b>8</b>	<u> </u>		_	$\downarrow$		$\downarrow$								
	Lithaulan	•																

Upon entry to Language & Region edit mode, the present font is already marked to avoid accidental erasure of existing symbols in this edit mode:

🛛 Bulgarian

# Warning: If this is un-ticked and no other filter is chosen by a tick, all characters except the default character are marked for delete.

The default character is marked highlighting the number in cyan, and the languages already included in the font are highlighted in white.

Press the tick box for a language, for example Bulgarian, which is normally written in Cyrillic:

	Albanian		0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F
	American			1	11 I.	#	\$	0⁄6	&	1	1	۱	*	+				1
	Arabic			•		<i></i>	Ψ	20	$\mathbf{\alpha}$		1	/		1 H	,			/
	Armenian		0030	0031	0035	0033	0034	0035	0036	0037	0038	0039	003A	003B	0030	003D	003E	003F
	AzeriCyrillic		0	1	2	3	4	5	6	7	8	9		2 C	<		$\geq$	2
	AzeriLatin		×	*	~	-		۲.	×	<u> </u>	<u>Ч</u> .,	-		2			ſ.,	•
	Belarussian		0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F
	Belgian		(a)	A	в	$\mathbf{C}$	D	E	F	G	H	I	J	K	L	M	N	0
	BosnianCyrillic		0050	0051	0052	0057	0054	0055	0054	0057	0050	0059	0054	0050	0050	0050	0055	0055
	BosnianLatin		0000	0051	0052	0053	0054	0000 T T	0036	777	37	3.7	UUSA	COOR	0050	10050	OUSE	UUDE
	Brasilian		Ľ	Q	ĸ	S	$[\mathbf{T}]$	U	V	W	Х	Y	Z		1		$\sim$	
7	BulgarianCyrillic		0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	0064	0068	0060	0060	006E	006E
	BulgarianLatin		۰		1.		4	-	£		1.		:	1-	1	422	42	
	Canadian			a	D	C	a	e	T	g	п	1	J	К	1	m	п	0
	ChineseSimple1stLevel		0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	0070	007D	007E	00A7
	ChineseSimple2ndLevel		n	a	41	CI.	t	11	<b>T</b> 7	117	v	37	7	ſ	1	h		8
	ChineseSimple3rdLevel		P	Ч	1	2	ι	u	V	vv	л	У	2	۱.		5	$\sim$	8
	ChineseTraditionalBig5		00В0	0391	0395	0393	0394	0395	0396	0397	0398	0399	039A	039B	0390	039D	039E	039F
	Croatic		0	A	B	$\Gamma$	Λ	E	Z	H	Θ	T	$\mathbf{K}$	Λ	M	N	Ξ	0
	Danish			4.8		÷	<u></u>	<u>ь</u>	~	**	<u> </u>	*		4 <b>b</b>	111	1 1		<u> </u>
	Dutch		03A0	03A1	03A3	03A4	03A5	03A6	03A2	0348	03A9	0344	03AB	03AC	03AD	03AE	03AF	0380
	English		$\Pi$	Ρ	Σ	Т	Y	Φ	Х	Ψ	Ω	I	Y	ά	έ	ń	í	ΰ
	Estonian		0791	078.2	0797	0794	0785	0786	0797	0780	0789	0784	0788	0780	0780	0785	0785	0700
	Faeroeish		0361	0362	0363	0364	0365	0366	036/	0360	0365	USDH	0366	USBC	0360	9 OSEE	USBF	0300
	Farsi		α	Б	$\gamma$	0	ε	ς .	ŋ	θ	l	ĸ	λ	μ	ν	ζ	0	π
	Finnish		0301	0302	0303	0304	0305	0306	0302	0308	0309	03CA	03CB	0300	0300	03CE	0401	0402
	FinnishSami		-		-	-		40			~	2		á			Ë	Th
	French		ρ	5	0	ι	U	φ	χ	Ψ	ω	ι	U	0	0	ω	E	D
	Gaelic		0403	0404	0405	0406	0407	0408	0409	040A	040B	040C	040E	040F	0410	0411	0412	0413
Ц	Georgian		ŕ	$\mathbf{F}$	9	T	Ϊ	T	Б	њ	Ъ	Ќ —	Ň.	TT	Δ	Б	R	г
님	German		μ	$\sim$	9	T	1	3	<b>JD</b>	тD	11	T/	3	부	$\mathbf{n}$	D		1. II.
님	Germanswiss		0414	0415	0416	0417	0418	0419	041A	041B	0410	041D	041E	041F	0420	0421	0422	0423
님	Greek Cossiliatio		Л	E	Ж	з	И	И	К	Л	M	H	0	$\Pi$	P	$\mathbf{C}$	Т	V
님	GreekLatin CreekPeluterie		<u> </u>	0405	0400					0400				0405	-	0474	-	0477
H	Greekroly Conic Nobrow		U424	0420	0426	042/	0428	0429	042A	042B	042U T	0420	042E	0425	0430	0431 2	0432	0433
H	Himagana		Φ	Х	Ц	Ч	Ш	Щ	Ь	Ы	Ь	Э	Ю	К	a	0	В	Γ
H	Hunganian		0434	0435	0436	0437	0438	0439	0436	043B	0430	043D	043E	043E	0440	0441	0442	0443
H	Icelandic			0		-		2		-							-	
H	Inukitut		Ц	e	ж	3	и	и	К	JI	м	H	0	11	p	C	Т	У
H	Inish		0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	0451	0452	0453	0454
H	Italian		th 👘	v	тт	TT	TTT	TTT	a.	LT	τ	2	ю	a	ä	ħ	ŕ	C
	Kazakh		Ψ	Δ	ц	-1	ш	щ	D	DI	D	9	IU I	л	C	IJ	1	C
	Kanii		0455	0456	0457	0458	0459	045A	045B	0450	045E	045F	20AC	2116	2153	2154	215B	215C
	Katakana		s	i	ï	li –	њ	њ	ħ	к	ĭ	H	€	No	1/2	$\frac{2}{2}$	1/,	3/2
	Kyrgyz			-	-	J	2122	10		11	5	÷	~	5 12	/3	7.3	× 0	
	LatinAmerican		215D	215E	2190	5191	5195	2193	2194	2195								
	Latvian		₹⁄8	1/8	←		$\rightarrow$		$\leftrightarrow$	1								
	Lithauian	Ŧ						*		¥								

All characters used by BulgarianCyrillic are marked by highlighting their numbers in yellow.

Remove protection of the original font by un-ticking Bulgarian:

🔲 Bulgarian

	Gaelic		0020	0021	0022	0027	0024	0025	0026	0027	0000	0029	0024		0020	0020	0025	0025
H	Georgian		0020	1		11	ф	0020	0	1	2020	NOE5	*	10020	0020	0020	OULL	7
H	Comman			1	· ·	Ŧ	\$	%	æ	1	(		Ŧ	+	2	-		/
H	GermanSwiss		0030	0031	0032	0033	0034	0035	0036	0032	0038	0039	0034	003B	0030	0030	003E	1003E
H	Creek		2	1		2	4	5	6	7	0	0						0
H	CreekLatin		V	T	2	3	4	5	0	/	0	9		,	$\sim$			4
H	GreekPolutonic		0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	0040	004D	004E	004F
H	Hobyow		$\bigcirc$	Λ	P	$\mathbf{C}$	D	F	F	G	ы	Т	Т	$\mathbf{V}$	Т	М	NI	$\circ$
H	Himagana		w	п	D	$\sim$	$\nu$	Ľ	Τ.	9	11	T	J	$\mathbf{r}$		TAT	IΝ	
H	Hunganian		0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	0050	0050	005E	005F
H	Icelandic		P	$\cap$	R	2	$\mathbf{T}$	TT	$\mathbf{V}$	W	$\mathbf{X}$	$\mathbf{V}$	7	Г	Ν	1	Λ	
H	Inukitut		4 <b>-</b>	$\sim$	17				v	**	$\mathbf{n}$	- L	2	L	×			_
H	Inich		0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	0060	0060	006E	006F
H	Italian		n in the second s	a	b	С	d	e	f	σ	h	i	i	k	1	m	n	0
H	Kazakh			••	~	~	•	-	-	5	**	*	J	**	•	***	**	~
H	Kanij		00/0	00/1	0072	0073	0074	00/5	0076	0077	0078	0079	0074	0078	100/0	0070	100/E	UUA/
H	Katakana		D	a	r	$\mathbf{S}$	t	$\mathbf{u}$	$\mathbf{V}$	w	X	v	Z	ł		ł	$\sim$	8
H	Kungung			-1		0707	0794	0705		0707				0700	0790	,	0705	0705
H	Latin <b>Am</b> anican		0000			10020		10000	77	T T		T. 100	T7		2.6	N T	0.570	
H	Latuian		Ŭ	А	в	1	Δ	E	Z	$\mathbf{H}$	Θ	1	K	$\Lambda$	M	N	Ξ	O
H	Lithauian		0740	0741	0343	0344	0745	0346	0347	0348	0349	0366	OZAB	0340	07AD	OZAE	OZAE	0380
H	Luvambaungich			ъ	7	T	v	ъ	$\mathbf{v}$	)T(	$\overline{\mathbf{a}}$	τ̈́	Ϋ́Ζ	4	4	ań.	4	
H	Macadonian		μ1	r	2	1	ľ	$\Psi$	$\mathbf{\Lambda}$	Ψ	52	1	r	α	8	η	ι	υ
H	Maltaca		03B1	0382	0383	0384	03B5	0386	03B7	0388	0389	03BA	<b>O3BB</b>	03BC	<b>O3BD</b>	OBE	<b>O3BF</b>	0300
H	Maani		~	ß	o.	8	c	4	22	Δ	4	10	2			٤	~	π
H	MongolianCumillic		u	P	Y	0	3	5	11	V	L	N.	∧.	$\mu$	V	5	0	n
H	Nonword an		0301	0302	0303	0304	0305	0306	0307	0308	0309	03CA	03CB	0300	03CD	03CE	0401	0402
H	NonwegianSami		0	C	σ	$\tau$	n	(A)	~	110	ω	ï	n i	ó	ń	ώ.	Ê	Ъ
H	Pachto		Р	5	U	L.	0	Ψ	λ.	Ψ	05	L	0	V	0	0		D
H	Polich		0403	0404	0405	0406	0407	0408	0409	040A	040B	0400	040E	040F	0410	0411	0412	0413
H	Posturuece		Г	E	S	T	I	Τ	љ	њ	ĥ	К	$\mathbf{v}$	TT	A	Б	B	Г
H	Romanian		-	$\sim$	~	-	-	-					~					-
H	Russian		0414	0415	0416	041/	0418	0419	041A	0418	0410	0410	041E	0416	0420	0421	0422	0423
H	Sami		Д	E	Ж	3	И	И	К	JI	$\mathbf{M}$	$\mathbf{H}$	Ο	11	P	C	T	У
H	Sami		04.94	0425	0496	0497	0490	0499	0494	0420	0420	0420	0495	0495	0470	0471	0472	0477
H	SerbianUstin		0424 Æ	37	0420 T T	77	0420 TTT	777	7	TT	042C	0420	TO	a	0430	2431	0436	0435
H	Sloupk		$\Phi$	Х	Ц	Ч	ш	Щ	ь	ы	ь	Э	Ю	Я	a	0	В	Γ
H	Slovenian		0434	0435	0436	0432	0438	0439	0436	0438	0430	043D	043E	043E	0440	0441	0442	0443
H	Snanich							2		-				_			-	
H	Swadich		Д	e	ж	3	и	и	К	JI	м	H	0	11	p	C	Т	У
H	Swedish		0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	0451	0452	0453	0454
H	Tatan		dh 🛛	v	TT	TT	TTT	TTT	π	ът	T.	2	ю	a	ä	ħ	ŕ	C
H	Thai		Ψ	Δ	ц	1	ш	щ	D	DI	D	9	IU I	Л		IJ	1	C
	Turkish		0455	0456	0457	0458	0459	045A	045B	0450	045E	045F	20AC	2116	2153	2154	215B	2150
H	llkrainian		S	i	ï	i	њ	H.	ħ	к	ĭ	II	€	$N_{0}$	1/2	$\frac{2}{2}$	1/。	3/0
H	llndu		2	1	1	J	30	ID	11	IV.	y	¥	C	112	/3	/3	78	78
H	Uietnamese		215D	215E	2190	2191	2192	2193	2194	2195								
H	Mkhednuli 14v16 T		5/8	7/8	←	1	$\rightarrow$		$\leftrightarrow$	1								
H	Bulgarian	Ţ						¥		¥								

All characters are not used by BulgarianCyrillic are marked by highlighting their numbers in red.

# 1: How to Save only the Language

If you only want the language press the local delete, otherwise continue at section 2.

Press the *Local Delete* 



0020	0021 !	0022 ''	0025 %	0028 (	0029 )	оо2в +	002C	- 002D	002E	002F /	0030	0031 1	0032 2	0033 3	0034 4
0035	0036	0037	0038	0039	003A	003B	003D	003F	0050	005F	0060	0070	007E	00A7	0406 T
5	6	/	8	9		,		7	N.	_			~	3	1
0410 A	0411 C	0412 D	0413 <b>Г</b>	0414 Л	0415 C	0416 ^I/	0412 ウ	0418 TA	0419 14	041A	041B	041C M	041D	041E	041F
A 0420	D 0421	D 0499	1	Д 0494	L 0425	<b>M</b>	0497	11 0490	11 1490	<b>N</b>	J1 0420	10120	11	0495	11
P	C	T	У	Φ	X	Ц	Ϋ́	Ш	Щ	Ъ	Б	Э	Ю	R	a
0431	0432	0433	0434	0435	0436	0437	0438	0439	043A	043B	0430	043D	043E	043F	0440
б	В	Г	д	e	ж	3	И	й	к	л	м	H	0	п	р
0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	20AC
c	Т	У	φ	х	Ц	ч	ш	Щ	Ъ	ы	ь	Э	ю	Я	€
2116															
JN2															

Your Font is ready for saving....



The Data set already has a new name, so press the *Save Data Set* button in the Main tool bar to save the data as *Bulgarian.c* in the same directory as the master font came from. The Sym and Code Point Character List files are saved automatically.

## 2: How to Save Language and Additional Signs

Change to *Font Edit*:

#### Font Edit

All unused characters are now automatically marked in green and could be deleted. But we want to keep the fractions.

0020	0021 !	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	002в +	002C ,	002D -	002E	002F /	0030 0	0031 1	0032 2	<sup>0033</sup> 3	<sup>0034</sup> 4	<sup>0035</sup>	0036 6	<sup>0032</sup> 7
0038 8	0039 9	003A	003В ;	0030	003D	003E	003F ?	0040 @	0041 A	oo42 B	0043 C	0044 D	0045 E	0046 F	0047 G	0048 H	0049 I	004A J	004в К	<sup>0040</sup> L	M	004e N	004F ()
P	Q	R	S	0054 T	U	V	W	X	Y	005A Z	005B	0050	]	005E	005F	0060	a	0062 b	0063 C	d	0065 C	0066 f	<u>9</u>
h	i	j	k	1	m	n	0	p	q	r 17	S	t	u	V	W	X	y	Z	{	0745	}	~	§
0	A	B	Γ	Δ	E	Z	H	Θ	I	K	$\Lambda$	M	N	Ξ	O	Π	P	Σ	T	Y	Φ	Χ	Ψ
Ω	Ï	Ÿ	ά	έ	ή	ί 1	ΰ	α	β	γ	δ	8	ζ	η	θ	1 0403	к 16	λ	μ 0406	V 0407	ξ	0	π
ρ	ς	σ 040E	τ	U 0410	φ 0411	χ 0412	Ψ 0413	0 0414	Ϊ 0415	Ü 0416	Ó 0417	ύ 0418	ώ 0419	Ë	Б	Ѓ 0410	E 041D	S 0415	I 0415	Ï 0420	J	Љ 0422	Ш
h	Ќ 0425	ў 1426	Ц 0427	A	Б	B	Г	Д	E	Ж	3 042E	И 0430	Й	K	Л 0433	M	H 0435	0	П 0437	P	C	T	У
$\Phi$	X	Ц	Ч 043E		Щ	Ъ	Ы	Б	Э	Ю	Я 0447	a 0449	б 0449	B	Г 0448	Д 0440	e	Ж	3 044F	И	й 0452	K	л л
M	H	0	П	p	C	T	y	ф	X	Ц	ч ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	ë	ħ	Ѓ 2194	E
s	1	ï	j	љ	њ	ħ	ќ	ў	Ų	€	N⁰	1⁄3	<sup>2</sup> /3	1⁄8	3⁄8	<sup>5</sup> ⁄8	7⁄8	←	1	$\rightarrow$	Ļ	$\leftrightarrow$	\$

Remove the marks from the fractions with Ctrl-MouseClick on the first (0x2153) and Shift-Ctrl-MouseClick on the last (0x215E):

0020	0021 !	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	002в +	002C ,	002D -	002E	002F /	0030 0	0031 1	0032 2	<sup>0033</sup>	<sup>0034</sup>	<sup>0035</sup>	0036 6	<sup>0037</sup> 7
0038 8	0039 9	003A :	003B	0030	003D	003E	003F ?	0040 @	0041 A	B	0043 C	0044 D	0045 E	0046 F	0047 G	0048 H	0049 I	oo4a J	004в К	L	M	N	004F
P	Q	R	S	T	U	V	W	X	Y	Z		0050	]		005F	0050	a	b	0063 C	d	e 0070	f	g
h	1	j 0392	k 0393	1	m 0395	n 0396	0	p 0398	q 0399	r 0394	S 039B	t 0390	u	V	W	X	у 0341	Z	{	0345	}	~	§ 0348
0	A	B	Г озас	$\Delta$	E	Z	H	Θ 03B1	I	K	Λ 0384	M	N	Ξ 0387	0388	П 0389	P	Σ	Т	Y	Ф озве	X	Ψ
Ω 0301	Ï	Ÿ 0303	ά 03C4	έ 0305	ή 0306	í 0307	ΰ 03C8	α 0309	β 03CA	γ 03CB	δ 0300	Е 03CD	ζ 03CE	η 0401	θ 0402	l 0403	К 0404	λ 0405	μ 0406	ν 0402	ξ 0408	0 0409	π 0404
ρ 0408	ς 0400	σ 040E	τ 040F	U 0410	φ 0411	χ 0412	Ψ 0413	() 0414	Ϊ 0415	Ü 0416	Ó 0417	ύ 0418	ώ 0419	Ë 041A	Ъ 041В	Ѓ 041С	С 041D	S 041e	I 041F	Ï 0420	J 0421	Љ 0422	Њ 0423
h 0424	Ќ 0425	Ў 0426	Ų 0427	A 0428	Б 0429	В 042А	Г 0428	Д 0420	E 042D	Ж 0425	3 042F	И 0430	Й 0431	К 0432	Л 0433	$\mathbf{M}_{_{0434}}$	H 0435	O 0436	П 0437	P 0438	C 0439	T 043A	У 043в
Ф 043С	X 043D	Ц 043E	Ч 043F	ШI 0440	Щ 0441	Ъ 0442	Ы 0443	Ь 0444	Э 0445	Ю 0446	Я 0447	a 0448	б 0449	<b>B</b> 044A	Г 044В	Д 0440	e 044D	Ж 044E	<b>3</b> 044F	И 0451	Й 0452	K 0453	Л 0454
M 0455	H 0456	0 0457	П 0458	р 0459	C 045A	T 045B	у 0450	ф 045E	X 045F	Ц 20AC	<b>Ч</b> 2116	Ш 2153	Щ 2154	<b>Ъ</b> 2158	Ы 2150	<b>Ь</b> 215D	Э 215E	Ю 2190	Я 2191	ë 2192	ђ 2193	Ѓ 2194	E 2195
s	i	ï	j	љ	њ	ħ	ќ	ў	Ų	€	№	1⁄3	⅔∕3	1⁄8	3∕8	5⁄8	7⁄8	←	1	$\rightarrow$	↓	$\leftrightarrow$	\$

*Delete* the marked characters:



0020	0021	0055	0025	0028	0029	002B	0020	002D	002E	002F	0030	0031	0035	0033	0034	0035	0036	0037	0038	0039	003A	003B	003D
	!	"	%	(	)	+	,	-		/	0	1	2	3	4	5	6	7	8	9		;	
003F	0050	005F	0060	0070	007E	00A7	0406	0410	0411	0412	0413	0414	0415	0416	0417	0418	0419	041A	041B	0410	041D	041E	041F
?	١		1		~	§	Ι	Α	Б	В	Γ	Д	E	Ж	3	И	Й	К	Л	Μ	Η	0	Π
0420	0421	0422	0423	0424	0425	0426	0427	0428	0429	042A	0420	042D	042E	042F	0430	0431	0432	0433	0434	0435	0436	0437	0438
Ρ	С	Т	У	Φ	Χ	Ц	Ч	Ш	Щ	Ъ	Ь	Э	Ю	Я	a	б	в	Г	д	e	ж	3	И
0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	20AC
й	к	л	м	н	0	п	р	c	Т	у	ф	Х	Ц	ч	ш	Щ	ъ	ы	ь	Э	ю	Я	€
2116	2153	2154	215B	2150	215D	215E																	
N⁰	⅓	⅔	1⁄8	⅔⁄8	5⁄8	7⁄8																	

To remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested.



Press OK to reduce the font to its minimum size.

Your Font is ready for saving....



The Data set already has a new name, so press the *Save Data Set* button in the Main tool bar to save the data as *Bulgarian.c* in the same directory as the master font came from. The Sym and Code Point Character List files are saved automatically.

# B: How to Reduce a Font to Fit a Text

The Code Point Character List system is for removing unused characters and keeping track of used characters. This example shows how to make a font with only numbers and language specific letters from a larger font without losing the Code Points.

This example will show how to reduce a font to Greek.

Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open an existing font, for example LatinGreekCyrillic.c.

0020	0021 !	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	оо2в +	002C	002D -	002E	002F /	0030 0	0031 1	0032 2	0033 3	0034 4	0035 5	0036 6	<sup>0032</sup> 7
0038 8	0039 9	003A :	003В ;	003C	003D	003E	003F ?	0040 @	0041 A	${}^{0042}$	0043 C	$^{0044}$ D	0045 E	0046 F	0047 G	0048 H	0049 I	004A J	004в К	004C L	$^{004D}$	004e N	004F O
${}^{0050}$	0051 Q	0052 R	0053 S	0054 T	0055 U	0056 V	0057 W	0058 X	0059 Y	<sup>005a</sup> Z	оо5в [	005C \	005D ]	005E	005F	0060	0061 a	оосе b	0063 C	0064 d	0065 e	0066 f	0067 g
0068 h	0069 İ	006А ј	<sup>ооєв</sup>	ообс 1	006D M	006Е П	006F 0	0070 p	0071 q	0072 <b>ľ</b>	0073 S	0074 t	0075 U	0076 V	0077 W	0078 X	0079 <b>y</b>	007A Z	007В {	007C	007D }	007E	00A7 §
00B0 0	0391 A	$\mathbf{B}^{0392}$	0393 Г	0394 Δ	0395 E	0396 Z	0397 H	0398	0399 I	039A K	039в Л	$^{039C}$	039D N	039E Е	039F	03A0 П	${ m P}^{{ m 03A1}}$	03A3 2	03A4 T	03A5 Y	озаб Ф	03A7 X	03A8 Ψ
03A9 Ω	ojaa Ï	озав Ÿ	03AC ά	озар É	<sup>03ΑΕ</sup> ή	0ЗАF ĺ	озво ΰ	03B1 α	озва В	озвз 7	озв4 8	0385 8	озве ζ	озв2 η	озве Ө	03B9 1	03ВА <b>К</b>	озвв λ	озвс µ	03BD V	озве Š	03BF O	03CO π
03C1 ρ	03C2 ς	03C3 σ	03C4 τ	03C5 V	озсе Ф	03CZ X	озся Ψ	03C9 Ω	03СА Ї	03СВ Ü	озсс Ó	озср Ú	03CE Ю́	0401 Ë	0402 B	0403 Ѓ	0404 E	0405 S	0406 I	0407 Ï	0408 J	<sup>0409</sup> Љ	040А Њ
${}^{\scriptscriptstyle 040B}$	040C K	040E У	040F U	0410 A	<sup>0411</sup> Б	$\mathbf{B}^{0412}$	0413 Г	<sup>0414</sup> Д	0415 E	<sup>0416</sup> Ж	0417 3	<sup>0418</sup> И	0419 И	041A K	<sup>041В</sup> Л	$^{041C}$	${}^{041D}$	041E O	041F	0420 P	0421 C	0422 T	<sup>0423</sup> У
$\Phi^{0424}$	0425 X	0426 Ц	0427 Ч	0428 III	<sup>0429</sup> Щ	очга Ъ	042в Ы	042С Ь	<sup>042D</sup> Э	042E Ю	<sup>042F</sup>	0430 <b>a</b>	<sup>0431</sup> б	0432 <b>B</b>	0433 <b>Г</b>	0434 Д	0435 e	0436 Ж	0437 <b>3</b>	0438 И	0439 Й	043A K	043B Л
043C M	043D H	043E 0	043F П	0440 p	0441 C	0442 T	0443 <b>y</b>	<sup>0444</sup> ф	0445 X	0446 Ц	0447 <b>H</b>	0448 Ш	0449 Щ	044А Ъ	044В <b>Ы</b>	044С <b>Ь</b>	044D Э	044E Ю	044F Я	0451 Ë	0452 ђ	0453 Ѓ	0454 E
0455 S	0456 1	0457 Ï	0458 j	0459 Љ	045А Њ	045в ћ	045C K	045Е Ў	045F U	20AC €	2116 №9	2153 <mark>1⁄3</mark>	2154 <mark>2⁄3</mark>	215B <mark>1⁄8</mark>	2150 3⁄8	215D 5⁄8	215E 7⁄8	2190 ←	2191	2192 →	2193 ↓	2194 ↔	2195 ‡

Use *Text -> Import Text or Text Catalogue to Mark or Create Characters* to open the file *Greek.txt*:

Answer Yes to Insert 6 New Additional Characters ?

000A	000D	0020	0021 !	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	оогв +	002C	002D -	002E	002F /	0030	0031 1	0032 2	0033 3	0034 4	<sup>0035</sup>
0036 6	<sup>0037</sup> 7	0038 8	0039 9	003A :	003В ;	003C	003D	003E	003F ?	0040 @	0041 A	${}^{\scriptscriptstyle 0042}$	0043 C	0044 D	0045 E	0046 F	0047 G	0048 H	0049 I	004A J	004в К	004C L	$^{\rm OO4D}$
004e N	004F O	0050 P	0051 Q	0052 R	0053 S	0054 T	0055 U	0056 V	0057 W	0058 X	0059 Y	oosa Z	оо <del>зв</del> [	005C	005D ]	005E	005F	0060	<sup>0061</sup> а	<sup>оосг</sup> b	0063 C	0064 d	0065 e
0066 f	0067 g	0068 h	0069 İ	006А ј	<sup>ооєв</sup> k	ообс 1	оосо m	оосе n	006F 0	0070 p	0071 q	0072 ľ	0073 S	0074 t	0075 U	0076 V	0077 W	0078 X	оо <b>7</b> 9 У	007A Z	007в {	007C	007D }
007E ~	00A7 §	00АВ <<<	00ВО 0	оовв >>	0388 E	0391 A	0392 B	озэз Г	0394 Δ	0395 E	0396 Z	0397 H	0398 🕑	0399 I	<u>оз</u> 9а К	039в Л	039C M	039D N	039E Е	039F ()	озао П	${}^{03A1}$	03A3 ∑
03A4 T	03A5 Y	$\Phi$	osaz X	03A8 Ψ	03A9 Ω	ojaa Ï	ojab Ÿ	03AC ά	03AD É	озае ή	0ЗАF ĺ	озво ΰ	03B1 α	озва В	озвз 7	озв4 б	0385 Е	<u>озве</u> ζ	озв <b>2</b> П	озва Ө	0389 1	03BA 1К	озвв 入
озвс µ	o3bd V	<del>озве</del> ξ	03BF O	озсо π	озс1 р	озса С	озсз О	03C4 T	03C5 U	<del>озсе</del> Ф	озс2 Х	озса Ψ	03C9 ())	озса Ї	03СВ Ü	<del>озсс</del> Ó	озср Ú	озсе Ю	0401 Ë	0402 B	0403 Ѓ	0404 E	0405 S
0406 I	0407 Ï	0408 J	<sup>0409</sup> Љ	040А Њ	${}^{\scriptscriptstyle 040B}$	040C K	040E У	040F U	0410 A	<sup>0411</sup> Б	$\mathbf{B}^{0412}$	0413 Г	<sup>0414</sup> Д	0415 E	<sup>0416</sup> Ж	0417 3	<sup>0418</sup> И	0419 И	041A K	<sup>041В</sup> Л	$^{041C}$	${}^{041D}$	041E O
041F П	0420 P	0421 C	0422 T	0423 У	$\Phi^{0424}$	0425 X	0426 Ц	0427 Ч	0428 Ш	0429 Щ	ъ	042в Ы	042С Ь	<sup>042D</sup> Э	042E Ю	<sup>042F</sup>	0430 a	<sup>0431</sup> б	0432 <b>B</b>	0433 Г	0434 Д	0435 e	0436 Ж
0437 <b>3</b>	0438 И	<sup>0439</sup> Й	043A K	043B Л	043C M	043D <b>H</b>	043E 0	043F П	0440 p	0441 C	0442 T	0443 <b>y</b>	<sup>0444</sup> ф	0445 X	0446 Ц	0447 <b>H</b>	0448 Ш	0449 Щ	044А Ъ	044В Ы	044С <b>Ь</b>	044D Э	044E Ю
044F a	0451	0452 7	0453	0454	0455	0456	0457	0458	0459	045A	045B ₩	0450	045E	045F	1F04	20AC	2116 M	2153	2154	215B	2150	215D	215E
л	ē	ŋ	Г	e	s	1	1	J	љ	њ	n	к	У	Ų		£	JNō	*/3	*/3	*/8	°⁄8	°⁄8	1/8

Characters already in the source font are highlighted in green, new characters are highlighted in grey.

Press the *Invert Markings* button:



000A	000D	0020	0021 !	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027	0028	0029 )	002A *	оо2в +	002C	002D -	002E	002F	0030 0	0031 1	0032 2	0033 3	0034 4	0035 5
6	7	8	0039 9	003A	003B	0030	003D	003E	003F	@	0041 A	B	0043 C	0044 D	0045 E	F	0042 G	0048 H	0049 I	J	K K	L	M
N	0	P	Q	R	S	T	U	V	W	Х	Y	Z	[		]			)	a	b	C	d	е
f	g	h	1	j j	k	1	m	n	006	p	q	1 1	S	t	u	V	W	X	y	Z	{		}
~	Ş	оонь «	0	»»	E	A	B	Γ	$\Delta$	E	Z	H	Θ	I	K	$\Lambda$	M	N	Ξ	0394	П	P	Σ
Т	Y		X	Ψ	$\Omega$	Ï	Ÿ	ά	έ	03με ή	í	ΰ	α	β	γ	δ	6365 8	ζ	η	θ	1	К	λ
μ	V	ξ	0366	π	ρ	ς	σ	τ	υ υ	φ	χ	Ψ	ω 03C9	Ϊ	Ü	ó	ύ	ώ	Ë	Ъ	ŕ	E	S
I	Ï	J	Љ	њ	ĥ	Ŕ	Ў	Ų	A	Б	B	Γ	Д	E	Ж	3	И	Й	К	Л	Μ	H	0
Π	P	C	T	У	Φ	X	Ц	Ч	Ш	Щ	Ъ	Ы	Б	Э	Ю	Я	a	б	B	С433 Г	Д	e	ж
3	0438 И	й И	K	л Л	M	H	0	043F	p	C	T	у У	ф	X	Ц	Ч 90442	Ш	Щ	Ъ	Ы	Ь	Э	Ю
Я	ë	ħ	б453 Ѓ	E	S	1	1 1	j	л Л	њ	ħ	<del>К</del>	<del>ў</del>	Ų		€	N⁰	1⁄3	<sup>2</sup> /3	1/8	<sup>3</sup> /8	5⁄8	7⁄8
←	1	$\rightarrow$	↓ ↓	$\leftrightarrow$	1																		

Now the unused characters are highlighted.



200A	000D	0020	0028	0029	002B	0020	002E	0041	005B	005D	006D	006E	006F	0072	0073	0074	0079	00AB	OOBB	0388	0391	0392	0393
			(	)	+	,		Α	[	]	m	n	0	r	s	t	у	«	»	Έ	Α	В	Γ
0395	0397	0399	039A	0390	039D	039F	03A0	03A6	03A7	03A9	03AC	03AD	03AE	03AF	03B1	03B2	03B3	03B4	03B5	03B6	03B7	03B8	03B9
E	Η	I	Κ	Μ	Ν	0	Π	Φ	Χ	Ω	ά	έ	ή	ί	α	β	γ	δ	3	ζ	η	θ	ι
03BA	03BB	03BC	03BD	03BE	03BF	0300	0301	0302	0303	0304	0305	0306	0307	0308	0309	03CA	0300	03CD	03CE	1F04			
κ	λ	μ	ν	ξ	0	π	ρ	ς	σ	τ	υ	φ	χ	Ψ	ω	ï	Ó	Ú	ώ				

000A and 000D are control characters, mark and delete them:

200A	000D	0020	0028	0029	002B	0020	002E	0041	005B	005D	006D	006E	006F	0072	0073	0074	0079	00AB	OOBB	0388	0391	0392	0393
			(	)	+	,		Α	[	]	m	n	0	r	s	t	у	<u> </u>	»	E	Α	В	Γ
0395	0397	0399	039A	0390	039D	039F	03A0	03A6	03A7	03A9	03AC	03AD	03AE	03AF	03B1	03B2	03B3	03B4	03B5	03B6	03B7	03B8	03B9
E	Η	Ι	Κ	Μ	Ν	0	Π	Φ	Χ	Ω	ά	έ	ή	ί	α	β	γ	δ	ε	ζ	η	θ	ι
03BA	03BB	03BC	03BD	03BE	03BF	0300	0301	0302	0303	0304	0305	0306	0307	0308	0309	03CA	0300	03CD	03CE	1F04			
κ	λ	μ	ν	ξ	0	π	ρ	ς	σ	τ	υ	φ	χ	Ψ	ω	ï	Ó	Ú	ώ				
0020	0028	0029	002B	0020	002E	0041	005B	005D	006D	006E	006F	0072	0073	0074	0079	00AB	OOBB	0388	0391	0392	0393	0395	0397
	(	)	+	,		Α	[	]	m	n	0	r	s	t	у	«	»	Е	А	В	Γ	Е	Η
0399	039A	0390	039D	039F	03A0	03A6	03A7	03A9	03AC	03AD	03AE	03AF	03B1	03B2	03B3	03B4	03B5	03B6	03B7	03B8	03B9	03BA	03BB
Ι	Κ	Μ	Ν	0	Π	Φ	Х	Ω	ά	έ	ή	ί	α	β	γ	δ	3	ζ	η	θ	ι	κ	λ
03BC	03BD	03BE	03BF	0300	0301	0302	0303	0304	0305	0306	0307	0308	0309	03CA	0300	03CD	03CE	1F04					
μ	ν	ξ	0	π	ρ	ς	σ	τ	U	φ	χ	Ψ	ω	ï	Ó	Ú	ώ						

The extracted font is ready to save:



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Greek\_txt.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

## C: How to Make a New Font from an existing Font

The Code Point Character List system is for removing unused characters and keeping track of used characters. This example shows how to make a font with only numbers and capital letters from a larger font without losing the Code Points.

This example will show how to extract numbers and capital letters.

Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open an existing font, for example *LatinCyrillic.c.* 

0020	0021 1	0022 11	0023 #4	0024 Φ	0025 0/4	0026 Sr	0027 1	0028 7	) 0029	002A *	002В 上	002C	002D	002E	002F /	0030	0031 1	0032 2	0033 2	0034 /1	0035 5	0036 6
	: 		#	Ф	70	α		<u>ر</u>	2		Τ.,	,	-	•	/	0	1	4	3	4	2	0
0037	0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D
7	8	9	:	;	<		$\geq$	2	(a)	Α	в	С	D	E	$\mathbf{F}$	G	H	L	J	K	L	Μ
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064
N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Ζ	Γ	Ν	]	^		`	a	b	c	d
0065	0066	0067	0068	0069	006A	006B	006C	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B
e	f	g	h	i	j	k	1	m	n	0	р	q	r	s	t	u	v	w	х	у	Z	{
007C	007D	007E	0401	0402	0,403	0404	0405	0406	0407	0408	Ô409	040A	040B	040C	Q40E	040F	0410	0411	0412	Ő413	0414	0415
	}	~	Ê	Ъ	Γ	E	S	I	Ï	J	љ	њ	ĥ	К	У	Ų	Α	Б	в	Γ	Д	E
0416	Ó417	0418	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	0429	042A	042B	042C
Ж	3	И	Й	К	Л	Μ	H	0	Π	P	С	Т	У	Φ	Χ	Ц	Ч	Ш	Щ	Ъ	Ы	Ь
042D	042E	042F	0430	0431	0432	0433	0434	0435	0436	0437	0438	0439	043A	043B	043C	043D	043E	043F	044Ò	0441	0442	0443
Э	Ю	Я	a	б	в	Г	д	e	ж	3	И	й	к	л	м	H	0	п	р	С	Т	у
0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	0451	0452	0453	0454	0455	0456	0457	0458	0459	045A	045B
ф	Х	Ц	ч	ш	Щ	Ъ	ы	ь	Э	ю	я	ë	ħ.	ŕ	e	s	i	ï	j	љ	њ	ħ
045C	045E	045F																				
ќ	Ŭ	U																				

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

```
Symbol Type

• Font with Characters from MasterFont

• Group of Symbols Filled With Background Color
```

Choose a color format. This option is only available in the color version of IconEdit:



To select the numbers and letters:

Create a Character List for Font Directly

One or more characters in addition to the default character may already selected, so:

Clear All Except Default Character

This does not delete the default character that is used when a character is not present in the font.

Select from 0 to 9 with the mouse, and then with Ctrl + mouse select A to Z:

\_ \_ \_ L J | - • **D** ¶ ┴ ┰ ┨ î ╞ → ← ₿ 🗆 £1 ₩ €1 Ш !"#\$%&'()\*+,-. / 0 123456789:; < = > ?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]^\_ `abcdefghijklmnopqrstuvwxyz{|}~🛛 | ¢£¤¥¦ §″©<sup>™</sup>«¬-®<sup>¯</sup>°±<sup>2</sup>³′μ¶•, <sup>⊥</sup>°»¼½¾¿ ÀÁÂĂĂĂÆÇÈÉÊÊÌÍÎÏÐÑÒÓÔÕÖרÙÚÛÜÝÞB à á â ã a a æç è é ê ë ì í î ï ð ñ ò ó ô õ ö ÷ ø ù ú û ü ý þ ÿ

Press Insert 36 Characters.

Insert 36 Characters

Choose a master font, in this example to the font already opened:

Master Font Arial 32 Bold

-Internal & Recent Windows Fonts
ASCII 20 Batch 32 ButtonText_cpp 64 Emoji_cpp 32 LatinCyrillic 23 Thai_cpp 32 Thai_txt 64 W Arial W Calibri W Consolas W Courier New W Georgia W Impact W Lucida Console W Palatino Linotype W Tahoma W Times New Roman Zap Recent Windows Fonts List
Pick a Windows Font
Import Font from Disk

Choose Internal font LatinCyrillic 23:

Internal & Recent Windows Fonts
ASCII 20 Batch 32 ButtonText_cpp 64 Emoji_cpp 32 LatinCyrillic 23 Thai_cpp 32 Thai_txt 64 W Arial W Calibri W Consolas W Courier New W Georgia W Impact W Lucida Console W Palatino Linotype W Tahoma W Times New Roman Zap Recent Windows Fonts List
Pick a Windows Font
Import Font from Disk

Set edge thickness offset to Zero i.e. 100%:

Light	Relative Edge Pixel Value	100%	Press for	100%	Dark
▪					►

Press OK.

Symbol size and number is hereby defined as:

Symbol Size –		
X 24	Y 23	Characters in Font 36

Press OK:



The Code Point Character List system also needs to know what Default Character to show if a character does not exist in the font. It could be a question mark.

Press Insert New Character:



Choose the question mark:

		Г	ı	L	L	I		•	٠			8			ŗ1	Ŧ	ł	◄	t	l	٩	Т	т	ł	t	ŀ	→	÷				
		!		#	\$	%	s&	•	(	)	*	+	,	-		/	0	1	2	3	4	5	б	7	8	9	:	;	<	=	>	?
(	ð	A	в	С	D	E	F	G	H	Ι	$\mathbf{J}$	К	L	N	IN	0	Ρ	Q	R	s	Т	U	V	N	X	Y	Z	[	١	]	^	
•		a	b	с	d	е	f	g	h	i	j	k	1	m	n	0	р	q	r	s	t	u	v	w	x	y	z	{	I.	}	~	0
0		0	۵	۵	۵		0	۵	۵	۵	0	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	0	۵	۵	0	۵	۵	0	۵	۵
		i	¢	£	Q	¥	I.	s	•••	©	2	«	-	-	Ð		0	±	3	3	^	μ	ſ	ł		1	0	»	¹∕₄	⅓	³∕4	ċ
2	À	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ϊ	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	ø	Ù	Ú	Û	Ü	Ý	Þ	ß
11	ì	á	â	ã	ä	å	æ	с	è	é	ê	ë	ì	í	î	ï	ð	ñ	ò	ó	ô	õ	ö		ø	ù	ú	û	ü	ý	b	ÿ

Press Insert 1 Character.

Insert 1 Characters

The default character is automatically chosen as the first character in the font, to change this open the *Code Point Edit View*:

#### Code Points

Default character, if any, is marked bright cyan.

Press Choose Default Character with Mouse:



Click on the question mark to make it the default character:



Switch back to *Font Edit*:

Font Edit

To remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested.



The use of **Squeeze Oversize Characters** is only recommended for grey-level fonts, see the squeeze and mono-space continuation of this example.

Press OK to reduce the font to its minimum size.



The extracted font is ready to save:



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *AZ09.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.
## 1: How to Squeeze and Mono-Space an existing Font Automatically

This example is a continuation and uses the font and settings of the previous example.

In some applications it is preferable that all characters have the same width, it simplifies the calculation of string lengths and reduces flicker when strings are changed. In addition mono-space fonts usually require less memory space because the widest characters are squeezed somewhat.

For Black & White fonts we recommend that squeezing is done for one character at a time with the **Squeeze or Stretch Character with Mouse** in **Character Edit** mode to keep track on the deformation of the characters whereas squeezing of Grey fonts can normally be done safely for the whole font as one operation in **Font Edit** mode with the use of **Squeeze Oversize Characters** in the **Resize All Symbols** function.

These two methods are described in chapter 04.A.3 and 05.C.1 respectively.

In this example we will squeeze the grey-level font AZ09.c from 22x23 to 16x23.

To squeeze the widest characters and remove surplus unused pixels press Resize All Symbols:



The smallest symbol size that can contain the largest character is suggested. Change that to X = 16 and select *Copy Pixel to Pixel BUT Squeeze Oversize Characters*.



Press OK to reduce the font to the desired size:



The Squeezed Characters are highlighted in yellow.

The Squeezed Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data as *AZ09\_S.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

To make a mono-space font select all characters with the *Mark All Symbols* button:



Then mono-space all characters with the *Monospace and Center Character* button:



0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	003F	0041	0042	0043	0044	0045	0046	0047	0048
0	1	2	3	4	5	6	7	8	9	?	А	В	C	D	Е	F	G	Η
0049	004A	004B	004C	004D	004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	
Ι	J	Κ	L	Μ	Ν	Ο	$\mathbf{P}$	Q	R	S	T	U	V	W	Х	Y	Ζ	

The mono-spaced Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data as *AZ09\_M.c* in the proper directory. The Sym and Code Point Character List files are saved automatically.

# D: How to Make a New Language Font from an existing Font

The Code Point Character List system is for removing unused characters and keeping track of used characters. This example shows how to make a font for a specific language from a larger font without losing the Code Points.

This example will show how to extract Maltese.

Press the File Open button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open an existing font, for example *LatinCyrillic.c.* 

0020	0021	0022	0023 77	0024 ው	0025 0 /	0026	0027	0028	0029	002A	002B	002C	002D	002E	002F	0030	0031	0032	0033	0034	0035	0036
	!	" III	Ħ	\$	%	æ		(	)	Ŧ	+	,	-		/	0	1	2	3	4	3	6
0037	0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D
7	8	9	:	;	<		>	?	(a)	Α	В	С	D	E	F	G	H	I	J	Κ	L	Μ
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064
N	Ο	P	Q	R	S	Т	U	V	W	Χ	Y	Ζ	[	Ν		^		`	a	b	С	d
0065	0066	0067	0068	0069	006A	006B	006C	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B
e	f	g	h	i	i	k	1	m	n	0	p	q	r	$\mathbf{s}$	t	u	v	w	х	у	z	{
007C	007D	007E	0401	0402	0,403	0404	0405	0406	0407	0408	Ô409	040A	040B	040C	Q40E	040F	0410	0411	0412	Ő413	0414	0415
	}	~	Ë	Ъ	Γ	E	S	I	Ï	J	љ	њ	$\mathbf{h}$	Ŕ	У	Ų	Α	Б	в	Γ	Д	E
0416	Ó417	0418	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	0429	042A	042B	0420
Ж	3	И	Й	К	Л	Μ	H	0	Π	P	С	Т	У	Φ	Χ	Ц	Ч	Ш	Щ	Ъ	Ы	Ь
042D	042E	042F	0430	0431	0432	0433	0434	0435	0436	0437	0438	0439	043A	043B	043C	043D	043E	043F	044Ò	0441	0442	0443
Э	Ю	Я	a	б	в	Г	д	e	ж	3	И	й	к	л	м	н	0	п	р	с	Т	y
0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	0451	0452	0453	0454	0455	0456	0457	Ô458	0459	045A	045B
ф	Х	Ц	ч	ш	Щ	ъ	ы	ь	Э	ю	Я	ë	ħ	ŕ	e	s	i	ï	j	љ	њ	ħ
045C	045E	045F																				
ќ	ĭ	U																				

To make a new font press the New Font or Symbol Group button in the Main Toolbar:



This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

```
Symbol Type

• Font with Characters from MasterFont

• Group of Symbols Filled With Background Color
```

Choose a master font, in this example to the font already opened:

Master Font Arial 32 Bold

-Internal & Recent Windows Fonts
ASCII 20 Batch 32 ButtonText_cpp 64 Emoji_cpp 32 LatinCyrillic 23 Thai_cpp 32 Thai_txt 64 W Arial W Calibri W Consolas W Courier New W Georgia W Impact W Lucida Console W Palatino Linotype W Tahoma W Times New Roman Zap Recent Windows Fonts List
Pick a Windows Font
Import Font from Disk

Choose Internal font LatinCyrillic 23:

-Internal & Recent Windows Fonts
ASCII 20 Batch 32 ButtonText_cpp 64 Emoji_cpp 32 LatinCyrillic 23 Thai_cpp 32 Thai_txt 64 W Arial W Calibri W Consolas W Courier New W Georgia W Impact W Lucida Console W Palatino Linotype W Tahoma W Times New Roman Zap Recent Windows Fonts List
Pick a Windows Font
Import Font from Disk

Set edge thickness offset to Zero i.e. 100%:

Light Relative Edge Pixel Value 100% Press for 100% Dark

Press OK.

Symbol size and number is hereby defined as:

Symbol Size Y 23 X 24 Characters in Font 1

Choose a color format. The LatinCyrillic 23 is a 2 Bit Intensity Level font, so choose that. This option is only available in the color version of IconEdit:



Press OK.

Change to *Font Edit*:

#### Font Edit

0020



The default character is automatically chosen as the first character in the font, in this case SPACE.

Change to Language & Region

Warning: Language & Regions and Unicode Scripts & Symbols only works with Master Fonts according to the Unicode standard as described at www.unicode.org. See the chapter **How to Check that an Existing Font is According to Unicode**.

Language & Region



Upon entry to Language & Region edit mode, the present font is already marked to avoid accidental erasure of existing symbols in this edit mode:

#### 🕖 New

# Warning: If this is un-ticked and no other filter is chosen by a tick, all characters except the default character are marked for delete.

Press the tick box for a language, for example Maltese:



The default character is marked by highlighting the number in cyan. The rest of the characters in the language are marked by highlighting the number in yellow.

The characters 0x0021 to 0x007E are copied from the chosen Master Font. The rest are not present in LatinCyrillic, but are added from the default Windows font for orientation.

#### 1: How to Fit New Characters to an Existing Font

The added characters may not look like the Master Font. To correct this, change to *Font Edit*:

#### Font Edit

0020	0021 !	0022 "	0024 <b>\$</b>	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	002в +	002C	002D -	002E	002F /	0030 0	0031 1	0032 2	0033 <b>3</b>	0034 4	0035 5	0036 6	<sup>0032</sup> 7
0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E
8	9	:	;	<	=	>	?	@	Α	B	С	D	E	F	G	Η	Ι	J	Κ	L	Μ	N
004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065
0	P	Q	R	S	Т	U	V	W	Χ	Y	Ζ	[	١	]	Λ		`	a	b	с	d	e
0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C
f	g	h	i	j	k	1	m	n	0	p	q	r	S	t	u	v	W	Х	у	Z	{	
007D }	007E	00A3 £	À	oocs È	oocc Ì	00D2 Ò	00D9 Ù	ooeo à	ooes è	OOEC Ì	oof2 Ò	<sup>00F9</sup>	010A Ċ	010В С	0120 Ġ	0121 <b>ġ</b>	0126 <b>H</b>	0127 <b>ħ</b>	017в <b>Ż</b>	0170 Ż	20AC €	

Windows comes with a large selection of fonts, and it is usually possible to find one that fits an existing font reasonably well.

Choose a typical character for reference:

0020	0021	0022	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D	002E	002F	0030	0031	0032	0033	0034	0035	0036	0037
	!	"	\$	%	&	'	(	)	*	+	,	-		/	0	1	2	3	4	5	6	7
0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E
8	9	:	;	<		>	?	@	Α	B	С	D	E	F	G	Η	I	J	Κ	L	Μ	Ν
004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062	0063	0064	0065
0	P	Q	R	S	Т	U	V	W	Χ	Y	Ζ	[	۱	]	Λ		`	a	b	с	d	e
0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C
f	g	h	i	j	k	1	m	n	0	p	q	r	s	t	u	v	w	х	у	z	{	
007D	007E	00A3	0000	0008	0000	00D2	00D9	00E0	00E8	00EC	00F2	00F9	010A	010B	0120	0121	0126	0127	017B	0170	20AC	
}	~	£	À	È	Ì	Ò	Ù	à	è	Ì	Ò	ù	Ċ	Ċ	Ġ	ġ	Ħ	ħ	Ż	ż	€	

Open the *Compare Symbols with MasterFont*:



Change the Master Font to a font indicated with W for Windows, which is always Unicode:

Internal & Recent Windows Fonts
ASCII 20
Batch 32
ButtonText_cpp 64
Emoji_cpp 32
LatinCyrillic 23
Thai_cpp 32
Thai_txt 64
W Aria
W Calibri
W Consolas
W Courier New
W Georgia
W Impact
W Lucida Console
W Palatino Linotype
Pick a Windows Font

The compare windows show the difference between the symbol A in the font and the A from the Windows font:



If the recent fonts are not ideal, pick another Windows font as this example shows.

Open the Windows font selector to find a better match:



Experiment with different fonts:

Font:		Font style:		Size:	
Times New Roman		Bold		32	
Sylfaen	~	Regular	~	8	
Symbol		Italic		9	≡
Tahoma		Bold		11	
Times New Roman		Bold Italic		12	
Traditional Arabic				14	
Trebuchet MS	-		~	16	Ŧ
		Sample			
		AaB	bY	y <b>z</b>	Zz

The LatinCyrillic looks similar to Times New Roman, so press **OK**.

This is now selected as master font:



#### Select the nearest fit:



#### Press OK.

Mark characters from 0x00A3 to 0x20AC:

0020	0021 !	0022 ''	0024 <b>\$</b>	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	002в +	002C	- 002D	002E	002F /	0030 0	0031 1	0032 2	0033 <b>3</b>	0034 4	0035 5	0036 6	0037 7
0038 8	0039 <b>9</b>	003A :	003В	003C	003D	003E	003F ?	, 0040 ( <b>()</b>	0041 A	$\mathbf{B}^{0042}$	0043 C	0044 D	0045 E	0046 F	0047 G	0048 H	0049 I	004A J	004в К	004C L	004D M	004E N
004F 0	0050 P	0051 Q	0052 <b>R</b>	0053 S	0054 T	0055 U	$\mathbf{V}^{0056}$	0057 W	$\overset{0058}{\mathrm{X}}$	0059 Y	$\overset{005A}{Z}$	005в [	005C \	005D ]	005E	005F	0060	0061 <b>a</b>	0062 b	0063 C	0064 d	0065 <b>C</b>
0066 f	0067 <b>g</b>	0068 h	0069 i	006А ј	006в k	оовс 1	006D m	006Е <b>п</b>	006F <b>O</b>	0070 p	0071 <b>q</b>	0072 <b>r</b>	0073 S	0074 <b>t</b>	0075 <b>U</b>	0076 <b>V</b>	0077 W	0078 X	0079 <b>y</b>	007A <b>Z</b>	007в {	0070
007D }	007E	ooas £	À	È	oocc Ì	Ò	оорэ Ù	ooeo à	ooes è	ooec Ì	oof2 Ò	<sup>00F9</sup> Ù	Ċ	отов Ċ	G G	0121 ġ	0126 <b>H</b>	0127 ħ	0178 Ż	0170 Ż	<sup>20AC</sup>	

Use the *Redraw Characters* button to get new symbols from the new master font:



0020	0021 !	0022 ''	0024 \$	0025 %	0026 &	0027 '	0028	0029 )	002A *	оо2в +	002C ,	002D -	002E	002F /	0030 0	0031 1	0032 2	0033 3	0034 4	<sup>0035</sup>	0036 6	<sup>0032</sup> 7
0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E
8	9	:	;	<	=	>	?	@	Α	В	С	D	E	F	G	Η	I	J	Κ	L	Μ	Ν
004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065
0	Ρ	Q	R	S	Т	U	V	W	Χ	Υ	Ζ	[	۱.	]	^		`	a	b	c	d	e
0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	007C
f	g	h	i	j	k	1	m	n	0	р	q	r	s	t	u	V	w	х	у	Z	{	
007D	007E	00A3	0,000	0008	0000	0002	00D9	00E0	00E8	<b>OOEC</b>	00F2	00F9	010A	010B	0120	0121	0126	0127	017B	0170	20AC	
}	~	£	À	È	Ì	Ò	Ù	à	è	ì	ò	ù	Ċ	ċ	Ġ	ġ	Ħ	ħ	Ż	Ż	€	

The new characters are marked in dark grey.

Any subsequent corrections should be done at pixel level in the character edit mode.

Right click a character to enter pixel edit mode for each new character:

0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044
9	:	;	<	=	>	?	@	А	В	С	D
0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F	0050
E	F	G	Η	Ι	J	Κ	L	Μ	Ν	0	Ρ
0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C
Q	R	S	Т	U	V	W	Χ	Υ	Ζ	[	\
005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067	0068
	^		`	а	b	С	d	e	f	g	h
0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074
i	j	k	1	m	n	0	р	q	r	s	t
0075	0076	0077	0078	0079	007A	007B	0070	007D	007E	00A3	0000
u	V	W	Х	у	Z	{		}	~	£	Α
0008	ÓOCC	00DS	00D9	00E0	00E8	00EC	00F2	00F9	010A	010B	0120
Ê	I	0	Ú	à	è	ì	Ò	ù	Ć	ċ	Ġ
0121	0126	0127	017B	0170	20AC						
ġ	Ħ	ħ	Ζ	Ż	€						

The display of the font can be turned on and off with the *Show Font or Group for Choice of Symbols* button:



												_
		_	$ \rightarrow $									
				- I								
$\rightarrow$	_	_	$ \rightarrow $	_		_						
				- I								
$\rightarrow$	-	-	$\mapsto$	-	-							
			I									
$\rightarrow$		_	السا	_	_							
	1											
$\rightarrow$				_								
L E			- I									
			I	- I								
				_								
			I	- I								
			$\rightarrow$	-	-							
			I	- I								
			$\rightarrow$	-	-							
			I	- I								
	_	-	$\mapsto$	-	-							
			I	- I								
_	- 22	_	$\mapsto$		-						-	
			I	- 11								
			السا	_		_						
_												
	1		I T									
	1	1	I	- I								
		_	$\rightarrow$	-								
	1	1	I	- I								
$\rightarrow$	-	-	$\rightarrow$	-	-							
	1	1	I	- I								
_	-	-		_	-	_	_		_	_		ł

When all necessary corrections are done, the extracted language font is ready to save:



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Maltese.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

# E: How to Combine Two or More existing Fonts

The Code Point Character List system is for adding or removing characters and keeping track of the used characters.

Press the *File Open* button in the Main tool bar:



Or the *Open Font, Symbol, Text, or Image* button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open two existing fonts, for example first LatinCyrillic.c

And then press the *File Open* button in the Main tool bar:



To open Greek.c.

Press Split Main Window to Show 2 Datasets:



G	reel	< ]	Lati	nCy	ril	lic	-	1														
С	hara	acte	r E	di t	F	ont	Edi	t	Lang	guag	re &	Reg	rion	S	cri	pts	& S	ymbo	ols			
24.3	w ś	35	<u>*</u>	67	B	B B	В	B B	B* <sup>9</sup>	8 a8	ΩΒ	[4] P4	b• 🖪	B	A A	Ф <mark>,</mark> В	B	a b	a b a b	20 20 20 20 20 20 20 20 20 20 20 20 20 2	■ <u>+ 0</u> - /2	2
0062	0063	0064	0065	0066	0067	0068	0069	9 0064	A 0068	0060	0060	0065	006F	0070	0071	0072	0073	8 0074	0075	0076	0077	
b	С	d	e	f	g	h	i	j	k	1	m	n	0	p	q	r	s	t	u	v	W	
0078	0079	007A	0078	0070	0070	007E	0401	0408	2 0,403	8 0404	0405	0406	0407	0408	8 0409	040A	0408	0400	040E	040F	0410	
X	У	Z	{		}	~	E	Ъ	Г	E	S	1	I	J	ЛР	њ	ĥ	К	У	Ų	A	
0411	0412	0413	0414	0415	0416	0417	0418	8 0419	9 0414	0418	0410	0410	041E	041	0420	0421	0428	0423	0424	0425	0426	
Б	в	L	Д	E	ж	3	И	И	K	Л	$\mathbf{M}$	Η	0	Ш	P	C	$ \mathbf{T}  $	У	Φ	X	Ц	
0427	0428	0429	0424	0428	0420	0420	0428	042	F 0430	0431	0438	2 0433	0434	0435	5 0436	0437	0438	0439	0434	0438	0430	
Ч.			ь	ы	ь	-	нÓ	Я	<u>a</u>	ō.	R	r	п	<u>e</u>	WC.	2	H	и	ĸ	Π	M	
С	hara	aote	r E	dit	F	ont	Edi		Lan	auag	e &	Req	rion	S	ori	ots	& S	чмЪс	ls			
	. /		1	C -		nin	- 12	n n	11 1	R aR	0 0	(	a. 197	m				i a b	a b le	20 204.	+12	
. en 1	~ ¥	3		45 Z	4 B	вв	Б	R Da	Be	D aD	2 2	14 14	D• 12	D 1	AA	т <u>,</u> Б	# i	11: o d	a b		-1/2	Ī
0391	0392	0393	0394	0395	0396	0397	0398	3 0399	9 0394	0398	0390	0390	039E	039F	03A0	03A1	03A3	3 03A4	03A5	03A6	03A7	03A8
A	В	Γ	Δ	E	Z	H	Θ	1	K	Λ	M	N	Ξ	0	11	Ρ	Σ	T	Y	Φ	X	Ψ
03A9	03AA #	03AB	03A0	: 03AD	03AE	03AF	0380	03B1	1 0388	2 0383	03B4	0385	0386	03B7	2 03B8	03B9	0384	O3BB	0380	O3BD	03BE	03BF
55	1	Y	α	3	η	ι	U	α	þ	Y	ò	3	5	η	θ	ι	κ	r	μ	ν	ζ	0
0300	0301	0302	0303	0304	0305	0306	0302	2 0308	8 0.309	9 03CA	03CB	0300	0300	0308	5							
π	ρ	ς	σ	τ	υ	φ	χ	Ψ	ω	l	U	0	υ	0								

Mark the whole font in *Greek.c* by pressing *Mark All Symbols*:



**	* \$	X S	Ľ	67	B	BB	B	B B•	B∙ <sup>a</sup>	B aB	Ω	<b>1</b>	b B	B	A A	<sup>0</sup> , В	8	a b c d	a b a b	07 0745 1745 1745 1745	■ <u>+ </u> -	2/2
0391 A	B B	<mark>0393</mark> Г	$\Delta$	10395 E	0396 Z	H 10397	0398 (D)	1 0399 I	0394 K	$\Lambda$	$^{\circ}$	0390 N	) 039E	039F O	<u>озас</u> П	P P	03A3 Σ	оза4 Т	ozas Y	$\Phi$	X	03A8 Ψ
ozas Ω	ı ozaa İ	<del>озав</del> Ÿ	03AC ά	:03AD έ	озае ή	: 0ЗАР ĺ	<del>озв</del> о ΰ	α α	<sup>0382</sup> β	2038: γ	3 03Β4 δ	4 0389 Е	<sup>3</sup> 03Β6 ζ	<sup>; 0387</sup> η	<del>озв</del> а Ө	1 03B9 1	038А К	ι 0388 λ	озво µ	0380 ν	озве <u></u> <u></u>	O3BF O
озсо П	ρ ρ	03C2 ζ	03C3 σ	ι 03C4 τ	03C5 U	φ	χ χ	γ 0308 Ψ	ο3Cs ())	03C/ Ï	ч озсі Ü	Ó	03CI ΰ	03CE Ú								

Use Copy to ClipBoard:



Remove the split of the main window to show only one font:



Select LatinCyrillic.

LatinCyrillic X

Press Paste from ClipBoard :



to get this message:

Clipboard contains 61 symbols: ΑΒΓΔΕΖΗΘΙΚΛΜΝΞΟΠΡΣΤΥΦΧΨΩΪΫἀἐἡιΰαβγδεζηθικλμνξοπρςστυφχψωϊὒὸὐώ Ο of them match a marked character

The two fonts are the same height, so select:

Copy Pixel to Pixel

Put All as Characters

The Greek font is fitted between Latin and Cyrillic:

0020	0021	0055	0023	0024	0025	0026	0027	0028	0029	002A	002B	0050	002D	002E	002F	0030	0031	0035	0033	0034	0035	0036
	!	"	#	\$	%	&	'	(	)	*	+	,	-		/	0	1	2	3	4	5	6
0037	0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D
7	8	9	:	;	<		>	?	@	Α	В	С	D	Ε	F	G	Η	Ι	J	Κ	L	Μ
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064
Ν	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Ζ	[	Ν		^		`	a	b	С	d
0065	0066	0067	0068	0069	006A	006B	006C	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B
e	f	g	h	i	j	k	1	m	n	0	р	q	r	$\mathbf{s}$	t	u	V	w	х	у	z	{
0070	007D	007E	0391	0392	0393	0394	0395	0396	0397	0398	0399	039A	039B	0390	039D	039E	039F	03A0	03A1	03A3	03A4	03A5
	}	~	Α	В	Γ	Δ	E	Ζ	Η	Θ	Ι	Κ	Λ	$\mathbf{M}$	Ν	Ξ	0	Π	P	Σ	Т	Υ
03A6	03A7	03A8	03A9	0344	03AB	03AC	03AD	03AE	03AF	0380	03B1	0382	03B3	03B4	0385	0386	03B7	03B8	03B9	03BA	03BB	03BC
Φ	Χ	Ψ	Ω	Ï	Ŷ	ά	έ	ή	ί	ΰ	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ
03BD	03BE	03BF	0300	0301	0302	0303	0304	0305	0306	0307	0308	0309	03CA	03CB	0300	03CD	03CE	0401	0402	0,403	0404	0405
ν	ξ	0	π	ρ	ς	σ	τ	υ	φ	χ	Ψ	ω	ï	Ü	Ó	Ú	ώ	Ê	Ъ	Γ	E	S
0406	0407	0408	0409	040A	040B	040C	040E	040F	0410	0411	0412	0413	0414	0415	0416	0417	0418	0419	041A	041B	041C	041D
Ι	I	J	љ	Ь	$\mathbf{h}$	К	У	Ų	Α	Б	В	Γ	Д	E	Ж	3	И	И	К	Л	$\mathbf{M}$	Η
041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	0429	042A	042B	0420	042D	042E	042F	0430	0431	0432	0433	0434
Ο	Π	P	С	Т	У	Φ	Χ	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	a	б	в	Г	д
0435	0436	0437	0438	0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B
e	ж	3	И	й	к	Л	м	H	0	п	p	с	Т	у	ф	Х	Ц	ч	ш	Щ	ъ	ы
044C	044D	044E	044F	0451	0452	0453	0454	0455	0456	0457	0458	0459	045A	045B	045C	045E	045F					
Ь	Э	ю	я	ë	ħ	ŕ	e	s	i	ï	j	љ	њ	ħ	ќ	ÿ	Ų					

# 

Press the *Save All As...* button in the Main tool bar to save the pixel data in the *LatinGreekCyrillic.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

# F: How to Convert 8 bit Classic Fonts and Texts to 16 bit Unicode

Classic 8-bit fonts do not have a Code Point Character List system for removing unused characters and keeping track of used characters in a font. The character symbols are always numbered from 0 and up to 255 (0000 to 00FF). When the font is opened, a dummy Code Point Character List is automatically created to facilitate editing.

Classic fonts only cover a few languages whereas Unicode cover almost all living languages in the world. This means that once an application that uses classic fonts is converted to Unicode it is relatively simple to extend it to many different languages.

In this chapter we will convert a classic font and a classic text together to Unicode.

#### 1: Convert Font from a Classic 8 bit Font Encoding to Unicode:

Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open the existing ISO8859-5 font *Cy18x24.c*:

0000 0001 0002 0003 0004 0005 0006 0007 0008 0009 000A 000B 000C 000D 000E 000F 0010 0011 0012 0013 0014 0015 0016 0017 0018 0 🙂 . ¢ ₽ б **♀ F 月 \*** ► 4 t !! ¶δ ŧ e + 0019 001A 001B 001C 001D 001E 001F 0020 0021 0022 0023 0024 0025 0026 0027 0028 0029 002A 002B 002C 002D 002E 002F 0030 0031 • • \$ ⊥ → • & # **Z**. € ) ← ⇔ T × ╋ 0 11 0032 0033 0034 0035 0036 0037 0038 0039 003A 003B 003C 003D 003E 003F 0040 0041 0042 0043 0044 0045 0046 0047 0048 0049 004A ?| 2 3 ABC 4 5 6 71 8 9 2 < = 2 6 DEF G ΗI J 004B 004C 004D 004E 004F 0050 0051 0052 0053 0054 0055 0056 0057 0058 0059 005A 005B 005C 005D 005E 005F 0060 0061 0062 0063 ΤU MNOP 0 R S VWXY Ζ T KL al bl С 0064 0065 0066 0067 0068 0069 006A 006B 006C 006D 006E 006F 0070 0071 0072 0073 0074 0075 0076 0077 0078 0079 007A 007B 007C ł d e f ghijkl m n o p q r S t u vw ×  $\mathbf{z}$ £ ч 007D 007E 007F 0080 0081 0082 0083 0084 0085 0086 0087 0088 0089 008A 008B 008C 008D 008E 008F 0090 0091 0092 0093 0094 0095 üéâ ă Ç êë è Ï î ÌĀAE } C äà æÆÔÖÒ 0096 0097 0098 0099 009A 009B 009C 009D 009E 009F 00A0 00A1 00A2 00A3 00A4 00A5 00A6 00A7 00A8 00A9 00AA 00AB 00AC 00AD 00AE ü ØRf Ē Ŷ 0 Uø£ Б Г Э S Т Ι ЈЉЊЋ Û ù К 00AF 00B0 00B1 00B2 00B3 00B4 00B5 00B6 00B7 00B8 00B9 00BA 00BB 00BC 00BD 00BE 00BF 00C0 00C1 00C2 00C3 00C4 00C5 00C6 00C7 И иклмнопр ЦАБВГДЕЖЗ С T УI ΦΧШ Ч 00C8 00C9 00CA 00CB 00CC 00CD 00CE 00CF 00D0 00D1 00D2 00D3 00D4 00D5 00D6 00D7 00D8 00D9 00DA 00DB 00DC 00DD 00DE 00DF 00E0 шшъыьэюяаб B г Д еж З и Й ĸ Л M н 0 п р 00E1 00E2 00E3 00E4 00E5 00E6 00E7 00E8 00E9 00EA 00EB 00EC 00ED 00EE 00EF 00F0 00F1 00F2 00F3 00F4 00F5 00F6 00F7 00F8 00F9 Э N₽ ë h ŕ ÏJЉ уфхцчшщъыь юя Э S 1 С  $\mathbf{T}$ OOFA OOFB OOFC OOFD OOFE OOFF њћќ§ўц

Change to Language & Region edit mode:

Language & Region

Start the *Convert 8 bit Font* dialog box:



Choose ISO8859-5 Cyrillic:

ISO8859-5 Cyrillic

# Сие́аааасеёёііійА́е́ж́е́оо̀о́о́о́у́о́∪́ø£ǿе́f ЁБ́́ЃЄЅІЇЈЉЊЋЌ-ЎЏАБВГДЕЖЗИЙКЛМНОП ЁБ́ЃЄЅІЇЈЉЊЋЌ ЎЏАБВГДЕЖЗИЙКЛМНОП РСТУФХЦЧШЩЪЫЬЭЮЯабвгдежзийклмноп РСТУФХЦЧШЦЪЫЬЭЮЯабвгдежзийклмноп рстуфхцчшцъыьэюя№ёђ́́ѓсѕіїјљѣћќ§ўџ рстуфхцчшцъыьэюя№ёђ́ѓсѕіїјљѣћќ§ўџ

The white rows are the existing characters in the ISO font. The yellow rows are the Unicode characters the symbols will represent after conversion. The top pair of rows is not defined in the ISO standard, and will be moved to an unused area in Unicode and marked for delete during the conversion.

Convert:

Convert to Unicode

#### 0020 0021 0022 0023 0024 0025 0026 0027 0028 0029 002A 002B 002C 002D 002E 002F 0030 0031 0032 0033 0034 0035 0036 \$ 2 3 5 Ħ & C ) × 0 1 4 7. ╋ 6 . 0037 0038 0039 003A 003B 003C 003D 003E 003F 0040 0041 0042 0043 0044 0045 0046 0047 0048 0049 004A 004B 004C 004D ABCDEF ? GΗI 8 9 7 < = > 6 J KL М 004E 004F 0050 0051 0052 0053 0054 0055 0056 0057 0058 0059 005A 005B 005C 005D 005E 005F 0060 0061 0062 0063 0064 υνωχγ Z NOP ORS T E С a b d 0065 0066 0067 0068 0069 006A 006B 006C 006D 006E 006F 0070 0071 0072 0073 0074 0075 0076 0077 0078 0079 007A 007B f i j k l m n o p q r s t e q h u v w × Ч $\mathbf{Z}$ ſ 007C 007D 007E 007F 00A0 00A7 00AD 0401 0402 0403 0404 0405 0406 0407 0408 0409 040A 040B 040C 040E 040F 0410 0411 БΓ Ϊ 1 δ Ē S ЈЉЊЋКУЦ Ł Δ Э АБ 0412 0413 0414 0415 0416 0417 0418 0419 041A 041B 041C 041D 041E 041F 0420 0421 0422 0423 0424 0425 0426 0427 0428 3 ΦΧШ ΖЕЖ И иклм НОПР С Т У R P. Ч 0429 042A 042B 042C 042D 042E 042F 0430 0431 0432 0433 0434 0435 0436 0437 0438 0439 043A 043B 043C 043D 043E 043F ЩЪЫЬЭЮЯ a бвгдеж 3 И Й K ЛМ Π н Ο 0440 0441 0442 0443 0444 0445 0446 0447 0448 0449 044A 044B 044C 044D 044E 044F 0451 0452 0453 0454 0455 0456 0457 ŕ C Т ΦХ Ч ШШЂ ЫБ Э Ю Я ë ħ Э S i ï p УI U 0458 0459 045A 045B 045C 045E 045F Θ ¢ б Ŷ JF 月来 h Ŕ ΫΨ ت Ω. ሪ љњ 0 P ‡ ⊥ Ć é â ä à ă ◀ ïï Ś Ŧ Ť -> -⇔ ü ÄĂÉ æÆôöòû î ì ùЧ 0 U ê ë è ï Ø **f** Ø ₩₽ Rŧ H-

The unused characters can be deleted with the local *Delete Unused Characters* function:



0020	0021	0055	0053	0024	0025	0056	0027	0028	0055	002A	002B	0050	005D	002E	002F	0030	0031	0035	0033	0034	0035	0036
	2	'' I	#	Ş.	Z	&	•	K	>	×	+	,	нI	. I		0	1	2	3	4	5	6
0037	0038	0039	003A	003B	003C	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D
7	8	9		;	۲	=	>	?	6	A	B	C	D	E	F	G	Н	$\mathbf{I}$	J	K	L	Μ
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062	0063	0064
N	0	P	Q	R	S	T	U	V	W	X	Y	Ζ	0	N	]]	^		•	a	b	С	d
0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B
e	f	g	h	i	J	k	1	m	n	0	p	q	r	S	t	u	V.	w	×	y	$\mathbf{z}$	<b>{</b>
007C	007D	007E	007F	00A0	00A7	OOAD	0401	0402	0403	0404	0405	0406	0407	0408	0409	040A	040B	0400	040E	040F	0410	0411
	}	~			δ		Ē	Б	Γ.	Е	S	$\mathbf{I}$	Ĩ	J	Љ	Ь	ħ	K	Ŷ	Ψ	A	Б
0412	0413	0414	0415	0416	0417	0418	0419	041A	041B	041C	041D	041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428
B	Г	Д	E	Ж	3	И	Й	K	Л	Μ	H	0	Π	P	C	T	У	$\mathbf{\Phi}$	X	L	Ч	Ш
0429	042A	042B	0420	042D	042E	042F	0430	0431	0432	0433	0434	0435	0436	0437	0438	0439	043A	043B	043C	043D	043E	043F
Щ	Ъ	61	b	Э	Ю	Я	a	б	B	Г	А	e	ж	З	И	Й	к	Л	M	н	0	π
0440	0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	0451	0452	0453	0454	0455	0456	0457
p	С	Т	У	Φ	x	Ц	ч	ш	Щ	Ъ	ы	Ь	Э	ю	Я	ë	ħ	ŕ	Э	S	i	ï
0458	0459	045A	045B	045C	045E	045F	2116															
J	љ	њ	ħ	Ŕ	У	Ψ	N₽															

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the data under a new name in the proper directory. The Sym and Code Point Character List files are saved automatically.

#### 2: Convert a Text with Classic 8 bit Font Encoding to Unicode:

Open an exiting Unicode text *Astronomy\_8.c* as marks with *Text -> Import Text or Text Catalogue to Mark or Create Characters*.

This opens the text converter dialog:

```
Convert 8 bit text in "Astronomy.8" to Unicode
```

Choose

ISO8859-5 Latin + Cyrillic

To see the correct text:

```
// Disclaimer: These texts are only for demonstration of the principle
// and may not make any sense to someone familiar with the language
#ifdef ENGLISH
char szA_00[] ={"Astronomy is a natural science that"};
char szA_01[] ={"studies celestial objects and phenomena"};
#elif BELARUSSIAN
char szA_00[] ={"Aстраномія фундаментальная навука"};
char szA_01[] ={"якая займаецца даследваннем нябесных"};
#endif
```

Press OK.

The characters used by the Unicode text are highlighted in green:



The text is automatically shown with the font:

#### #ifdef ENGLISH char szA\_00[]={"Astronomy is a natural science that"}; char szA\_01[]={"studies celestial objects and phenomena"}; #elif BELARUSSIAN char szA\_00[]={"Астраномія фундаментальная навука"}; char szA\_01[]={"якая займаецца даследваннем нябесных"}; #endif

Click Show Exported Text to set options:





The text is now Unicode and **char** have to be changed to **wchar\_t** by your editor or by the Set String Type before the text can be compiled:

```
#ifdef ENGLISH
char szA_00[]={"Astronomy is a natural science that"};
char szA_01[]={"studies celestial objects and phenomena"};
#elif BELARUSSIAN
char szA_00[]={"Астраномія фундаментальная навука"};
char szA_01[]={"якая займаецца даследваннем нябесных"};
#endif
```

Option for updating the code:

- Set String Type	
Match Character Type, String Prefix and Hexadecimal notation	
Classic wchar_t L"Text \x0000"	
◯ Modern char16_t u"Text \u0000"	🔲 Save as 32 bit Unicode

If your editor or compiler cannot handle Unicode texts choose UTF-8 instead:

```
#ifdef ENGLISH
char szA_00[]={"Astronomy is a natural science that"};
char szA_01[]={"studies celestial objects and phenomena"};
#elif BELARUSSIAN
char szA_00[]={"\xD0\x90\xD1\x81\xD1\x82\xD1\x80\xD0\xB0\xD0\xBD\xD0\xBE\xD0\xBC\xD1\x9
char szA_01[]={"\xD1\x8F\xD0\xBA\xD0\xB0\xD1\x8F \xD0\xB7\xD0\xB0\xD0\xB9\xD0\xBC\xD0\x
#endif
```

To save the text as *Astronomy\_8\_\_c.c* press:

Save Output Compiler File As...

Press OK.

Use blue highlighting to identify the characters:

-Hi-light a Character for Identification Show Blue Marking of Selected Character

Press OK, and click any character:

0440	0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B	044C	044D	044E	044F	0451	0452	0453	0454	0455	0456	0457
p	С	т	У	Φ	×	Ц	ч	ш	щ	Ъ	ы	ь	Э	ю	я	ë	ħ	ŕ	E	s	i	ï

# Астраномія якая займае

\xD0\x90\xD1\x81\xD1\x82\xD1\x80\xD0\xB0\xD0\xBD\xD0\xBE\xD0\xBC\xD1\x96\xD1\x8F \x \xD1\x8F\xD0\xBA\xD0\xB0\xD1\x8F \xD0\xB7\xD0\xB0\xD0\xB9\xD0\xBC\xD0\xB0\xD0\xB5\x

# G: How to Convert 16 bit Unicode Font or Text to 8 bit Classic Encoding

Unicode with 16 bit Code Points define about 56000 characters for almost all living languages in the world, whereas 8 bit classic fonts such as DOS, Windows and ISO8859 have 128 ASCII Latin and control characters followed by 128 language or region specific characters.

In many cases it would be convenient to be able to convert a 16 bit Unicode font and text to fit an 8 bit Classic font. In this chapter we will do both.

#### 1: Convert a Unicode Font to a Classic 8 bit Font Encoding:

Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open an existing Unicode font, for example *LatinGreekCyrillic.c.* 

0020	0021 !	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	оозв +	002C	- 002D	002E	002F /	0030 0	0031 1	0032 2	0033 3	0034 4	0035 5	0036 6
0037 7	0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042 D	0043	0044	0045 E	0046 E	0047 C	0048 T T	0049 T	004A T	004B TZ	004C T	004D
/	δ	9	•	,	$\leq$		_	4	w	Α	в	C	$\boldsymbol{\nu}$	E	г	G	н	1	J	ĸ	L	IVI
004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062	0063	0064
N	Ο	P	Q	R	S	T	U	$\mathbf{V}$	W	Х	Y	Z		Λ		$\sim$			a	b	С	d
0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B
e	f	g	h	i	j	k	1	m	n	0	р	q	r	s	t	u	V	W	Х	у	Z	{
0070	007D	007E	0391	0392	0393	0394	0395	0396	0397	0398	0399	039A	039B	0390	039D	039E	039F	03A0	03A1	03A3	03A4	03A5
	}	~	Α	в	Γ	Δ	E	Ζ	H	Θ	I	Κ	Λ	Μ	Ν	Ξ	0	Π	P	Σ	Т	Υ
03A6	03A7	03A8	03A9	0344	03AB	03AC	03AD	03AE	03AF	03BO	03B1	03B2	03B3	03B4	03B5	03B6	03B7	03B8	03B9	03BA	03BB	озвс
Φ	Χ	Ψ	Ω	Ï	Ŷ	ά	έ	ή	ί	ΰ	α	β	γ	δ	ε	ζ	η	θ	ι	κ	λ	μ
03BD	03BE	03BF	0300	0301	0302	0303	0304	0305	0306	0307	03C8	0309	03CA	03CB	0300	03CD	03CE	0401	0402	0,403	0404	0405
ν	ξ	0	π	ρ	ς	σ	τ	υ	φ	χ	Ψ	ω	ï	ΰ	Ó	Ú	ώ	Ê	Ъ	Γ	E	S
0406	0407	0408	0409	040A	040B	040C	040E	040F	0410	0411	0412	0413	0414	0415	0416	0417	0418	0419	041A	041B	041C	041D
I	Ĩ	J	љ	њ	$\mathbf{h}$	К	У	Ų	Α	Б	в	Γ	Д	E	Ж	3	И	Й	К	Л	Μ	H
041E	041F	0420	0421	0422	0423	0424	0425	0426	0427	0428	0429	042A	042B	0420	042D	042E	042F	0430	0431	0432	0433	0434
0	Π	P	С	Т	У	Φ	Χ	Ц	Ч	Ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	a	б	в	Г	д
0435	0436	0437	0438	0439	043A	043B	043C	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B
e	ж	3	И	й	к	л	м	H	0	п	р	С	Т	у	ф	Х	Ц	ч	ш	Щ	Ъ	ы
044C	044D	044E	044F	0451	0452	0453	0454	0455	0456	0457	0458	0459	045A	045B	0450	045E	045F					
ь	Э	ю	Я	ë	ħ	ŕ	e	s	i	ï	j	љ	њ	ħ	ќ	ÿ	Ų					

Open an exiting Unicode text *Astronomy\_U.c* as marks with *Text -> Import Text or Text Catalogue to Mark or Create Characters*. The characters used by the text are highlighted in green:

0020	0021	0022 ''	0023 #	0024 \$	0025	0026 &	0027 1	0028 (	) 0059	002A *	002В +	002C	002D	002E	002F /	0030	0031	0032 2	0033 2	0034 /1	0035 5	0036 6
0037	: 0038	0039	003A	Φ 003B	0030	003D	003E	003F	) 0040	0041	, 0042	, 0043	0044	0045	, 0046	0047	1 0048	ے 0049	004A	т 004В	004C	004D
7	8	9	:	;	<		>	?	@	Α	в	С	D	E	F	G	Η	Ι	J	Κ	L	Μ
004E	004F	0050	0051	0052	0053 C	0054	0055 T T	0056	0057	0058	0059	005A	005B	0050	005D	005E	005F	0060	0061	0062 1	0063	0064
Ν	0	Р	Q	к	S	Г	U	V	W	Х	Ŷ	Z	L	\		$\sim$	_		a	b	С	đ
0065	0066 f	0067 G	0068 h	0069	006A	006В 1-	006C	006D 100	1006E	OOGF	0020 13	0071 C	0072 *	0023 e	0024 t	0025	0076 17	0022	0078 V	0029 37	007A	002В ∫
0070	1 007D	5 007E	11 0391	1 0392	J 0393	N 0394	1 0395	111 0396	11 0397	0398	N 1399	Ч 0394	1 0398	8 0390	L 039D	u 039E	V 039E	0340	A 0341	у 0363.	Z 0364	) 0365
	}	~	Ã	Β̈́	Γ	Δ	Ē	Ž	H	Θ	Ī	Ñ	Ã	$\widetilde{\mathbf{M}}$	Ñ	Ξ	Õ	Π	P	Σ	T	Y
03A6	03A7	03A8	03A9	0344	03AB	03AC	03AD	03AE	03AF	03BO	03B1	03B2	03B3	03B4	03B5	03B6	03B7	03B8	03B9	ОЗВА	03BB	озвс
Φ	Χ	Ψ	Ω	I	Υ	ά	έ	ή	ί	ΰ	α	β	γ	δ	3	ζ	η	θ	l	κ	λ	μ
03BD	03BE	03BF	03C0	0301	03C2	03C3	03C4	0305	0306	03C7	03C8	03C9	03CA	03CB	0300	03CD	03CE	0401	0402 T	0403	0404	0405 C
ν	ζ	0	π	ρ	ς	σ	τ	υ	φ	χ	Ψ	ω	l	υ	0	υ	ω	E	b	1	e	S
0406 T	0407 Ï	0408 T	0409 TL	040A	040B Ђ	040C K	040E V	040F T T	0410 Δ	0411 Б	0412 R	0413 Г	0414 Π	0415 F	0416 Ж	0417 <b>'</b> 2	0418 IA	0419 И	041A K	041B Π	$M^{041C}$	041D H
1 041E	1 041E	0420	0421	0422	0423	0424	0425	1426.	4 <b>1</b> 0427	0428	0429	1 0424	042B	0420	042D	042E	142E	0430	0431	0432	0433	0434
0	Π	P	C	T	У	Φ	X	Ц	Ч	ш	Щ	Ъ	ы	Ь	Э	Ю	Я	a	б	в	Г	д
0435	0436	0437	0438	0439	043A	043B	0430	043D	043E	043F	0440	0441	0442	0443	0444	0445	0446	0447	0448	0449	044A	044B
e	ж	3	н	Й	к	л	м	H	0	п	p	С	Т	У	φ	х	Ц	Ч	ш	Щ	Ъ	ы
044C	044D	044E	044F	0451	0452 7	0453	0454	0455	0456	0457	0458	0459	045A	045B	045C	045E	045F					
Ь	Э	ю	Я	e	ŋ	Γ	e	s	1	1	J	љ	њ	n	к	У	Ų					

The text is shown automatically with the font:

#ifdef ENGLISH
wchar\_t szA\_00[]={L"Astronomy is a natural science that"};
wchar\_t szA\_01[]={L"studies celestial objects and phenomena"};
#elif BELARUSSIAN
wchar\_t szA\_00[]={L"Aстраномія фундаментальная навука"};
wchar\_t szA\_01[]={L"якая займаецца даследваннем нябесных"};
#endif

During conversion to a classic font, any characters missing in *LatinGreekCyrillic.c* will be taken from the Master Font, so it has to look as much as possible like the original font. Open the compare dialog:



First select a Windows Unicode font:

Internal & Recent Windows Fonts
ButtonText_cpp 23
Emoji_cpp 32
LatinCyrillic 23
Thai_cpp 32
Thai_txt 23
W Arial
W Calibri
W Consolas
W Courier New
W Georgia
W Impact
W Lucida Console
W Palatino Linotype
W Tahoma —
W Times New Roman
Ten Desert Mindama Casta Linteral
Pick a Windows Font

If the recent fonts are not ideal, pick another Windows font as this example shows:

#### Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

The original font looks a lot like Palatino Linotype or Times New Roman, so fill in the 3 top fields to choose for example Times New Roman, Regular and 24. The last field is the height of the whole character including top and bottom white space. This is the height of the each symbol in pixels.

#### Times New Roman Regular 23

Press OK.

This is basically a grey tone vector font, and the conversion to grey levels has to be fine trimmed.

Adjust the thickness of the character until the connectivity is OK and the characters look as much as possible like the LatinGreekCyrillic.

Characters with diagonal lines like / @ A W are usually the most critical.



Light Rela	tive Edge Pixe	l Value 100	% Press for 10	00% Dark
•				•
Grey Contra	ast 📀 0%	C 25% (	C 50% C 759	% 🔿 100%
Narrow	Relative Wid	lth 100%	Press for 100%	Wide
•				•
C Regular	C SemiBold	Bold	🗌 Italics 🔲 E	xtra Smooth

Press OK.

Check for correct Unicode values in the original font:

#### 2: How to Check for Correct Unicode Values Before Converting

Press Compare Symbols: Show Symbols in Actual Size:

3171,317 1544154

And then again as Compare Symbols: Show Symbols and Master Font Together:

3171317 1544154 2002 200

Scroll through the whole font to check that characters are alike:

# ЗИЙКЛМНОПРСТУФХЦЧШЩЪЫЬЭ ЗИЙКЛМНОПРСТУФХЦЧШЩЪЫЬЭ

The top row is the newly opened font and the lower is the chosen Master Font.

Change to *Language & Region* edit mode:

Language & Region

Start *Convert*:



Choose Cyrillic:

Windows 1251 Cyrillic



The black on white symbols on grey background are the original font, and black on pink symbols on white background are going to be supplied from the Master Font as normal black on white characters.

Press the convert button:

Convert to 8 bit Font

0000	0001	0002	0003 	0004	0005 	0006	0007	0008	0009	000A	000B 7	0000	000D	000E 戌	000F W	0010	0011	0012 ↑
	Γ	1					•				0	_		**	Ψ.	Т		†
0013 	0014 ¶	0015 上	0016 T	0012	0018 1	0019  -	001A →	001B ←	001C	001D	001E	001F	0020	0021 !	0022 //	0023 #	0024 \$	‱
0026 &	0027 1	0028 (	0029 )	002A *	оогв +	, ,	002D -	002E	002F /	0030	0031 1	0032 2	0033 3	0034 4	0035 5	0036 6	0037 7	0038 8
0039 9	003A :	003В ;	003C	003D	003E	003F ?	0040 @	0041 A	0042 B	0043 C	0044 D	0045 E	0046 F	0047 G	0048 H	0049 I	004A J	0048 К
0040	004D	004E	004F	0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	0050	0050	005E
L	Μ	Ν	0	P	Q	R	S	Т	U	V	W	Χ	Y	Ζ		۱.		^
005F	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	006A	006B	0060	006D	006E	006F	0070	0071
_	`	a	b	С	d	e	f	g	h	1	j	k	1	m	n	0	р	q
0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	0070	0070	007E	007F	0080	0081	0082	0083	0084
r	s	t	u	V	W	Х	у	Z	{		}	~		Ъ	Γ	,	ŕ	,,
0085	0086	0087	0088	0089	008A	008B	0080	008D	008E	008F	0090	0091	0092	0093	0094	0095	0096	0097
	Ť	ŧ	€	<b>‰</b>	љ	<	Ь	К	$\mathbf{h}$	Ų	Ð.	•	7	••	"	•	-	$\vdash$
0098	0099	009A	009B	0090	009D	009E	009F	00A0	00A1	2A00	00A3	00A4	00A5	00A6	00A7	00A8	00A9	00AA
	ТМ	љ	>	њ	Ŕ	ĥ	Ų		У	ÿ	J	α	1		§ .	E	C	С
OOAB	OOAC	00AD	00AE	00AF	0080	00B1	0082	0083	00B4	0085	00B6	00BZ	00B8	00B9	OOBA	OOBB	OOBC	OOBD
		-	R	1	°	±	1	1	Г	μ	•	•	ë	N⁰	e	»	J	S
OOBE	OOBF	0000	0001	0002	0003	0004	0005	0006	0002	0008	0009	00CA	OOCB	0000	OOCD	OOCE	OOCF	00D0
s	ï	Α	Б	в	Γ	Д	E	Ж	3	И	И	К	Л	Μ	H	Ο	11	Р
00D1	0002	00D3	00D4	0005	0006	00D7	00D8	00D9	OODA	OODB	OODC	OODD	OODE	OODF	00E0	00E1	00E2	00E3
С	Т	У	Φ	Х	Ц	Ч	ш	Щ	Ъ	Ы	Ь	Э	Ю	Я	а	õ	в	Γ
00E4	00E5	00E6	00E7	00E8	00E9	OOEA	OOEB	OOEC	OOED	OOEE	OOEF	00F0	00F1	00F2	00F3	00F4	00F5	00F6
Д	e	ж	3	И	Й	к	л	М	H	0	П	р	С	Т	У	φ	Х	Ц
00F7	00F8	00F9	OOFA	OOFB	OOFC	OOFD	OOFE	OOFF										
Ч	Ш	Щ	Ъ	ы	Ь	Э	ю	Я										

The Font now contains 256 Characters.

There are now 2 options, Classic Font and Code Point Character List Font:

#### 3: Save as a Classic 8 bit Font:



Press the *Save All As...* button in the Main tool bar to save the pixel data as Cy24x23.c in the proper directory. The Sym file is saved automatically. The corresponding Code Point Cy24x23.cp is redundant, and is not saved.

#### 4: Save as an 8 bit Memory Optimized Font:

The control characters 0000 to 001F are not displayable, they only take up unnecessary memory space and could be deleted.

Change to **Font Edit** mode:

Font Edit

Mark the unnecessary symbols with the Mouse and Ctrl+Mouse:

0	000 0	0001	0002	0003	0004	0005	0006	0007	0008	0009	000A	000B	0000	000D	000E	000F	0010	0011	0012	0013	0014	0015	0016
	i i	-	7	L	L		-	•				8			F	ŧ.	+		1	ļ.	P	1	т
O	017 0	0018	0019	001A	001B	, 001C	001D	001E	001F	0020	0021	0022	0023	0024	0025	0026	0027	0028	0029	002A	002B	0020	002D
┥	1	t	H	<b>→</b>	←						!	"	#	\$	%	&	'	(	)	*	+		-

Press *Delete*:



0020	0021	0022 ''	0023 #	0024 \$	0025 %	0026 &	0027 1	0028 (	0029 )	002A *	оо2в +	002C ,	- 002D	002E	002F /	0030	0031 1	0032 2	<sup>0033</sup>	0034 4	<sup>0035</sup>	<sup>0036</sup>
<sup>0037</sup> 7	0038 8	0039 9	003A :	003В ,	0030	003D	003E	003F ?	0040 @	0041 A	${}^{0042}$	0043 C	$^{0044}$	0045 E	0046 F	0047 G	${}^{0048}$	0049 I	004A J	004в К	004C L	$^{004D}$
004e N	004F	0050 P	0051 Q	0052 R	0053 S	0054 T	0055 U	0056 V	0057 W	0058 X	0059 Y	<sup>005a</sup> Z	005в [	005C \	005D ]	005E	005F	0060	<sup>0061</sup> а	оосе b	0063 C	0064 d
0065 e	0066 f	0067 g	0068 h	0069 İ	006А ј	<sup>ооєв</sup>	ообс 1	006D m	006E n	006F 0	0070 p	0071 q	0072 <b>ľ</b>	0073 S	0074 t	0075 U	0076 V	0077 W	0078 X	0079 У	007A Z	007В {
0070	007D }	007E ~	007F	0080 Ђ	0081 Ѓ	0082 ,	0083 Ѓ	0084 ,,	0085 	0086 †	0087 ‡	0088 €	0089 %0	008а Љ	008в <	оозс Њ	008D K	oose h	008F U	0090 ђ	0091 ¢	0092 ,
0093 "	0094 ??	0095 •	0096 —	0097	0098	0099 TM	009А Љ	009В >	009С Њ	009D K	ооэе ћ	009F U	00A0	00А1 Ў	00А2 Ў	00A3 J	00A4 Q	00A5 I	00A6	00A7 §	00A8 Ë	00A9 ©
ooaa C	00АВ <<	00AC	00AD -	00AE ®	ooaf Ï	00ВО 0	00в1 ±	oobe I	оовз i	00В4 Г	оов5 µ	00в6 ¶	00В7 •	00вз ё	оовэ №2	00ВА Є	00вв >>	оовс ј	oobd S	OOBE S	oobf Ï	0000 A
оос1 Б	ooce B	оосз Г	<sup>оос₄</sup>	oocs E	оосе Ж	00C7 3	оосз И	00С9 И	ooca K	оосв Л	oocc M	00CD H	OOCE O	OOCF	${}^{0000}$	${}^{00D1}$	oode T	оорз У	оор4 Ф	oods X	ооре Ц	00D7 Ч
	оорэ Щ	оода Ъ	оорв Ы	оорс Ь	оорр Э	oode Ю	<sup>оорғ</sup>	ooeo a	<sup>00E1</sup> б	00E2 <b>B</b>	00ЕЗ Г	00E4 Д	<sup>оое5</sup>	00Е6 Ж	00E7 <b>3</b>	00E8 И	00Е9 Й	00EA K	00ЕВ Л	OOEC M	OOÈD H	OOEE O
OOEF	oofo p	00F1 C	00F2 T	ооғз У	ооғ4 ф	00F5 X	00F6 Ц	00F7 <b>4</b>	ооғз Ш	00F9 Щ	00FA Ъ	00FВ Ы	OOFC b	ооfd Э	OOFE Ю	оогг Я						

The Font now contains 224 valid Characters.



Press the *Save All As...* button in the Main tool bar to save the pixel data as *Cy24x23.c* in the proper directory. The corresponding Sym and Code Point Character List files are saved automatically.

## 5: Convert a Unicode Text to a Classic 8 bit Font Encoding:

The Text and the Font do not match anymore, as indicated with red highlighting of the Cyrillic text:

```
#ifdef ENGLISH
wchar_t szA_00[]={L"Astronomy is a natural science that"};
wchar_t szA_01[]={L"studies celestial objects and phenomena"};
#elif BELARUSSIAN
wchar_t szA_00[]={L"Астраномія фундаментальная навука"};
wchar_t szA_01[]={L"якая займаецца даследваннем нябесных"};
#endif
```

Click *Show Exported Text* to set options:



Select Classic Characters:

```
Non Portable 8 bit Classic Characters in Output Compiler File Format

    Both Strings and Comments are Saved as 8 bit Classic Characters
```

Press Output String and Comment Encoding, and select Windows Cyrillic:

Windows 1251 Cyrillic

Press OK. The classic text shown with the classic font is now correct:

```
#ifdef ENGLISH
wchar_t szA_00[]={L"Astronomy is a natural science that"};
wchar_t szA_01[]={L"studies celestial objects and phenomena"};
#elif BELARUSSIAN
wchar_t szA_00[]={L"Aстраномія фундаментальная навука"};
wchar_t szA_01[]={L"якая займаецца даследваннем нябесных"};
#endif
```

But the text is no longer portable and will be shown garbled in most editors:

```
#ifdef ENGLISH
wchar_t szA_00[]={L"Astronomy is a natural science that"};
wchar_t szA_01[]={L"studies celestial objects and phenomena"};
#elif BELARUSSIAN
wchar_t szA_00[]={L"Àñòðàiîì³ÿ ôóiäàiåiòàëüiàÿ iàâóêà"};
wchar_t szA_01[]={L"ÿêàÿ çàéiàåööà äàñëåäâàiíåì iÿáåñiûõ"};
#endif
```

Before the text can be compiled **wchar\_t** has to be changed to **char** and **L** should be removed. This could be done manually after the text is saved or automatically with the **Set String Type** option before saving:

- Set String Type	
Match Character Type, String Prefix and Hexadecimal notation	
Classic char "Text \x00"	
C Modern char8_t u8"Text \u00"	🔲 Save as 32 bit Unicode

Press *Save Modified Text File as* to save the classic text as *Astronomy\_U\_\_c.c.* 

# H: How to Convert a Group of Symbols to Characters in a Font

The Code Point Character List system is for removing unused characters and keeping track of used characters in a font. Groups do not have a Code Point Character List. The symbols in a Group are always numbered from 0 and up to N-1. If a group of symbols is to be used as Characters in a Font, the symbols should be moved to their proper character position.

Press the File Open button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open the existing group ABC123.c.



To change to a font press the *Modify Symbol Group* button in the Main Toolbar:



This opens the modify dialog box:

Modify Existing Data Set

Choose how symbols should be organized:



Press OK.

The symbols are now characters 0000 to 0006.

Character symbols can only be moved to vacant Code Points, so to avoid conflict, start with the symbol that should have the highest Code Point.

If the symbols are so intermixed that starting from the top is impractical, a large number of symbols can be parked temporarily in the Unicode user area from E000 to F8FF by Cut to Clipboard and Paste: Put in Unicode Private Use Area.

Please note that the Unicode Private Use Area is also used by the Non Unicode standard Hong Kong Supplementary Character Set for the Chinese language.

#### 1: General ClipBoard Method

This method can be used for moving characters and symbols inside or between fonts and groups.

Start from the top:

Mark the Euro sign  $\epsilon$ :



Cut to Clipboard:



*Paste* to a new position:



This opens the Paste to Font dialog box:

Paste Characters to Font

Insert at Unused Character Values

The Unicode value for the Euro sign € is 20AC, mark it with the mouse:

																						- 🗆		6	,	,	۲	**	"	,,	
ŧ	‡	•														%	d,	'	"						<	>		!!			
				/																											
																															n
			F	£			Pts			٦	₫	€																			
																۵	٥	٥	٥	۵	٥	۵	0	0	۵	۵	۵	۵	0	۵	0
۵	۵	0	0	0	٥	۵	0	0	۵	٥	٥	٥	۵	۵	٥	۵	٥	۵	۵	۵	٥	۵	0	0	۵	۵	۵	۵	٥	۵	۵

Insert 1 Characters

The Euro sign € is marked in pink to indicate that it has been recently pasted:



Repeat with ABC and 123:

Mark ABC and *Cut*:



Paste at unused values:

 Γ 1
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I</td



Mark 123 and Cut:



*Paste* at unused values. Characters ABC are marked in grey to show that these values are already occupied:



#### 2: Fast Code Point Edit Method

This method can be used for moving characters inside a font.

Change to *Code Point Edit*:

#### Code Points

Mark the Euro sign €:



Press Move Selected Symbols:



The Unicode value for the Euro sign € is 20AC, mark it with the mouse or just write the hexadecimal code:



```
New StartChar 0x 20AC
```



Repeat with ABC and 123:

Mark ABC and press *Move Selected Symbols*:



New StartChar 0x 0041

BARC€ Mark 123 and press *Move Selected Symbols*: \_\_\_\_\_\_ ∄≣┼┫┇‼¶┴┬┤↑┟→∊ 8 🗆 ! " # \$ %&' () \* +, - . / 0 1 2 3 4 5 6 7 8 9 : ; < = *a***ABCDEFGHIJKLMNOPQRSTUVWXYZ[\]** `abcdefghijklmnopqrstuvwxyz{|} . . . . . . ; c £ ¤ ¥ ¦ § " © <sup>2</sup> « ¬ - ® <sup>−</sup> ° ± <sup>2</sup> <sup>3</sup> ′ µ ¶ · 1 ° » ¼ ½ ¾ ¿ ÀÁÂĂĂĂÆÇÈÉÊËÌÍÎÏÐŇÒÓÔÕÖרÙÚÛÜÝÞß à á â ã ă ắ æ ç è é ê ë ì í î ï ð ň ò ó ô õ ö ÷ ø ù ú û ü ý þ ÿ

New StartChar 0x 0030

~ 0

Move 3 Characters To 0x0030

Move 3 Characters To 0x0041



#### 3: Check for correct Unicode values after the conversion

Press Compare Symbols: Show Symbols in Actual Size:



And then again as Compare Symbols: Show Symbols and Master Font Together:



The match is apparent:



Your Font is ready for saving....



Press the Save All As... button in the Main tool bar to save the data in the proper directory.

#### 4: How to Save Characters or Symbols as a BitMap

This is a continuation of the previous example.

Any character, symbol, font or group can be saved as a Windows bitmap file. IconEdit can save data as bitmaps in 2 different ways:

**1**. The character or symbol in the character or symbol edit window can be saved with the zoom factor 1:1.

**2**. The whole data set can be saved as one image in the size it is designed i.e. the saved pixel size and zoom factor is 1:1.

To save bitmaps from the small font in the previous example assume the edit windows look like this:



Press *Image -> Save Character or Symbol Edit Window as BMP File...* in the menu to save the bitmap file in the proper directory. The bitmap file can be opened by any image editor that support bitmaps, and will look like this in Paint:

#### 2

Press *Image -> Save the Whole Font or Group as One BMP File...* in the menu to get the Save Bitmap dialog box:

Save Bitmap	×								
Line Length           0         +         -         Set value to zero for Automatic fit									
-Compatibility with Image Editors that Support Transparency									
Cancel OK									

Set Line Length to Automatic fit and save the bitmap file in the proper directory. The transparency information for 32 Bit ARGB color mode can be saved for use by editors that support transparency, for all other color modes this option is irrelevant. The bitmap file can be opened by any image editor that support bitmaps, and will look like this in Paint:



Please note that IconEdit supports a much larger number of color formats than the Windows Bitmap format, so when the Bitmap is read back into IconEdit the symbols now have the nearest equivalent to a Windows Bitmap format, but no symbol information is lost in the process.

# I: How to Include Private Symbols in a Unicode Font

The Unicode has a large range of undefined Code Points that is meant for private use. The values stretch from 0xE000 to 0xF8FF.

**Warning:** The *HongKong Supplementary Character Set* and part of the *Simplified Chinese Character Set* is placed in the middle of the private area from 0xE600 to 0xE8FF.

In this example we will add battery symbols created in example **08.A**.

To add private symbols to an existing font such as AZ09:



Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open AZ09.c.

Press the File Open button in the Main tool bar:



Open the existing file *battery.c*.



Mark them all with Ctrl A and copy to the clipboard with Ctrl C.

The battery indicators are in color, but the font is in greytone, so the font color format for AZ09 must be changed.

Press the color format button:



This opens the modify dialog box:

Modify Existing DataSet

Choose a new color format, here 4 Bit Color Palette to match that of the battery indicators. This option is only available in the color version of IconEdit:



Press OK.



Paste the battery indicators with Ctrl V, this opens the paste dialog box:

Paste Characters to Font

Choose resizing:

Paste Pixel Action -----

- Copy Pixel to Pixel
- Fit ClipBoard to Symbol
- Interpolate Colors with LowPass Filter

And where to put the new characters:

Put in Unicode Private Use Area

The font now looks like this:


Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *AZ09\_Battery.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

#### J: How to Upscale, Downscale or Reshape a Font or Group

The *Resize* tool can be used to stretch or squeeze characters and symbols in the x and y direction separately.

The resizing can be done **Pixel to Pixel** this does not change the shape and size of the glyph and is meant for removing unused space in fonts.

The resizing can be done **Pixel to Pixel but Squeezing Oversize Characters** (instead of just truncating the right hand side of the glyph) this does not change the shape and size of the glyphs that fit inside the new size but squeezes glyphs that would otherwise be truncated usually **M** and **W**. This is meant for reducing the memory consumption of fonts without changing them significally.

The resizing can be done by **Stretch or Squeeze**. This is primarily intended for fitting various images to a desired size but can also be used for upscaling or downscaling of fonts. The **LowPass Filter** can be used to smooth the images by producing intermediate colors.

To reshape all the characters in an existing font such as Aa\_24x24:

Press the File Open button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open the existing file  $Aa_24x24.c$ .

0020	0021 !	0022 "	0023 <b>#</b>	0024 <b>\$</b>	0025 %	0026 &	0027	0028 (	0029 )	002A *	002в <b>+</b>	002C ,	002D -	002E	002F /	0030 0	<sup>0031</sup>	0032 2	0033 3	0034 <b>4</b>	0035 5	0036 <b>6</b>	0032 7
0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F
8	9	:	;	<	=	>	?	@	A	В	С	D	E	F	G	н	I III	J	K	L	М	N	0
0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067
Ρ	Q	R	S	Т	U	V	W	Х	Y	Z	[	١	]	^			а	b	С	d	е	f	g
0068	0069	006A	006B	006C	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	0070	007D	007E	
h	i	i	k	1	m	n	0	р	q	r	s	t	u	v	w	х	У	z	{	1	}	~	

Change to Font Edit if it is not already there:

#### Font Edit

Press the Resize button:



The resize dialog box shows the recommended new size for normal resizing:



Input a new size, choose Stretch or Squeeze, and activate the LowPass Filter:



#### Press OK:

0020	0021 !	0022 M	0023 <b>#</b>	0024 <b>\$</b>	0025 %	0026 &	0027	0028 (	0029 )	002A	002В <b>+</b>	002C	- -	002E	002F /	0030 0	0031 <b>1</b>	0032 <b>2</b>	0033 3	0034 <b>4</b>	0035 5	0036 6	0037 <b>7</b>
0038 <b>8</b>	0039 <b>9</b>	003A :	003В ;	003C <	003D =	003E >	003F <b>?</b>	0040 @	0041 <b>A</b>	0042 <b>B</b>	0043 <b>C</b>	0044 <b>D</b>	0045 <b>E</b>	0046 <b>F</b>	0047 <b>G</b>	0048 <b>H</b>	0049 	004A J	004в <b>К</b>	004C L	004D <b>M</b>	004e <b>N</b>	004F <b>O</b>
0050 P	0051 Q	0052 <b>R</b>	0053 S	0054 <b>T</b>	0055 U	0056 V	0057 W	0058 X	0059 <b>Y</b>	005A <b>Z</b>	005в [	005C \	005D ]	005E	005F	0060	0061 <b>a</b>	0062 <b>b</b>	0063 C	0064 <b>d</b>	0065 <b>e</b>	0066 <b>f</b>	0067 <b>9</b>
0068 h	0069 i	006А ј	006в <b>k</b>	006C	006D <b>M</b>	006E N	006F 0	0070 <b>P</b>	0071 <b>q</b>	0072 <b>F</b>	0073 <b>S</b>	0074 <b>t</b>	0075 <b>U</b>	0076 V	0077 W	0078 <b>X</b>	0079 <b>Y</b>	007A <b>Z</b>	007в {	0070	007D }	007E	

The font is now 20x20.

If the widest characters were squeezed to 20x16 the memory consumption could be reduced by a third.

Mark all characters with *Mark All Symbols* and remove any white space on the left and right side of the characters with *Fit Symbol to Character*:



0020	0021 !	80022 14	0023 #	0024 \$	80025 %	8 8	0027	0028 (	0029 )	002A *	002В +	002C ,	002D -	002E -	002F	0030 0	<sup>0031</sup> 1	<sup>0032</sup> 2	0033 3	<sup>0034</sup> 4	<sup>0035</sup> 5	<sup>0036</sup>	<sup>0032</sup> 7
0038 8	9 9	003A	003В ;	003C	003D	003E	003F	0040	0041 A	0042 B	0043 C	0044 D	0045 E	0046 F	0047 G	0048 H	0049 	004A J	<sup>004B</sup>		004D M	004E N	004F
P	Q	R	S	0054 T	U	V	W	X	Y	Z	[		]	A		)	оо61 а	Ь	0063 C	0064 d	0065 E	f	9 9
h	0069 i	<u>ооса</u> ј	k	0060	m	D D D D D D D D D D D D D D D D D D D	0066	0020 P	q	<u>оо</u> 22 Г	0023 S	t	u u	V V	w	0028 X	0029 У	002A Z	оолы {		}	00.∕E ∼	

Press the *Resize* button:



Input a new size, and choose Copy But Squeeze:



#### Press OK:

0020	0021 !	0022 N	0023 <b>#</b>	0024 <b>\$</b>	0025 %	0026 &	0027	0028 (	0029 )	002A *	002В +	002C	002D -	002E	002F <b>/</b>	0030 0	0031 <b>1</b>	0032 <b>2</b>	0033 <b>3</b>	0034 <b>4</b>	0035 <b>5</b>	0036 <b>6</b>	0037 <b>7</b>
0038	0039	003A	003B	0030	003D	003E	003F	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	004A	004B	004C	004D	004E	004F
8	9	:	;	<	=	>	?	0	A	В	С	D	E	F	G	н		J	ĸ	L	м	N	0
0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	005A	005B	005C	005D	005E	005F	0060	0061	0062	0063	0064	0065	0066	0067
P	Q	R	S	Т	U	V	W	Х	Y	Z	[	۱.	]	^	40	1	а	ь	C	d	e	f	g
0068	0069	006A	006B	0060	006D	006E	006F	0070	0071	0072	0073	0074	0075	0076	0077	0078	0079	007A	007B	0070	007D	007E	
h	i II	j	k	1	m	n	0	P	q	r i	s	t	u	v	w	х	У	z	{		}	~	

The font is now 16x20. The squeezed characters, in this case only W, are marked with yellow.

The characters have some white space in top and bottom that might not be needed, to remove it press *Mark all Symbols*:



Move the characters to top with *Move Marked Characters*:



0020	0021 !	0022	0023 #	0024 \$	8025 %	8 8	0027	0028 (	0029 )	002A *	002В +	0020 ,	-	002E	002F	0030	1	2	3	4 4	5	<sup>0036</sup> 6	<sup>0032</sup> 7
8	9	003A	003B	< 0030	=	> 003E	003F	0	A	B	C	0044 D	E	F	G	H	0049	9 0044 J	K	L 0040	M	N N	004F
P	Q	R	S	T	U	V	W	X	Y	Z	[	1	]	A	-		a	Ь	с С	d	e	f	9
h	i	ј ј	k	l	m	DOCE D	006	P	9	Г Г	5 S	t	u u	V	W	X	у У	Z	{		}	~	

Use *Get Biggest Character* to find out how much can be cut off at the bottom:

3
---

Bottom 17 in Char 0x007C

0020	0021 !	0022	0023 <b>#</b>	0024 <b>\$</b>	0025 %	0026 &	0027	0028 (	0029 )	002A *	002в +	002C ,	002D -	002E	002F /	0030 0	0031 <b>1</b>	0032 2	0033 <b>3</b>	0034 <b>4</b>	0035 <b>5</b>	0036 <b>6</b>	0037 <b>7</b>
0038 <b>8</b>	0039 <b>9</b>	003A	003В ;	003C	003D =	003E >	003F ?	0040 @	0041 <b>A</b>	0042 <b>B</b>	0043 C	0044 D	0045 <b>E</b>	0046 <b>F</b>	0047 G	0048 <b>H</b>	0049 	004A J	004в <b>К</b>	004C	004D <b>M</b>	004e <b>N</b>	004F <b>O</b>
0050 P	0051 Q	0052 <b>R</b>	0053 S	0054 T	0055 U	0056 V	0057 W	0058 X	0059 <b>Y</b>	005A <b>Z</b>	005в [	005C	005D ]	005E	005F	0060	0061 <b>a</b>	0062 <b>b</b>	0063 C	0064 <b>d</b>	0065 <b>e</b>	0066 <b>f</b>	0067 <b>9</b>
0068 <b>h</b>	0069 i	006А ј	006В <b>k</b>	006C	006D	006E	006F 0	0070 <b>P</b>	0071 <b>q</b>	0072 <b>F</b>	0073 <b>S</b>	0074 <b>t</b>	0075 <b>U</b>	0076 V	0077 W	0078 <b>X</b>	0079 <b>Y</b>	007A <b>Z</b>	007В {	0070	007D }	007E	

The "lowest" character ends at 17 so the font can then safely be reduced to 16x18:



Press OK:

0020	0021 !	0022 M	0023 <b>#</b>	0024 <b>\$</b>	0025 %	0026 <b>&amp;</b>	0027	0028 (	0029 )	002A *	002в +	002C	002D -	002E	002F <b>/</b>	0030 0	0031 <b>1</b>	0032 2	0033 <b>3</b>	0034 <b>4</b>	0035 <b>5</b>	0036 <b>6</b>	0037 <b>7</b>
0038 <b>8</b>	0039 <b>9</b>	003A	003В ;	003C	003D =	003E >	003F ?	0040 @	0041 A	0042 <b>B</b>	0043 C	0044 <b>D</b>	0045 <b>E</b>	0046 <b>F</b>	0047 G	0048 <b>H</b>	0049 	004A J	004в <b>К</b>	004C	004D <b>M</b>	004e <b>N</b>	004F 0
0050 P	0051 Q	0052 <b>R</b>	0053 S	0054 <b>T</b>	0055 U	0056 V	0057 W	0058 X	0059 <b>Y</b>	005A <b>Z</b>	005в [	005C	005D ]	005E	005F	0060	0061 <b>a</b>	0062 <b>b</b>	0063 C	0064 <b>d</b>	0065 <b>e</b>	0066 <b>f</b>	0067 <b>g</b>
0068 <b>h</b>	0069 İ	006А ј	006В <b>k</b>	006C	006D <b>M</b>	006E <b>N</b>	006F <b>O</b>	0070 <b>P</b>	0071 <b>q</b>	0072 <b>F</b>	0073 <b>S</b>	0074 <b>t</b>	0075 <b>U</b>	0076 V	0077 W	0078 <b>X</b>	0079 <b>Y</b>	007A <b>Z</b>	007В <b>{</b>	0070	007D }	007E	

After these manipulations the look of the characters should be checked for unwanted side effects such as misplaced pixels or uneven line thickness. Any character that needs improvement can be edited in *Character Edit* mode by a right click on the character:

Before and after improvement:



When all characters have been updated character spacing should be added after each character.

Change to *Font Edit* and *Mark All Symbols* then use *Leftset Character* to add character spacing:



0020	0021	0022 H	0023 #	0024 \$	0025 %	0026 &	0022	0028 (	0029 )	002A *	002B +	002C ,	002D -	002E	002F /	0030 0	1 1	<sup>0032</sup>	<sup>0033</sup> 3	<sup>0034</sup> 4	0035 5	<sup>0036</sup> 6	<sup>0032</sup> 7
8	9	1003A	;	< < 0030	=	> >	2 0057	0	A	0042 B	C	0044 D	E	F	G	H	0045   10061	J	K	L	M	N N	0041
P	Q	R	S	T	U	V	W	X	Ŷ	Z	[	10074	]	<b>^</b>		0075	a	<b>b</b>	C	d	e	f	g
h	i	j	k	Ĭ	m	n	0	P	q	Г	5	t	u	v	w	х	У	z	{	Ĭ	}	~	

Your Font is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Aa\_16x18.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

### K: How to Add Characters to a Reshaped Font

Fonts based on an existing Windows font have a large amount of white space above and below the basic characters to make room for diacritics. Often much of this space is not necessary and the *Scroll* and *Resize* tools are used to squeeze characters in the y direction.

Before new Windows characters can be added to a squeezed font it has to be brought back to the original height, otherwise the added characters will be too small.

Assume an existing 16x16 font with the characters ABC is already opened:



Press the Insert New Characters button:



Select the new characters with the mouse:



Enable the *Insert from MasterFont* dialog:

Show Insert from MasterFont DialogBox

Press *Insert* to open the *Insert from MasterFont* dialog:



The Master Font has normal white-space and no seriffs, but the characters are 14 pixels high and with seriffs, so a proper Windows master font has to be found.

First try the recent fonts:

ButtonTe	xt_cpp 23	<b></b>
Emoji_cp	p 32	
LatinCyril	lic 23	
Thai_cpp	32	
Thai_txt	23	
W Arial		
W Calibri	i	
W Conso	olas	
W Courie	er New	
W Georg	ia	
W Impac	t	
W Lucida	Console	
W Palati	no Linotype	
W Tahor	na	
W Times	New Roman	-
7 0		· 🔟
	Pick a Windows For	nt

If they are not really enough press the *Pick a Windows Font* button to open the Windows font selector.

Search for a font with the same look as the original font, in this case Times New Roman seems like the best fit:

Font:		Font style:		Size:	
Times New Roman		Bold		32	
Sylfaen Symbol	*	Regular <i>Italic</i>	*	8 9 10	•
Tahoma	_	Bold		11	
Times New Roman		Bold Italic		12	
Traditional Arabic				14	
Trebuchet MS	-		Ŧ	110	•
		Sample			
		AaB	bY	yZ	Zz

Press *OK* and experiment with the settings for the closest match with the original font. The original font was probably 24 pixels high. Press the *Use TT Height* button and choose 24:

Light Rela	tive Edge Pixe	l Value 100%	6 Press for 1009	6 Dark
•				•
Grey Contra	ast 🖲 0%	C 25% C	50% 🔿 75% (	0 100%
Narrow	Relative Wid	th 100% P	ress for 100%	Wide
•				Þ
O Regular	O SemiBold	Bold □	Italics 🗌 Extr	a Smooth

The Master Font characters are offset by normal white-space, but otherwise look a lot like the original:



Press OK.



Choose the new characters with the mouse:



Scroll DEF up to the same position as ABC:





The original font was 16 pixels high. Press the *Resize* button and choose  $\mathbf{Y} = 16$ :





Press OK.



The original characters are unchanged and the new characters have the same size and look as the original ones.

### L: How to Convert any B&W Font to an Outline Font

Press Open File:



Open the B&W font *Null\_3.c*:



Change temporarily to 2 bit color palette to draw the outline.

Press Modify:





Select 2 Bit Color Palette and press OK.



The outline will be placed around the font, so make room for it.

#### Press Setup Outline Width:





Click one.

Press Resize for Outline:



This will change from 27x38 to 29x40 and rearrange the glyphs:

Now there is room for the outline:



Right click Draw Outline to select color:





Choose Red.

Left click *Draw Outline* to draw the outline:





Change to Character Edit:

Character Edit



Right click the Flood Fill buttons till you get to Global Flood Fill:



Fill Black with White:



Fill *Red* with *Black*:



Change back to B&W.

Press *Modify*:



Select 1 Bit Black and White:

Symbol Color Defined by Intensity Level for Color Rendering
I Bit Black and White - On & Off Intensity - No Anti Alias
C 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias
C 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias
C 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias
Maximize Contrast between Tool and Background Color

Press OK.

Press OK.

Outline font is ready.





Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Null\_3\_Outline.c* file in the proper directory. The Sym and Code Point Character List files are saved automatically.

# 06: How to Use IconEdit Tools and Make Palette Colors

#### A: How to Change Tool and Palette Colors

This example applies only to the color version of IconEdit.

IconEdit has a palette of various sizes of 2+1, 4, 16 or 256 colors. The palette shows the available drawing tool colors, and is always visible in Character or Symbol edit mode. In Font or Group mode it can be turned on or off by the *Show Palette* button:





Tool color is chosen by left click on one of the color buttons.

Tool color can also be chosen with the color picker:



Clicking on a pixel picks a new tool color. If the color is already present in the palette, the new color is selected. If the color is not in the palette, the already selected tool color is changed to the new color.

Background color can also be picked, right click on the tool color picker to get the background picker:



The background for the tool turns white to indicate the background picker. Clicking on a pixel picks a new background color. The new color can be seen in the status bar.

In Black & White, all the intensity levels, all grey tones and 8-bit RGB color mode the palette contains all the possible colors for that particular color mode, and can not be changed.







In 16 and 24-bit RGB and 8-bit PALETTE color modes there are 2 default palettes.

A default with 32 Gray levels plus a set of 224 evenly distributed Colors:



And an alternative with the 216 RAL Classic (K1, K5, K7) colors in numerical order:



Change between them is done in the Modify dialog-box:



Press the **Modify** button on the main toolbar.

Press the Modify Palette button:

Modify Palette

Choose between RAL Classic or Default palette:

Load RAL Classic Reload Default

press OK and OK.

In 16 and 24-bit RGB, 32-bit ARGB and all PALETTE color modes all the colors can be changed using a right click on the color button to start the tool color dialog box.



Tool Color RGB			×
Color of Palette	LCD		
	0x <mark>83A953 Copy Paste</mark>	۰	•
Red Green Blue	Cancel OK		

The control picture shows the new color as an ellipse, and the old color as text and surroundings.

Colors can also be changed by entering a 24-bit hexadecimal value, or by copy and paste a 6 digit hexadecimal number.

In the 32 bit ARGB color mode, the lower part of the palette button indicates the degree of transparency of that color by blending it with white and black. The background color may not be among the 256 colors in the working palette, so it has its own button at the far right:



If color blending is activated the pseudo colors for modifying the transparency are shown to the far right under the background color button:



The 32-bit ARGB the tool color dialog box has an additional scrollbar for the alpha value:



The control picture shows the new color as an ellipse, and the old color as text and surroundings. The upper half of the ellipse shows the basic color, and the lower half shows the basic color on black and white checkerboard background.

Colors can also be changed by entering a 32-bit hexadecimal value, or by copy and paste an 8 digit hexadecimal number.

The change transparency pseudo colors is only available when Blend Colors is active:



The change transparency function does not have a basic color, only a change value:

Change Transparency		×
•	Þ	0xC3
Change Transparency	-52 %	
Cancel	ОК	

In all palette data format modes, palette sizes depend on the number of bits used by each pixel to index the palette colors. The palette colors should normally only be changed by accessing the palette directly in the modify dialog box:



For grey palettes the colors are changed using the scrollbar.



Colors can also be changed by entering an 8-bit hexadecimal value, or by copy and paste a 2 digit hexadecimal number.

For color palettes colors are changed using a right click on the color to start the tool color dialog box.

Palette Index 3 RGB 00 6D 00	Edit Index 0 Value 0x 000	0000 Copy Paste	Show Original Image for Comparison
Optimize for Photo with Dither	Optimize for Photo	Optimize for Drawing	Move Inspection Window
Standard for Photo with Dither	Minimize with Original Colors	Standard for Drawing	Left Right Up Down
First Color	Interpolate Between First and Second Co	olor Second Color	Previous Next
Cancel	OK		▼ Use Dither  Show Pixel to Pixel



The control picture shows the new color as an ellipse, and the old color as text and surroundings.

A set of color shades can be created by interpolation between two colors, set first and second color to the endpoints and pres interpolate.

Modify RGB Palette	1odify RGB Palette										
Palette Index 7 RGB	FFFF E	dit Index 3	Value Ox	006D00	Copy	y Paste					
Optin	nize for Photo			Optimize f	or Drawing						
First Color	First Color Interpolate Between First and Second Color Second Color										
Cancel				ок							

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

 Modify RGB Palette
 X

This also works for semi transparent colors in 32 bit ARGB color mode.

Colors can also be changed by entering a 24- or 32-bit hexadecimal value, or by copy and paste a 6 or 8 digit hexadecimal number.

If only a single color should be changed right click on the color button to start the tool color dialog box.



In palette color modes this will generate a warning:

```
Warning 004: Change all Occurrences of This Color to a New ?
```

If you accept this the Tool Color dialog box will appear, either Tool Color RGB or Tool Color Grey depending on the color mode:



Tool Color Grey	×
Grey 0x33	
	333333 Copy Paste
<b>_</b>	Cancel
Grey	ОК

Colors can also be changed by entering a 24-bit hexadecimal value, or by copy and paste a 6 digit hexadecimal number. If colors are entered or pasted in the Tool Color Grey dialog box they are automatically converted to grey,

Palette colors are auto-generated every time palette mode is changed, so changing between grey and RGB or changing the number of bits per pixel generates a new palette.

To make it possible to use the same palette for a number of fonts or groups, existing palettes can be imported into the symbols:

Open Palette File...

If one palette mode is changed to another palette mode either colors or indexes have to be matched:

🔿 Keep Palette Indexes, Change Colors 🚽

Fit to Nearest Color, Change Palette Indexes

Please note that if the palette is common for a number of fonts or groups, modifying the palette for this data set will affect all symbols and data sets that share the palette, including unopened data sets, because they will use the modified palette the next time they are opened.

### B: How to Use the various Flood Fill functions

IconEdit has 4 different flood fill functions for the tool color:



A surface filler with tool color that can fill large areas and does not leak through one pixel thick diagonal lines or borders. If it is used for filling thin diagonal lines or curves every line segment has to be filled separately.



A line filler with tool color that can follow a one pixel thick diagonal line around curves and corners. If used for surfaces it will leak through one pixel thick diagonal border lines or curves to adjacent areas and fill them too.



A local substitute with tool color that changes all occurrences of a color in a single symbol to the tool color.



A global substitute with tool color that changes all occurrences of a color in all the symbols in a font or group to the tool color. This filler is primarily intended for changing background colors in whole fonts or groups.

If you need to remove a figure, pick the background color as tool color before flood filling.

To change between the flood fill functions, right click the flood fill button in the Tool Box:



Surface filler with tool color change to Line filler:



Line filler with tool color change to Local substitute:



Local substitute with tool color change to Global substitute:



Global substitute with tool color change back to Surface filler.

The cursor will change to indicate the type of flood filler.

The difference between Surface and Line fillers lies in their ability to follow or be stopped by thin lines.

Using a Surface filler to try to fill the red circle with green and then its center with blue:



The Surface filler cannot fill the thin line of the circle, but is stopped by it.

Using a Line filler to try to fill the red circle with green and then its center with blue:



The Line filler can fill the thin line of the circle, but is not stopped by it.

In 32-bit ARGB transparency mode the surface and line flood fillers use the basic color regardless of its degree of transparency, and will therefore overwrite a color with the same basic color but with a different transparency. They will not normally change a fully transparent area to a new color because the transition from a visible pixel to a fully transparent pixel is also considered a border even if the basic color is the same for both pixels. Fully transparent pixels are considered borders for flood filling; this means that filling a fully transparent background will not affect the visible characters or figures. The substitute fillers use both basic color and transparency. They will even change a fully transparent area to a new color, and can also be used to separate a fully transparent background from a glyph of the same basic color.



Example: Six identical zeroes drawn in black with 25% transparency and filled with the surface filler at an entry point at the blue crosses. The first column is not filled; it only shows the 2 different entry points. The second is filled with red with 50% transparency and the third is filled with fully opaque green.

**Warning:** The flood fillers use the basic color as search criterion, so trying to fill an area with the same basic color as the tool has no effect even though the alpha level may be different. The basic colors have to be different.

### C: How to use smoothing of the edges of Characters and Lines

This example applies only to the color version of IconEdit.

IconEdit can smooth edges by applying intermediate grey or color tones to mimic partly drawn pixels. This is only possible in color modes with a sufficiently large number of color shades between the tool color and the "background" that the tool color should be blended with.

Please note that if the tool or the "background" is a color marked as a single transparency color the blending will produce fully opaque color shades between the transparent color and the tool color. If the blended colors should have a varying degree of transparency one of the four transparent data formats are recommended.

For lines, ellipses, rounded rectangles, triangles, arcs and text, right click on the button in the tool box:



This gives a white figure indicating that smoothing is active:



Drawing example:



Note: The small arrows on some of the buttons indicate that the tool has extra mouse functions, but these have nothing to do with the smoothing.

### D: How to Combine Smoothing with Flood Fill

The flood fill functions change pixels with the same color as the start pixel, this means that it is stopped at the edge of a smoothed line or ellipse because the smoothed edge is not the same color as the "main" ellipse:



There are two alternatives, either draw without smoothing:



Or draw a yellow ellipse first, and then the ring around it:



In 32-bit ARGB transparency mode the whole ellipse including the smoothing is the same basic color, so the flood fillers can change the color of the ellipse but filling the centre is stopped by the smoothed edges.

An alternative method is drawing at oversize and then squeezing, see chapter **04.C.2** A range of faces in high plane with anti alias by squeezing.

### E: How to Use Frames for making symmetrical figures

IconEdit can operate on parts of one or more characters or symbols by means of a blue frame. The content of the frame can be copied, moved, scrolled, mirrored and pasted.

This example uses frames at the pixel level in symbol or character edit mode:

This is a capital O as generated in monochrome from Calibri with 24 cell height:



It can be made fully symmetrical by moving and mirroring:



Frame the lower left corner, move it to the right, and mirror it.



Then frame the whole bottom, move it to the top and mirror it.



## F: How to Use Frames for making Sub- and Superscripts

IconEdit can operate on parts of one or more characters or symbols by means of a blue frame. The content of the frame can be copied, moved, scrolled, mirrored and pasted.

This example uses frames at the symbol level in Font or Group edit mode:

These characters are all 7x12 numbers in a 12x15 font. To make them superscripts in a 32x32 symbol group, copy to Clipboard with Ctrl C.



Make a 7x12 frame in one of the target symbols in *Symbol or Character* edit mode:

										г	г	г																		
-1		r"	r"	r"	r"	r"	r"	-1	r"	r"	17	Ľ	11						-1	-1	11	11	-1	-1	11	11	11	F1	~1	Ľ
н	н	н	н	H	H	H	н	н	н	⊢	н	-							н	н	н	н	н	н	н	н	н	н	н	H
н	н	н	-	⊢	⊢	⊢	н	н	н	⊢	н	H	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	H
н	-	-	-	-	-	-	н	н	н	-	н	-	н	н	н	н	н		н	н	н	н			н	н	н	н	-	н
		_	_	_	_	_	ш		ш	_	L		ш						ш	ш								ш	_	
											П																			
п							п		п	г	п	-	п					1	п	п								п	а	
н	н	н	н	н	н	H	н	н	н	H	н	H	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	H
н	н	н	н	H	H	H	н	н	н	⊢	н	H	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	H
н	н	н	-	-	-	⊢	н	н	н	⊢	н	H	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н
н	_	-	-	-	-	-	Ц	н	Ц	-	ч	-	Ц	ш	ш	ш	ш		н	ш	ш	ш			н	ш	н	н	4	н
										_	L									ш										
											П			-	-	-	-	•												
-1		Γ"	Γ"	Γ"	Γ"	Γ"	Γ"	Γ"	Γ"	Γ"	Γ.	Γ.	Γ1	17	Π	ET.	ET.	ET.	Γ1	Γ1	Γ"	Γ"	-1	-1	Ľ	Ľ	Ľ	Γ1	-1	Γ1
п						-	п		п	-	-	-	п						н	н								п	а	
н	н	н	н	н	H	H	н	н	н	H	H	H	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	H
н	н	н	н	н	H	H	н	н	н	-	-	⊢	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	H
н	н	н	-	-	-	-	н	н	н	⊢	⊢	⊢	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н
Ц	_	-	-	-	-	-	Ц	ш	Ц	-	-	-	Ц	ш	ш	ш	ш	ш	ш	ш	ш	ш			ш	ш	ш	Ц	4	-
											_	_																		
										г	г	г																	а	
н		г	г	г	г	г	н		н	r	r	r	п						н	н							н	н	а	
н	Н	н	н	H	H	H	н	н	н	H	H	H	Н	Н	Н	H	H	Н	н	н	н	н	н	н	н	н	н	н	н	H
н	н	H	H	H	H	H	Н	H	H	H	H	H	H	H	H	H	H	H	н	н	H	H	н	н	H	H	H	н	н	H
н	н	H	H	H	H	H	н	н	н	-	⊢	⊢	н	H	H	H	H	H	н	н	H	H	н	н	H	H	H	н	н	H
н	4	н	-	-	-	-	н	н	н	-	-	-	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н
					Ľ	Ľ				Ľ	Ľ	Ľ																	4	
[]	1	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	Ľ	81	Ľ
										г	г	г																	а	
н		н	н	н	г	г	н	н	н	r	r	r	н	н	Н	Н	Н	Н	н	н	н	н	н	н	н	н	н	н	н	H
н	н	н	H	H	H	H	н	н	н	⊢	⊢	⊢	Н	H	H	H	H	н	н	н	н	н	н	н	н	н	н	н	н	H
н	н	н	H	-	⊢	⊢	н	н	н	⊢	⊢	⊢	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	н	H
							L		L	L.,	L.,	L.,	L																	

Change to *Group or Font* edit mode, select target symbols or characters for the numbers 0...9, and activate *Paste Inside Blue Frame*:





Paste with Ctrl V, select Copy Pixel to Pixel Inside Frame and Overwrite Frame in Marked Symbols:

0000	0001	0002	0003	0004	0005	0006	0007	0008	0009
0	1	2	3	4	5	6	7	8	9

#### G: How to Use the Text in Frame tool

The tool can be invoked in two different ways one way is activating one of the *Write Text Line* buttons on the toolbar:



Change between the 4 types **opaque anti-alias**, **opaque normal**, **semi transparent anti-alias**, and **semi transparent normal** with right click.

Activating gives an empty frame with input from the keyboard:

The other way of activating is pasting a text from the clipboard to a symbol or character:



#### Put as Characters in Frame

This gives a frame with as much of the text there is room for on the symbol or character:

# Text Line

In both cases the frame can be moved around with the mouse, and a click outside the frame start a new writing session at the click point:

The text is treated as a single object, so changing color, smoothing, font or size affects the whole text:

Color:



Smoothing:





Font is changed with the virtual keyboard:



-Internal & Recent Windows Fonts	_
ButtonText_cpp 23	-
Emoji_cpp 32	
LatinCyrillic 23	
Thai_cpp 32	
Thai_txt 23	
W Arial	
W Calibri	
W Consolas	
W Courier New	
W Georgia	
W Impact	
W Lucida Console	L.
W Palatino Linotype	L.
W Tahoma	
W Times New Roman	·
	_
Pick a Windows Font	

#### Change:





Height is changed with the virtual keyboard:





# Text Line

Width is changed with the virtual keyboard:



Narrow	Relative Width 145% Press for 100%	Wide
I		
Te	xt Line	

The text tool always writes a single line even if there may be  $\langle CR \rangle$  or  $\langle LF \rangle$  control characters in the text string. If the text should be multi line or have different colors or fonts each separate text object have to be finished by a mouse click outside the frame before the next is made. Pasting a new text to the text tool finishes the present text and start a new frame with the pasted text.

The text frame can be moved to a new position with the mouse or with the virtual keyboard.

+ -

The background for the text is normally transparent, but can be any valid color:

## pВ

When this function is active any color chosen in the palette will be the new Background color, and the Tool color remains unchanged.

The text tool can be turned off by selecting any of the other mouse based tools.

#### H: How to Write Text in Foreign Languages

In this example, the aim is to write characters or text with characters that are not implemented on the keyboard, and the text is not available elsewhere for copy and paste.

The Master Font Selector can be used as a virtual keyboard for Unicode characters when text input mode is selected.

Left click the *Write Text Line from Keyboard* button:



This automatically changes the *Master Font Selector* to the *Virtual Keyboard*:



For charge of smoothing or semi transparency right click the Write Text Line from Keyboard button:



It changes to white yellow or green to indicate anti-aliasing and/or transparency if the color mode supports this.

Text can now be entered at the keyboard or - if the characters are not available - from the *Virtual Keyboard*.



This opens the Font Selection dialog box as *Virtual Keyboard*. Most fonts in Windows support a large number of different languages as Unicode on the Basic Multilingual Plane. The site <u>www.unicode.org</u> contains the official information about how and where the characters for a specific script are encoded.

In this example, we will use Cyrillic positioned at 0x0400....0x04FF.

Scroll down to 0x0400 to get the Cyrillic page:

The rectangular characters and characters highlighted in pink are characters not defined in the presently selected Master Font. In this case, the missing characters are obsolete characters, and not used in modern "Cyrillic" languages such as Belarusian, Russian or Ukrainian.

To make the virtual keyboard and the physical keyboard active simultaneously write in the text window. Please note that the two keyboards compete about placement of the caret:

-Text in Frame	
Frame Position	
X 0 + -	Y 0 + -
-Frame Height	
Height of Windows Font	18 + -
Text	

This is DanMagic transliterated to Cyrillic and written with smoothing in 8-bit RGB:

ДанМагик	

The pixels used for smoothing may appear slightly colored when magnified on the PC screen, but this is invisible both on the target display and on the PC screen in natural size:

ДанМагик

#### I: How to Make and Save Semi-transparent Colors

This example applies only to the 32 bit ARGB color mode in the color version of IconEdit.

To make shades like this:



Press New Font or Symbol Group:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:



Choose a color format:

-Symbol Color Defined by Transparent Pixel Color-	
③ 32 Bit ARGB 8888 - 16777216 Colors 256 Alpha Levels	

One symbol:



Press OK.



The background is transparent, to make this more visible press the  $\square$  on the *Color and Size of Transparent Background* button and change the checkerboard color to black and white with the  $\square$  and  $\blacksquare$  buttons:



Left click the bright red in the palette window to select it as drawing tool:

Press Solid Rectangle in the tool bar:



Draw 2x4 a rectangle



Right click the next button on the Palette get the RGBA tool color dialog box:

Tool Color RGBA

Change the color to bright red and Alpha to 0xE1

Color of F	Palette —		
0xE1	0xFF	0x00	0x00
<b>▼</b> Alpha	<b>▼</b> Red	<b>•</b> Green	<b>▼</b> Blue

In the tool color dialog box the chosen transparency is displayed on checker board background



Press OK, and the palette button shows the degree of transparency on white and black background:

#### 

Draw the next 2x4 a rectangle.



Repeat the process with Alpha C1 A1 81 60 40 and 20 to get this:



If the whole process is repeated with green and blue, it will produce this:



The Palette now contains all the transparent colors:



The appearance of the transparent area can be changed by the *Color and Size of Transparent Background* button, + and – change the size and white and black change the colors of the checkerboard:



White + white produces this:



Black + black produces this:



Although the transparent area is shown in different ways, it is still the Transparent Color as reported by the mouse movement shown here:

#### A RGB 60 FF0000

This value is the value saved in the picture symbol file regardless of how the background is visualized.



Press the *Save All As...* button in the main tool bar to save the pixel data in the *ColorShades.c* file in the proper directory. The Sym and Palette file are saved automatically.

## J: How to Modify the Transparency and Make Shading

This example applies only to the 32 bit ARGB color mode in the color version of IconEdit.

Shading can be made with any of the drawing tools except floodfill, in this example we will write a text on a semi transparent background:



Activate blending to make shading possible:



This makes the transparency buttons visible to the far right:



Right click the *Change Alpha Level* button and scroll to Change Alpha level 24 Steps:

•	
Change Alpha Level 24 Steps	

Press OK.

Activate a drawing tool such as Write Text Line from Keyboard:



Write "Txt" and move it in position:


# K: How to Add Symbols to a Group

Symbols can be added to a group in any number at any position within the maximum of 65536 symbols. The symbols are inserted in *Group Edit* mode at the caret position much like characters are written in a text editor. As there is no Code Point Character List has to be maintained a new symbol is just inserted at the caret position, moving the following symbols to higher group index values.

A mouse click anywhere on the Group Edit window puts the caret at the nearest boundary between two symbols.



*Insert One Empty Symbol* shifts all symbols after the caret position one position up before a symbol with background color is inserted.



Insert Multiple Empty Symbols shows a dialogbox:

Insert Empty	Symbols
Add 17	Empty Symbols at Caret Position
Cancel	OK

Enter a number and press OK. This shifts all symbols after the caret position 17 positions up before 17 symbols with background color are inserted.

Warning: The insert functions changes the symbol number of all symbols after the insert point.

## L: How to Add Characters to a Font

Characters can be added to a font in any number at empty positions within the maximum of 65536 character symbols. The characters are inserted in *Font Edit* mode either by pasting a text or by specifying Code Points.

See also chapter **05.D.1 How to Fit New Characters to an Existing Font** and **06.O How to Make Narrow Characters and Fonts** about methods for matching the look of the master font and the target font.

#### 1: Insert Empty Symbols at Code Points

**Insert Anywhere** lets you choose Code Points anywhere in the 65535 character space of Unicode plane zero:



Insert Empty Symbols shows a dialog box where already occupied Code Points are marked in grey:

		Г	٦	L	Г		-	٠	•			8	?		F1	Ж	+	∢	\$	!!	q	Т	т	+	î	ŀ	÷	÷					<b></b>
		ļ		#	\$	%	&	Ľ	(	)	*	+	,	-		/	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?	
6	ē	А	В	С	D	Е	F	G	н	L	J	К	L	N	IN	0	Ρ	Q	R	s	т	U	V	W	'×	Y	Z	[	١	]	^		
`		а	b	С	d	e	f	g	h	i	j	k	L	m	n	ο	р	q	r	s	t	u	٧	w	х	у	z	{		}	~		
۵		۵	۵	۵	۵		۵	۵	0	0	۵	0	۵	0	۵	0	۵	0	۵	0	0	۵	۵	۵	0	۵	۵	۵	۵	۵	۵	0	
		i	¢	£	ğ	¥	ł	§		C	) a	«	-	-	•	-	۰	±	2	з	1	μ	¶			1	₽	»	<b>%</b>	1/2	¾	Ś	
Ž	Ź	Á	Â	Ã	Ä	Å	Æ	Ç	È	É	Ê	Ë	ì	Í	î	Ï	Ð	Ñ	Ò	Ó	Ô	õ	Ö	×	ø	Ù	Ú	Û	Ü	Ý	Þ	ß	
ò		á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï	ð	ñ	ò	Ó	ô	õ	Ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ	-

New characters can be marked with the mouse, and are highlighted in orange. Press:

Insert 5 Characters

This will add 5 empty characters.

Already existing characters keep their Code Point regardless of how many characters are inserted.

#### 2: Insert From Master Font at Code Points



Insert New Characters shows a dialog box where already occupied Code Points are marked in grey:



New characters can be marked with the mouse, and are highlighted in orange. Press:

Insert 5 Characters

This will add 5 characters based on the Master Font.

Already existing characters keep their Code Point regardless of how many characters are inserted.

### 3: Modify Symbol at Code Point

If you want to insert a new or different character symbol at an existing character position, you have 3 options:

A: Update the character symbol content in *Character Edit* mode.

B: Paste the character symbol content form another Font or Group in *Character Edit* mode.

C: Delete the symbol and then insert a new or empty symbol at the same position in *Font Edit* mode.

#### 4: Paste New Characters from Master Font at Code Points



*Paste from ClipBoard* shows a dialog box with the text and how many of characters already exist in the target font:



Clipboard contains 4 UNICODE characters, 0 of them match an existing character

Press:

Put only New as Characters

This will add all 4 characters based on the Master Font.

Already existing characters keep their Code Point regardless of how many characters are inserted.

## M: How to Modify Several Characters or Symbols Simultaneously

Selected characters and symbols can be modified together in Font or Group Edit Mode.

If no symbols are selected the modify tools are greyed:

24.42	4	기기	<u>n</u> r €s	₹¥.	B	B≁	B≁	B							
14 41	14	31	<u>17</u> 	₽	B	в	B	в	B	B≁	B*	aВ	aВ	Ω	B

All can be selected with the *Mark all Symbols* tool:



Selection of chosen symbols can be done with the mouse-click, Shift+mouse-click and mouse-swipe much the same way as is common for text editors. To select several subgroups of symbols use Ctrl+mouse, this makes the mouse operations act as toggle instead of normal select.

Once some or all symbols are selected the tools that can be used for modification are shown with a green frame to indicate that they operate on the selected characters or symbols only:



If the operation is not possible for some of the tools, the tool stays grey.

# N: How to Convert between Proportional and Mono-Spaced Characters

Characters can be mono-spaced or proportional, and proportional characters can be left-set, right-set or fit to the glyph.

This example will demonstrate how to convert a font to be a mono-spaced or proportional font. Assume this font example with SPACE, 3 Numbers, 3+3 Latin, 3 Hebrew and 3 Arabic characters:



#### 1: Convert to Mono-Space

The mono-space function fills out the symbol with background and moves the glyph to the center of the symbol, so be sure to make any *Resizing* first:



To make a mono-space font select all characters with the *Mark All Symbols* button:



Then mono-space all characters with the *Monospace and Center Character* button:

0020	0030	0031	0032	0041	0042	0043	0061	0062	0063	0500	05D1	0502	062A	0620	0634
	0	1	2	A	B	C	a	b	c	X	ב	ג	ت	ē	ش

The mono-spaced font is ready.

#### 2: Convert to Proportional

To convert a mono-spaced font to proportional the needs of different scripts should be considered. Numbers should have the same width with a small space between each character, so they must be monospaced separately. Latin is written from left to right with a small space between each character, so there should be a space on the right side of the glyph. Hebrew is written from right to left with a small space between each character, so there should be a space on the left side of the glyph. Arabic is written from right to left with connected characters, so there should be no space on either side of the glyph.

Mark SPACE and the Latin characters with the mouse:







Mark the Hebrew characters with the mouse:



Then right-set the characters with the *Rightset Character* button:



0020	0030	0031	0032	0041	0042	0043	0061	0062	0063	05D0	05D1	05D2	062A	0620	0634 -
	0	1	2	A	B	C	a	b	c	Х	ב	٦	ت	5	ش

Mark the Arabic characters with the mouse:

0020	0030	0031	0032	0041	0042	0043	0061	0062	0063	05D0	05D1	05D2	062A	0620	0634
	0	1	2	A	B	С	a	b	c	א	ב	ג	ت	<del>ت</del>	ش

Then clean the characters with the *Fit Symbol to Character* button:





To make the Numbers look mono-spaced they should be treated separately as a new font, mark the Numbers with the mouse:



Move the Numbers to the ClipBoard with *Cut to ClipBoard*:



Paste the Numbers to a new font with the *Fit Symbol to Character* button:



Press OK:



To make mono-space Numbers first select all characters with the Mark All Symbols button:



Then mono-space all characters with the *Monospace and Center Character* button:





Then clean the characters with the *Fit Symbol to Character* button:





Resize the font with the *Resize All Symbols* button:



Resize suggests the largest character; add 1 pixel for internal space in the numbers:



Press OK:



Then mono-space all characters with the *Monospace and Center Character* button:

B

# 0 1 2

Copy all characters to the Clipboard with *Copy to ClipBoard* and paste back into the original font with *Paste from ClipBoard*:

Ŀ															
_ Pas	te Pixel	Action													
•	Сору Р	ixel to I	Pixel												
0	Fit Clip	Board t	o Symb	ol											
$\overline{\mathbf{v}}$	Interpo	olate Co	olors wit	th LowP	ass Filt	er:									
		Put A	ll as Ch	aracter	s										
0020	0030	0031	0032	0041	0042	0043	0061	0062	0063	05D0	05D1	05D2	062A	0620	0634
	0	1	2	A	B	С	8	b	С	X	בו	2	ت	7	تتري
				<b>* </b>	- <b>-</b>	$\sim$	**		$\sim$					Ú.	<u> </u>

The proportional font is ready.

## O: How to Make Narrow Characters and Fonts

Characters can be made narrower in many different ways; this chapter demonstrates how to make narrow characters by squeezing one character at a time, by squeezing a whole font, or by generating narrow characters directly from a Windows Master Font.

#### 1: Squeeze One Character at a Time

The character width can be modified in **Character Edit** mode with the *Squeeze or Stretch* function by mouse click anywhere on the character and movement left or right:

Character Edit



Before:



After squeeze:



After stretch:



The character is ready.

#### 2: Squeeze the Whole Font

The character width can be modified in **Font Edit** mode with the *Resize All Symbols*. This method is preferable for making a narrow proportional font from an existing font:





Press the button to get the resize dialog box:



Select a new width and Stretch or Squeeze:



Before squeeze with symbol width 42:



After squeeze with symbol width 32:



The font is ready.

#### 3: Squeeze Part of the Font

The character width can be modified in **Font Edit** mode with the *Resize All Symbols*. This method is preferable for making a narrow mono spaced font from an existing font:





Press the button to get the resize dialog box:



Select a new width and Copy Pixel to Pixel but Squeeze Oversize:



Before squeeze with symbol width 42:



After squeeze with symbol width 21, the yellow highlight indicates characters where the glyph is squeezed:



The font is ready.

#### 4: Generate Narrow or Wide Fonts from a Windows Master Font

This option works best for grey-tone fonts.

The character width can be modified in the Master Font setup with the Relative Width option. This method is preferable for making a *New* proportional font:

Press the New button



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

Create a Character List for Font Directly

	Г	1	L	L	I	-	•	۰	Ľ	Ľ	8			ß	Ŧ	ł	4	t	ï	٩	Т	т	ł	t	ŀ	•	÷	Ľ	Ľ	Ľ	Ĺ
	1	"	#	s	%	8	•	(	)	*	+	,	-		/	0	1	2	3	4	5	б	7	8	9	:	;	<	=	>	?
Ø	д <mark>А</mark>	В	C	D	E	F	G	H	Ι	J	K	L	N	N	0	P	Q	R	s	T	U	V	N	X	Y	Z	[	١	]	^	_
1	a	b	с	d	e	f	g	h	i	j	k	1	m	n	0	р	q	r	s	t	u	v	w	x	y	z	{	L	}	~	0
۵	۵	۵	۵	۵	L	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵	۵
	i	¢	£	α	¥	ł	§		C	2	~	-	-	R	-	0	±	2	3	1	μ	ſ	•		1	۰	<b>»</b>	¹∕₄	1/2	3/4	i
À	Á	Â	Ã	Ä	Â	Æ	Ç	È	É	Ê	Ë	Ì	Í	Î	Ϊ	Ð	Ñ	Ò	Ó	Ô	Õ	Ö	×	ø	Ù	Ú	Û	Ü	Ý	Þ	ß
à	á	â	ã	ä	å	æ	ç	è	é	ê	ë	ì	í	î	ï	ð	ñ	ò	ó	ô	õ	ö	÷	ø	ù	ú	û	ü	ý	þ	ÿ

Insert 5 Characters

Go to MasterFont setup:

Master Font Times New Roman 32 Bold

Choose a relative width:

Narrow	Relative Width 100% Press for 100%	Wide
A	A	A
Narrow	Relative Width 80% Press for 100%	Wide
	_	-



Press OK in Master Font setup.

Press OK in New:

Font Edit



Remove any unused space with the *Resize All Symbols*. The best guess is already set:



Select Copy Pixel to Pixel and press OK:



The font is ready.

# P: How to Add Smileys and Emojis to a Font.

Unicode has a number of emojis placed on Plane 1 at code-points between 1F300 and 1F6FF witch means that characters need 32 bit addresses. To access the higher planes Unicode has a system of high and low 16 bit surrogate code-points so the characters can be written directly by a 16 bit text with a combination of the two surrogates.

**Notice:** The build-in Windows fonts in the different versions of Windows are usually according to the Unicode standard at the time the Windows version was created. This means that for higher Planes where the emojis are the support in Windows XP is non existing, Windows 7 have a few ancient scripts but no emojis, Windows 8.1 has many emojis, and Windows 10 is well supplied with both ancient scripts and emojis.

### 1: Put Emojis in 16 bit Address Space

The IconEdit 16-bit version automatically puts characters from Plane 1 2 & 3 from the range 10000 to 3FFFF into the Private range E700 to F8FF as long as there is room. For the IconEdit 32-bit version high plane characters can be moved to and from Plane 0 with a simple command.

The insert process is as follows:

Assume a small font:



Press Insert New Characters:



This opens the Insert Character dialog box, choose Plane 1:

Scroll down to page F6:



With left mouse click mark a smiley and with control + left mouse click mark a cable car:

88	98	88	96	6	3	0	0	6	UC	0	0	0	96	0	3	00	DC	6	0	୍ଚ	e	9	8	80	)
83	)3	98	16	6	٢	0	G	6	86	0	0	9(	DC	9	0	80	06	)	ø	U	9	8	Ø	Ø.	ģ
🐺 🗆			<b>⇔</b> ∦			0)		ài	<u> 1</u> 6	۱ <mark>©</mark>	ଳ														
1 2	- 447	m@	≤Â	۹	炅	Ę٦	<u>۾</u>	<u>ŵ</u> (	파물	<b>(</b>	O,	æ,	<b>1</b> (*	4	÷	æ(	<b>.</b>	e	-	e.		۲ō			•
∦	- <b>4</b> 47	₩£ ‱≏	i <b>∠ 9</b> ,™₿	© ₩	<b>只</b> ⊠	ا⊾ ا∙ا	₽. N	∰. ⊘.	₩6 20	) त्वः ) हो	6 0		<b>व</b> ्य इ) इन्द्	:⇔ ⊗	¢ à	æ6 ~₹?	<b>⊋</b> ~ i 6	) 分 () 分		el.		≓ō. .÷	s F		•
∦ = ™ <mark>™</mark>	- <b>4</b> 47 - <b>4</b> 47 - <b>4</b> 47	₩£ ‱≏	¢≥ (‴≬ ∂⊡		只 ◎ □	<mark>קו</mark> ו∙ן	戌 ¶ □	©. ⊘. □ [		) († 10) (†	6	0 0 0	<b>9</b> 00 9000 1 0	:⇔ ⊗ □	<b>☆</b> & □		) (			al		₩0 .÷			•

#### Press Insert 2 Characters:

The characters are placed automatically at E700 and E701 so that all characters in the font have 16 bit addresses by the 16-bit version.

For the 32 bit version switch to Scripts & Symbols

Scripts & Symbols

Press the Move High Plane Symbols.



The emoji now has a 16-bit address:

0020 0021	0043	0053	0061	0062	0065	0069	0060	006D	0072	E700	E701
1	C	S	a	b	e	i	1	m	r	Θ	٦£

Any characters from higher planes that are moved to the private area in Plane 0 gain status as Combined Characters witch means that IconEdit knows where the character came from:



The new Code Point E700 can now be used instead of the original Unicode Code Point 1F603.

The original 32 bit text and the 16 bit font is combined:

# wchar\_t \* szSmiley={L"Smiley \uE700 !"}; wchar\_t \* szCable={L"CableCar \uE701"};

This is how it will look at the target display:

```
wchar_t * szSmiley={L<mark>Smiley @ !</mark>};
wchar_t * szCable={L<mark>CableCar ``]</mark>;
```

## 2: Put Emojis in 8 bit ASCII Address Space

All the characters in the text strings have 16 bit Code Points, but for Latin characters a memory reduction factor of two can be achieved by converting the strings to UTF-8 format because Code Points 00 to 7F also called ASCII need only one byte in the UTF-8 format:

# wchar\_t \* szSmiley={L"Smiley \uEE\u9C\u80 !"}; wchar\_t \* szCable={L"CableCar \uEE\u9C\u81"};

The catch is that all other characters need several bytes, in the case of the emojis 3 bytes each.

The ASCII standard has a range of rarely used modem control characters from 10 to 1F and placing the emojis there can save 2 bytes every time it is used.

Change to the Code Point Edit window:

Code Points 0020 0021 0043 0053 0061 0062 0065 ! C S a b e 0069 006C 006D 0072 E700 E701 i l m r 😂 🗃

Mark the emojis with the mouse



Press Move Selected Symbols to open the Move Symbols dialog box:



The Code Points already occupied by the font are highlighted in grey:

Select character 0x0010 with the mouse:

 Γ 1
 J
 - •
 Image: A to be and a tobe and tobe and a tobe and tobe

The future addresses of the symbols highlighted in green in the font window are highlighted in orange.

Press the **Move** button:



The smileys now have a new address, but the origin is still known:

00	10	0011	0020	0021	0043	0053	0061	0062	0065	0069	006C	0060	0072		
£	3	놂		7	$\mathbf{C}$	S	9	h	۵	4	1	$\mathbf{m}$	P1		
9	·			•	$\sim$	9	a	~	•	•	4		•		
IE	Р	05	$1 \times 18$	: S	ize	18×	20	Hig	(h F	'l ane	e Ch	ara	cter		
		SM	ILIN	IG F	ACE	WIT	<u>H O</u>	PEN	MOU	TH	MOV	ed	from	CodePoint	0×1F603

The emojis are now represented by whatever glyphs the Windows font designer has placed at the first two modem control characters:

# wchar\_t \* szSmiley={L"Smiley + !"}; wchar\_t \* szCable={L"CableCar < "};</pre>

But the output on the target display will still be the same:

# Q: How to Use Dither for improved Image Quality.

Dithering is a method for making images look better on low resolution displays, or simply to save memory space by using a color mode with a smaller memory footprint.

Dithering can be used with 1 Bit Black & White, 4 Bit TRGB, 8 Bit RGB, 2 Bit Color Palette, 4 Bit Color Palette, and 8 Bit Color Palette.

In this example we will reduce a 24 bpp RGB image to a 2 or 4 bpp Palette image.

Use *File -> Open* 

Or the *Open Font, Symbol, Text, or Image* button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open the file falcon-24-bpp-rgb.png:



## 1: Photo with 4 bit per pixel

Press Modify Symbol:



#### Select 4 bit Color Palette:

Symbol Color Defined by Pointer to Palette Color C 2 Bit Grey Tone Palette - 4 Grey Tones C 4 Bit Grey Tone Palette - 16 Grey Tones C 8 Bit Grey Tone Palette - 256 Grey Tones C 2 Bit Color Palette - 4 Colors C 4 Bit Color Palette - 16 Colors C 8 Bit Color Palette - 256 Colors

#### Press Modify Palette:

Modify Palette

The palette modifier opens with the standard 4 bit palette:

Palette			Edit Index 0	Value 0x	000000	Сор	y Paste	Show Original Im	age for Comparison
Optimize fo	or Photo with E	Dither	Optimize f	for Photo		Optimize for Dr	rawing	Move Inspection V	Vindow
Standard f	or Photo with [	Dither	Minimize with 0	Original Colors	s	tandard for Dr	rawing	Left Right	Up Down
First Color		Inter	polate Between F	irst and Secon	nd Color		Second Color	Previous	Next
Car	ncel				ОК			🗌 Use Dither 🔲	Show Pixel to Pixel

Press *Optimize for Photo with Dither* to change the palette:

Palette	Edit Index 0 Value 0x 0000	000 Copy Paste	Show Original Image for Comparison
Optimize for Photo with Dither	Optimize for Photo	Optimize for Drawing	Move Inspection Window
Standard for Photo with Dither	Minimize with Original Colors	Standard for Drawing	Left Right Up Down
First Color Int	erpolate Between First and Second Co	lor Second Color	Previous Next
Cancel	ОК		☑ Use Dither  □ Show Pixel to Pixel

Press OK to exit the palette optimizer.

Press **OK** to have an image with a new color mode:



Image footprint is now reduced by a factor 6 with only a small change in image quality.

### 2: Photo with 2 bit per pixel

For even smaller footprint where image quality is less important than memory space use 2 Bit Color Palette:

Press *Modify Symbol*:



#### Select 2 bit Color Palette:



#### Press Modify Palette:

Modify Palette

The palette modifier opens with the standard 2 bit palette:

Palette Index 1 RGB FF 00 00	Edit Index 0 Value 0x 000000	Copy Paste	Show Original Image for Comparison
Optimize for Photo with Dither	Optimize for Photo	Optimize for Drawing	Move Inspection Window
	Minimize with Original Colors		Left Right Up Down
First Color Int	erpolate Between First and Second Color	Second Color	Previous Next
Cancel	ОК		Use Dither Diskel to Pixel

Press *Optimize for Photo with Dither* to change the palette:

Palette Index 2 RGB 94 6C 4	A Edit Index 0 Value 0x 000000 Copy Paste	Show Original Image for Comparison
Optimize for Photo with Dith	er Optimize for Photo Optimize for Drawing	Move Inspection Window
	Minimize with Original Colors	Left Right Up Down
First Color	Interpolate Between First and Second Color Second Color	Previous
Cancel	ОК	☑ Use Dither □ Show Pixel to Pixel

Press OK to exit the palette optimizer.

Press *OK* to have an image with a new color mode:



## R: How to Use the Text and Code Modifier

Open the file *TextTest.cpp* 



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

IconEdit makes a font and shows the strings with the font:

wchar\_t \* Greek={"Text Κείμενο"}; wchar\_t \* Marathi={"Text मजकूर"}; wchar\_t \* Arabic={"ust "};

The text modifier dialog box can be activated in two ways.

Use the Text->Save Modified Text with Autogenerated Presentation Characters as New File...

Or press the *Show Exported Modified Text* button;



Portable Unicode or ASCII in Modified Text File String Format     O Both Strings and Comments are Saved as Unicode Characters     Strings are Written as 16 Bit Hexadecimal Values and Comments becomes 8 bit Classic Characters     Strings are Written as 8 Bit UTF-8 Hexadecimal Values and Comments becomes 8 bit Classic Characters						
C Both Strings and Comments are Saved as 8 bit Classic Characters						
Unicode String Hexadecimal Options	Unicode String Hexadecimal Options     Save Combined, Surrogate and Private Characters as Hexadecimal     Save as 32 bit Hexadecimal     Use Modern W0000 Notation Instead of Classic W0000 Notation					
Set String Type       Bi Directional Optim         Match Character Type, String Prefix and Hexadecimal notation       Most of the text is         Classic wohar_t L"Text \x0000"       Right to Left si         Modern char16_t u"Text \x0000"       Save as 32 bit         Hi-light a Character for Identification       Maximum Text Window Height         Maximum Text Window Height       Number of Lines	nization : uch as Arabic uch as Latin					
Modified Text File Display          Show Modified Text File Window       Image: Show Modified Text File Window         Show Surrogate Pairs as High Plane Characters       Show With Simulated Classic File Show With Simulated Classic						
Output Comment Encoding w1252western						
Save Medified Text File As						
Cancel OK						

This opens the modified text display as a normal Unicode editor would show it:

```
wchar_t* Greek={<mark>"Text Kɛíµɛvo"</mark>};
wchar_t* Marathi={<mark>"Text मज⊡र"</mark>};
wchar_t* Arabic={<mark>"म्बर्ग्रा</mark>};
```

For most modern compilers this is OK and the modified text can be saved as is.

If the editor can only show 8-bit ASCII characters use the 16 bit Hexadecimal option:

Portable Unicode or ASCII in Modified Text File String Format
C Both Strings and Comments are Saved as Unicode Characters
Strings are Written as 16 Bit Hexadecimal Values and Comments becomes 8 bit Classic Characters
O Strings are Written as 8 Bit UTF-8 Hexadecimal Values and Comments becomes 8 bit Classic Characters

```
wchar_t * Greek={"Text \x039A\x03B5\x03AF\x03BC\x03B5\x03BD\x03BF"};
wchar_t * Marathi={"Text \x092E\x091C\xE700\x0930"};
wchar_t * Arabic={"\xFEBA\xFEE7 Text"};
```

This makes the text displayable in an ASCII editor, but makes no difference to the compiler.

If the compiler can only accept 8-bit ASCII characters use the 8 bit UTF-8 Hexadecimal option:

-Portable Unicode or ASCII in Modified Text File String Format
O Both Strings and Comments are Saved as Unicode Characters
O Strings are Written as 16 Bit Hexadecimal Values and Comments becomes 8 bit Classic Characters
Strings are Written as 8 Bit UTF-8 Hexadecimal Values and Comments becomes 8 bit Classic Characters

This setting changes the string type, so activate type matching depending on the version of 'C' you are using:



This changes the string definitions according to the string and 'C' type:

char \* Greek={"Text \xCE\x9A\xCE\xB5\xCE\xAF\xCE\xBC\xCE\xB5\xCE\xBD\xCE\xBF"}; char \* Marathi={"Text \xE0\xA4\xAE\xE0\xA4\x9C\xEE\x9C\x80\xE0\xA4\xB0"}; char \* Arabic={"\xEF\xBA\xBA\xEF\xBB\xA7 Text"};

char8\_t\* Greek={u8"Text \xCE\x9A\xCE\xB5\xCE\xAF\xCE\xBC\xCE\xB5\xCE\xBD\xCE\xBF"}; char8\_t\* Marathi={u8"Text \xE0\xA4\xAE\xE0\xA4\x9C\xEE\x9C\x80\xE0\xA4\xB0"}; char8\_t\* Arabic={u8"\xEF\xBA\xBA\xEF\xBB\xA7 Text"};

# S: How to Use the Edge Pixel Value Tool for Improved Quality of Fonts

The edge pixel value tool is primarily for creating small anti-alias fonts and text from Windows fonts. The thin lines can so thin that they almost disappear and changing the edge value can improve connectivity of the glyph.

Open the Master Font Selector



The relative edge pixel value is 100% meaning no modification:

Light	Relative Edge Pixel Value	100%	Press for 100%	Dark
•				▶

# Μ



If the thin lines tend to disappear in your fonts or tests darken the edges:



# Μ



Or trim for a more extreme look, the glyph should still be fully connected:

Light	Relative Edge Pixel Value 46%	Press for 100%	Dark
•			Þ

# М



## T: How to Use Extra Smooth Anti Alias for Improved Quality of Fonts

The Extra Smooth Anti Alias is an addition to the normal Windows ClearType Anti Alias. It is primarily meant for alphabets with a handwritten look such as Arabic, Chinese, and Japanese in combination with 4 bit per pixel Intensity Level.

Symbol Color Defined by Intensity Level for Color Rendering

I Bit Black and White - On & Off Intensity - No Anti Alias

2 Bit Intensity Level - 4 Alpha Levels for Anti Alias

4 Bit Intensity Level - 16 Alpha Levels for Anti Alias

8 Bit Intensity Level - 256 Alpha Levels for Anti Alias

Normal Windows ClearType Anti Alias has problems with almost horizontal diagonal lines.

📃 Extra Smooth Anti Alias



🔽 Extra Smooth Anti Alias



Extra Smooth Anti Alias generates a higher number of intermediate grey values, and even though they are finally reduced to 4 bit per pixel the glyph becomes smoother.

## U: How to Draw Texts with Colored Outlines as Subtitles

Text with only one color on colored images can be difficult to see. If you put a contrast color outline around it the visibility will be improved:



Choose an unused color as text color:



Right click *Setup Outline Width* to see if the color actually is unused:



If it was a wrong choice you get this, and should try another color:

Tool Color is Already Used		
Do Automatic Search for Another Color for Text		
Yes No		

Else continue.

Right click Write AntiAliased to get Write Normal Text:



Press Write Normal Text to activate the text tool.

**Tx**ţ

Click Setup Outline Width to select width of the outline:



Normal Outline
Filled Corner Outline       1 pix     2 pix     3 pix
Cancel

Click one.

Right click *Draw Outline* to select an unused color for the outline:







Press *Virtuel Keyboard* to select a *Height*: and write the text:

Text in Frame     Frame Position     X     0	Y 0 + -
Frame Height Height of Master Font	32 + -
Subtitle	

Press OK.



Press *Save As* to save the image as *Falcon.c* in the propped directory.



# 07: How to Work with Intensity Level Smoothed Characters

### A: How to Draw Intensity Level Smoothed Characters on Symbols

This example applies only to the color version of Icon Edit.

Press New Font or Symbol Group:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

-Symbol Type • Font with Characters from MasterFont • Group of Symbols Filled With Background Color

#### Choose a color format:



Choose the drawing colors:



One symbol:

Symbol Size —		
X 70	Y 70	Number of Symbols 1

Press OK.

The palette shows 16 intensity levels, the first is the tool color marked by being pressed down, and the last is the background color marked with a circle:



The intensity levels are also called alpha levels when the characters rendered on a background image. Black corresponds to the alpha value for fully opaque and white to fully transparent

To select a master font press *Master Font* in the main tool bar:



First, select a Windows font either from the Recent list or pick a new Windows font:



If the recent fonts are not ideal, pick another Windows font as this example shows:

Pick a Windows Font

This opens the Windows font picker, the appearance of which is depends greatly on the Windows version, Windows native language, what kind of foreign language support is installed, and any additional non-Windows fonts added later.

Fill in the 3 top fields to choose for example Times New Roman, Bold Italics and 32. The last field is height of the whole Character including top and bottom white space. This will be the height of the text frame in pixels.

#### **Times New Roman Bold Italics 32**

Press OK.

This is basically a grey tone vector font, and the conversion to black & white or to intensity level has to be fine trimmed.

Adjust the thickness of the edge of the character until the connectivity is OK.

Characters with diagonal lines like / @ A W are usually the most critical.





Press OK

OK Times New Roman 32 Bold Italics

Characters can be written as a text in a frame where the whole text frame can be moved around by the mouse.

To activate smooth characters right click the *Write Text Line from Keyboard* button:



It turns white to indicate anti alias smoothing:



The little arrow indicates that the frame can be moved by the mouse.

The whole text is considered one object, and it is redrawn each time the text is changed by adding or removing a character. Changing tool color or font affects the whole text next time it is redrawn after a change of the text, or if the frame is moved.

Write the text "Grey" on the keyboard:



Choose *Draw Pixels* or press *Write Text Line from Keyboard* again to turn off the *Write Text Line from Keyboard* tool:



The intensity level or alpha level formats are semitransparent by nature, and they are meant for rendering text with a color. Rendering with color on a checker board can be turned on by the *Show CheckerBoard in Transparent Areas and Rendering Color for Characters* button:



This changes the palette to show the intensity or alpha levels as the rendering color with transparency levels at the bottom of each button:



The checker board can be changed with the *Color and Size of Transparent Background CheckerBoard* button:



The rendering color can be changed by right click on the tool color button.

*Warning: Right or left click on any of the other palette buttons changes the intensity or alpha level of the whole text to the new tool color.* 



## B: How to Convert Intensity Level Smoothed Symbols to Semi Transparency

This example uses the symbol and settings from the previous example.

To convert the intensity level anti alias data format to semi transparency there are two possibilities either turn off rendering with color on a checker board by the *Show CheckerBoard in Transparent Areas and Rendering Color for Characters* button to get tool color characters or turn it on to get the rendering color form the intensity level color format:



Then press the *Modify* button:



Change color format:

```
Symbol Color Defined by Transparent Pixel Color

③ 32 Bit ARGB 8888 - 16777216 Colors 256 Alpha Levels
```

Set tool and background colors to opaque black and transparent white:

Tool Color				
Color of F	<sup>p</sup> alette —			
0xFF	0x00	0x00	0x00	
•	•	•	•	
Alpha	Red	Green	Blue	

Press OK.

Background Color

Color of F	Palette		
0x00	0xFF	0xFF	0xFF
<b>v</b> Alpha	▼ Red	• Green	<b>▼</b> Blue

Press OK.

Press OK.

The text does not change, but it is now black with a transparent white background.

Use the + on the *Color and Size of Transparent Background Checkerboard* button to verify the transparency of the background:



The color of the characters can now be changed with *Floodfill* functions.



The appearance of the transparent area colors and checker size can be changed with the *Transparency Background* button:




# C: How to Convert Semi-transparent Symbols to Intensity Level Anti Alias

This example uses the settings and symbol from the previous example.

When colored glyphs are converted to grey tones it is normally done in accordance with to their luminosity:



But intensity level anti-alias is a transparency data format based on visible figures on a transparent background. This conversion is achieved by converting the transparency of the 32 bit ARGB symbol directly to the target intensity level or alpha levels without using the RGB basic color value. Fully opaque is converted to black and fully transparent is converted to white.

This means that the background for the ARGB figures must be fully transparent with an alpha value of 0 as shown:

#### 1 Symbols 60 x 32 Char 0x0000 Size 60x32 Pos 1,29 A RGB 00 FFFFFF

#### A RGB 00 FFFFFF.

If this is not the case the background should be changed to a new fully transparent color:

Right click an unused color button in the palette and make it fully transparent:



#### Press OK.

The lower part of the button shows the degree of transparency by mixing with white and black:

#### 

Right click the flood fill button twice to get the *Local Substitute* and then left click *Local Substitute* to activate it:



Substitute the background by clicking anywhere on the background color:

1 Symbols 60 x 32 Char 0x0000 Size 60x32 Pos 2,28 A RGB 00 916D00



Press Modify Transparent Color:



Select an Intensity Level 2-bit as this resolution is usually enough:

Symbol Color Defined by Intensity Level for Color Rendering
 1 Bit Black and White - On & Off Intensity - No Anti Alias
 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias
 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias
 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias

Press OK.



The symbol or text is now intensity level or alpha level for anti alias.

# D: How to Convert Color Symbols to High Contrast Intensity Level Anti Alias

This example applies only to the color version of IconEdit.

This example will show how to get a high contrast image from a low contrast original design. This is obtained through a series of data format conversions that can be done either automatically or single-stepped for increased control.

*Warning:* It is important that the original design is either saved uncompressed such as a *Name.bmp* file or saved as a lossless compression such as a *Name.png* file to avoid artefacts such as multicoloured halos typical of lossy compressions such as *Name.jpg*:

Lossless compression Name.png, clear edges:



Lossy compression Name.jpg, unsharp edges and wrong colors:



Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open an existing image, for example Logo.png.



Mark the logo with the *Edit Indside Blue Frame* tool:



Press Crop the Picture to remove the status-bar and turn off the Edit Indside Blue Frame tool:





Set tool color to the text color with the *Pick New Tool Color* tool.



Right click the *Pick New Tool Color* tool to change to the *Pick New Background Color* tool.



Set background color to the background color of the symbol with the *Pick New Background Color* tool.

#### 1: Automatic conversion

Change color mode in the *Modify Color Symbol* dialog box:



Change to intensity level.

Activate Maximum Contrast:



Make sure tool and background color are different after conversion to grey:

Colors	
Tool Color	Background Color
Show Rendering Color	Rendering Color

Press OK.



Your High Contrast Logo is ready for saving ....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Logo.c* file in the proper directory.

### 2: Single step conversion and rendering test

Change color mode in the *Modify Color Symbol* dialog box:



Change to color palette.

Symbol Color Defined by Pointer to Palette Color 🔘 2 Bit Grey Tone Palette - 4 Grey Tones 🔿 4 Bit Grey Tone Palette - 16 Grey Tones 🔿 8 Bit Grey Tone Palette - 256 Grey Tones C 2 Bit Color Palette - 4 Colors C 4 Bit Color Palette - 16 Colors 8 Bit Color Palette - 256 Colors

Change the palette.

Modify Palette

The colors for interpolation are already set to Tool Color and Background Color:

F	irst	Col	or					Inte	rpo	late	Bel	we	en F	First	: an	d Se	сог	nd C	iolo:	<u> </u>			Sec	:ond	l Co	lor
Pr	ess	In	ter	rpo	la	te:																				

Press Ok for palette.

Press Ok for color mode.

The symbol looks the same but is now an 8 bit color symbol.



Change color mode in the *Modify Color Palette Symbol* dialog box:



Change to grey palette.



Set conversion type to keep indexes.

Keep Palette Indexes, Change Colors
 Fit to Nearest Color, Change Palette Indexes

This is what generates the high contrast by substituting the green to blue palette with a black to white palette.



Press Ok for color mode.

The symbol is now high contrast grey palette.

# DanMagic

Change color mode in the *Modify Grey Palette Symbol* dialog box:



Change to intensity level.

-Symbol Color Defined by Intensity Level for Color Rendering —

- 🔘 1 Bit Black and White On & Off Intensity No Anti Alias
- 🔘 2 Bit Intensity Level 4 Alpha Levels for Anti Alias
- 4 Bit Intensity Level 16 Alpha Levels for Anti Alias
- $\bigcirc$  8 Bit Intensity Level 256 Alpha Levels for Anti Alias
- Maximize Contrast between Tool and Background Color

Choose a rendering color.



Press Ok for color.

Press Ok for color mode.

The symbol is now high contrast intensity level.

# DanMagic

And it can be rendered in any color with the Show CheckerBoard option.



# DanMagic

The rendering color can be changed by right click on one of the palette buttons.







Your High Contrast Logo is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Logo.c* file in the proper directory.

# E: How to Extract Symbols from an Original Screen Design for Colored Animation

This example applies in full to the color version of IconEdit, extracting animated icons also applies to the black & white version.

This example will show how to get high contrast animated icons from a low contrast original design.

Warning: It is important that the original design for the screen has the same size as the target screen.

Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open an existing image, for example Logo.png.



Make it bigger with the *Change Zoom* button:



Turn on Show Grey Pixel Grid:



#### 1: Symbol with sharp edges and only two colors

Mark the battery symbol with the *Edit Indside Blue Frame* tool:





Copy to ClipBoard with.



Press Paste from ClipBoard as New Group.



The battery indicator has 7 possible states and only 2 colors, so choose 7 black & white symbols:



Press OK.



Right click one icon at the time to change the number of charge lines to black with the *Surface Flood Fill* tool:







Please note that even though it is called a black & white the format is actually a 2 color format and can be rendered on the target display in any color the display is capable of. This means that the deteriorating charge condition of the battery can be displayed as a series of icons with warning colors:



Your group is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Battery\_BW\_7.c* file in the proper directory.

# 2: Symbol with smooth edges and anti aliasing by interpolating between two colors

Mark the bluetooth symbol with the *Edit Indside Blue Frame* tool:



Copy to ClipBoard with



Press Paste from ClipBoard as New Group.



The bluetooth indicator has 3 possible states and a range of interpolated colors, so choose 3 symbols and keep the color mode until the next step:



Press OK.



#### Change to Symbol Edit

#### Symbol Edit

Set tool color to the brightest color on the symbol with the *Pick New Tool Color* tool.



Right click the *Pick New Tool Color* tool to change to the *Pick New Background Color* tool.



Set background color to the background color of the symbol with the *Pick New Background Color* tool.

Change color mode in the Modify Color Symbol dialog box.

RGB

Change to intensity level.

Activate Maximum Contrast



Press OK.



Remove the surplus arcs in some of the icons to show different signal strength.

Choose the white tool color button with **Alpha 0** and the *Solid Rectangle* tool to overwrite the surplus arcs.







The icons are now high contrast intensity levels and can be rendered in any color with the *Show CheckerBoard* option.



The rendering color can be changed by right click on one of the palette buttons.







Your group is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Bluetooth\_g4\_3.c* file in the proper directory.

# **08:** How to Draw Symbols

# A: How to Draw a Group of Battery Indicator Symbols

This example applies only to the color version of IconEdit.

To make a new group press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

Symbol Type

- C Font with Characters from MasterFont
- Group of Symbols Filled With Background Color

#### Choose a color format:



Choose size and number:



Give it a name:

File Names	
Name for C	File Battery.c
System	Palette File Name Battery.pal
Directory	C:\cpp2010\IconEdit\IconEditQuickGuideSa Browse

#### Press OK.

The group now looks like this:

0001	0002	0003	0004	
	0001	0001 0002	0001 0002 0003	0001 0002 0003 0004

Right click the first symbol to change to pixel edit mode:

Change to a smaller size with the *Change Zoom* button:





Choose *Hollow Rectangle* and draw the battery outline:





Choose a grey tone and the *Surface Flood Fill* tool and fill the battery:





_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Copy to ClipBoard with



Change to Group edit with a right click on the battery:



Mark symbol 0001 to 0004 with a left click on 0001 and Shift-click on 0004:

0000	0001	0002	0003	0004

Paste symbol 0000 with *Paste from ClipBoard*:



Choose Overwrite Marked Symbols:



Right click on symbol 0000 to change to pixel edit mode:



Choose a green color and fill the center of the battery:





Click on symbol 0001 to change to the next battery.

Choose *Solid Rectangle* and draw 80% green:





Click on symbol 0002 to change to the next battery.

Draw 60% green:



Click on symbol 0003 to change to the next battery.

Choose a yellow color and draw 40% yellow:





Click on symbol 0004 to change to the next battery.

Choose a red color and draw 20% red





The battery indicators now look like this:



Your group is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Battery.c* file in the proper directory.

# 1: How to Hide Unused Space with Single Color On Off Transparency

This example is a continuation and uses the group and settings of the previous example.

If the battery indicators should be displayed on a background image, the unused white space around the battery symbols should be transparent.

Press the Modify Symbol button:



Activate single color on off transparency, and choose white as the transparent color:

Tool Color	Background Color	
✓ Use On Off Transparent Color	Transparent Color	

Press OK.

There is no apparent change, but activating *Show CheckerBoard in Transparent Areas* will reveal the change:





The palette also shows that the background is now transparent. The lower half of the transparent color's palette buttons is displayed mixed with white and black. In this case it is the white background:



Your group is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Battery.c* file in the proper directory.

# B: How to Use On Off Transparency to Draw Buttons with Round Corners

This example applies only to the color version of IconEdit.

On off transparency is a method for drawing symbols of any shape without having to use the 32 bit per pixel semitransparent data format. One of the possible colors in the data format is marked as fully transparent, and can be used to mark the unused pixels around the symbol to make them invisible. It works with all non transparent data formats from 24 bit RGB color to 2 bit palette and can reduce memory consumption scientifically.

The use of on off transparency in combination with tools with anti aliasing or smoothing should be done with care. Smoothing emulates partly drawn pixels by mixing the tool color with the previous color for each partly drawn pixel, if the pixel already has the transparent color this is the color the tool color is mixed with thereby creating a pixel with a fully opaque intermediate color.

Smoothed edges of the symbol will appear correct if the target system has only one background color and the transparent color is chosen as a color close to that of the target background. If the symbol has to be used on several different backgrounds or on background pictures the smoothing will only appear correct on those areas where the background color is close to the transparent color. Therefore smoothing of symbol edges is only recommended if the target system has a single background color.

In this example we will make 3 buttons, OK for use with several backgrounds, Go and No for use on a light grey toolbar.

To make a new symbol press the *New Font or Symbol Group* button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

```
Symbol Type

© Font with Characters from MasterFont

© Group of Symbols Filled With Background Color
```

Choose a color format:



Choose size and number:

_Symbol Size —		
X 36	Y 32	Number of Symbols 3

Set background and transparent color to match the target system, here light grey with the value 0xA5:

#### Press Background Color.

Background Color							
alette —							
0xA5	0xA5						
•	-						
Green	Blue						
	alette 0xA5 Green						

#### Press OK.



Use on off transparency:

🔽 Use On Off Transparent Color

#### Press Transparent Color.

Transparent Color

Press OK.

This automatically sets the transparent color to the background color.



This is not a permanent link, both background and transparent can be changed individually afterwards.

Give the buttons a name:

File Names	
Name for C	File OK_Button.c
System	Palette File Name OK_Button.pal
Directory	C:\cpp2010\IconEdit\IconEditQuickGuideSa Browse

#### Press OK.

The group now looks like this:



Change to Symbol Edit:

#### Symbol Edit

Use *Show CheckerBoard* to confirm that the whole symbol is transparent:





#### Set Line Width to 2:



=Ne	ew Line	e Width			
	1	2	3	4	5

Press 2.

Choose Hollow Round Rectangle:



Start from top left, move to bottom right, hold left button and press right button too, move back towards top left until the button corners have the right size:



Right click a palette button and set the color to grey 0xB6:

Color of F	Palette —	
0xB6	0xB6	0xB6
•	•	•
Red	Green	Blue

Press OK.

The palette button is now grey, and it is the chosen tool color:

Choose *Surface Flood Fill*, and fill the centre of the rounded button:



Click on *Symbol 0001* to move it to the symbol edit window.

0001



Smoothing has to be done on the right background for the Go button, so draw the centre first:

Choose bright green and *Solid Round Rectangle* and draw the centre:



Choose a darker green for frame and activate *Hollow Round Rectangle* with smoothing by a right click for the smoothing:





Draw the frame:



Click on *Symbol 0002* to move it to the symbol edit window.

0002



Smoothing has to be done on the right background for the No button, so draw the centre first:

Choose bright red and left click *Solid Ellipse* then draw the centre:



Choose a darker red for frame and activate *Hollow Ellipse* with smoothing by a right click for smoothing:



Draw the frame:



In *MasterFont* choose Times New Roman, 24 high, Neutral Darkness and Bold:



Internal & Recent Windows Fonts
ASCII 20 Batch 32 ButtonText_cpp 32 Emoji_cpp 32 LatinCyrillic 23 Thai_txt 32 W Arial W Calibri W Consolas W Courier New W Georgia W Impact W Lucida Console W Palatino Linotype W Tahoma W Times New Roman Zap Recent Windows Fonts List Pick a Windows Font Import Font from Disk
Light Relative Edge Pixel Value 100% Press for 100% Dark
Grey Contrast
Narrow Relative Width 100% Press for 100% Wide
•
○ Regular ○ SemiBold ● Bold □ Italics □ Extra Smooth

#### Press OK.

Choose white and right click *Write Text Line* in frame to activate smoothing or semi transparency:



Then activate the function by a left click.

This automatically changes the *Master Font Selector* to the *Virtual Keyboard*:



Write No and move it in place with the mouse:



Click on *Symbol 0001* to move it to the symbol edit window.

#### 0001



Choose dark green:

Write Go and move it in place with the mouse:



Click on *Symbol 0000* to move it to the symbol edit window.

0000



Choose black:

#### 

Write OK and move it in place with the mouse:



The whole group now looks like this:



Your group is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Ok\_button.c* file in the proper directory.

# 1: How to Reduce On Off Transparency Memory Consumption

This example is a continuation and uses the group and settings of the previous example.



The button symbols do not really need 24 bit RGB, this example will show how to convert the symbols to 8 or 4 bit palette.

First stop the Write Text Line function by selecting Draw Pixels function:



#### **Reduction to 8 bit palette:**

Press Modify Color Symbol:



Choose 8 Bit Color Palette:



Press Modify Palette:

Modify Palette

Press Optimize:



The optimizer reduces all colors to 5+5+5 bit resolution, and selects the most important colors, if there are only few important colors, the rest of the palette is filled with grey:

Press OK:

Press OK:



The symbols are now reduced from 16777216 possible colors to 256 possible colors.

It can easily happen that the On Off Transparency color and some nearby colors now are represented by the same color in the Palette. In this case 2 of the smoothing pixels on the Ok button are now transparent.

To remove the unwanted transparency, choose a color close to the On Off Transparency color, and use the *Draw Pixels* function to remove them:



#### **Reduction to 4 bit palette:**

Press *Modify Color Symbol*:



Choose 4 Bit Color Palette:



Press Modify Palette:

Modify Palette

Press Optimize:

Optimize for Drawing

The optimizer reduces all colors to 2+2+2 bit resolution, and selects the most important colors, if there are only few important colors, the rest of the palette is filled with grey:



The On Off Transparency color is not represented in the palette, so enter A5A5A5 for index 15:



Press OK.

Press OK:



The symbols are now reduced from 16777216 possible colors to 16 possible colors.

It can easily happen that the On Off Transparency color and some nearby colors now are represented by the same color. In this case many of the smoothing pixels on the Ok button are now transparent.

To remove the unwanted transparency, choose a color close to the On Off Transparency color:

The transparent pixels tend to lie on a line, so use the Line Flood Fill function to remove them:

Right click *Surface Flood Fill* to get *Line Flood Fill* activate it with a left click and fill the transparent lines:



#### Comparison to full 32 bit ARGB transparency:

24 bit RGB 75% of 32 bit ARGB:



8 bit Palette 25% of 32 bit ARGB:



4 bit Palette 13% of 32 bit ARGB:



# C: How to Add one Symbol on top of another using Semi-Transparency

This example applies only to the color version of IconEdit.

In this example, the aim is to add arrows and text to a set of shaded buttons while keeping the shading.

Drawing the buttons is done with 32 bit ARGB transparency, but the final result can be saved as normal RGB or as Palette files. If the final result is to be saved in palette data format, palette optimization would be appropriate.

Assume that the buttons already exist as *ShadedButtons.c.* 

Press File Open



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

And select *ShadedButtons.c.* They will look like this:



If the buttons are not already transparent select *File -> Modify Existing Font or Symbol Group...* to get the *Modify Existing Data Set* dialog box, and select 32 Bit ARGB:



Press OK.



The symbol is now fully opaque with alpha at maximum value FF.

To get a working area for making an arrow use insert at the caret:

Place the caret near the end of the last button with the mouse and press *Insert Empty Symbol at Caret* to make symbol 0006:



Change to Symbol edit mode by right clicking on symbol 0006.

To avoid conflict with the basic color of the background later, right click a color that is not going to be used for the buttons and make it fully transparent:



– Color of F	Palette —		
0×00	0xFF	0xB6	0x00
- Alpha	<b>▼</b> Red	<b>▼</b> Green	<b>▼</b> Blue

Press OK:

# 

Select Surface Flood Fill:



Click anywhere on the symbol to fill it with the new fully transparent color. Mouse help will show Alpha = 0 for fully transparent:

Pos 0,0 A RGB 00 FFB600

#### 1: Add an arrow

Click on *Blend or Overwrite Colors* to activate the overwrite function to make it possible to draw without mixing tool and background color.



To make a semi transparent black arrow right click the black palette button, and set the rightmost (alpha) scrollbar to about 80 for half transparency:

Color of Palette										
0x80	0x00	0x00	0x00							
<b>▼</b> Alpha	<b>▼</b> Red	<b>v</b> Green	<b>▼</b> Blue							

Press OK.

The palette button and the drawing tools are now semi transparent black on white background:

#### 

In the tool bar select *Rectangle* 



Draw a 5 x 5 rectangle.

Select draw smooth line by right click on draw *Triangle*:



White indicates that the tool will use anti-aliasing for smoothing.



Draw the right side of the arrowhead as 7x7 with the triangle function starting from the right angle:



Then draw the left side as a 6x6 triangle:



Select Edit Inside Blue Frame



#### And make a frame with the size 13x13 around the arrow



*Copy to Clipboard* with Ctrl + C and select symbol 0001.

Click on *Blend or Overwrite Colors* to activate the blend function to make it possible to mix tools and background colors.



Insert the arrow with Ctrl + V:



#### Press OK.



The picture is placed in a blue frame, and can be moved around with the mouse. The 'Four Arrow' cursor inside the frame indicates that the frame can be moved by holding the left mouse button down and moving the mouse, while the 'Cross' cursor outside the frame is for making a new frame thereby turning off the paste and move function.

Move the arrow to the middle with the mouse.


To make a green left arrow button change to symbol 0006 again, and make a semi transparent green color:

### 

The floodfill function turns the start pixel into the new basic color and transparency. Connected pixels with the same basic color are changed too, but the transparency is scaled according to the new pixel's transparency.

To keep the semi transparency around 0x80 start the floodfill on the center of the arrow.

Put the frame around the arrow again, and turn the arrow left with the *Turn 90 CW* button. The button has a blue frame to indicate that it only turns inside the frame.

# •

*Copy* the arrow to the Clipboard, select symbol 0000, paste it in frame, and move again.

Symbols 0000 and 0001 now look like this:



### 2: Add a text

To select a master font press *Master Font* in the main tool bar:



First select a Windows font:



This is basically a grey tone vector font, and the conversion to black & white or to grey level has to be fine trimmed.

Adjust the darkness of the character until the connectivity is OK.

Characters with diagonal lines like / @ A W are usually the most critical.



Light Rela	itive Edge Pixe	l Value 100	% Press	for 100%	Dark
•					•
Grey Contra	ast 🖲 0%	C 25% (	0 50% (	0 <b>75%</b> ()	100%
Narrow	Relative Wid	th 100%	Press for	100%	Wide
•					►

#### Press OK

OK Times New Roman 21 Bold

Make a semi transparent red:

### 

Change to symbol 0003.

For smoothing and/or semi transparency right click the *Draw Text from Keyboard* button:



Click until it turns white to indicate anti-aliasing, then left click to activate.

This automatically changes the *Master Font Selector* to the *Virtual Keyboard*:



Check that *Blend or Overwrite Colors* is on to enable blending of the text with the background:



Write "Text" on the keyboard and move the frame around the text with the mouse to get this:

Switch to symbol 0002, make a semitransparent green, press the Draw Text from Keyboard button and write "Text" again:



### 3: Import a logo

Assume that the logo already exist as *Pegasus.c*.

Press File Open



And select *Pegasus.c.* It will look like this:



Copy Pegasus to the clipboard with Copy to ClipBoard:



Switch back to *ShadedButtons* and select symbol 0006, clear the symbol with *Cut to ClipBoard*.



Click on *Blend or Overwrite Colors* to activate the overwrite function to make it possible to draw without mixing tool and background color.



Select Edit Inside Blue Frame



And make a frame with the size 13x13

Paste Pegasus to symbol 0006 with *Paste from ClipBoard*:



Paste Pixel Action

- Copy Pixel to Pixel Inside Frame
- Fit ClipBoard to Frame
- Fit ClipBoard to Frame KeepAspect Ratio
- C Fit Frame to ClipBoard
- Interpolate Colors with LowPass Filter
- E Blend ClipBoard with Symbol

It now looks like this:



Select a fully transparent color

# 

Select Surface Flood Fill:



Click on the grey parts of the symbol to fill it with the new fully transparent color.



The logo should be blended with the shading of the button. Click on *Blend or Overwrite Colors* to activate the blend function and then right click the *Change Alpha Level* button and set it to -127



### 



In the tool bar select *Rectangle* 



Draw a 13 x 13 rectangle over Pegasus to make it semi transparent and select the frame again.



Pegasus is now semi transparent and can be blended with the background, copy it to the clipboard with *Copy to ClipBoard* 



Switch to symbol 0004:

	**********	
	**********	+++++++
	**********	+++++++++
••••••		***********
*********		

Paste with Paste from ClipBoard





Move Pegasus in place with the mouse.

111111				
		********		
	*******			
	*******		********	
			*********	
	*******			

To remove the temporary symbols switch to Group, mark symbol 0006 with the mouse and delete with *Delete*.



To save the symbols:



Press the *Save All As...* button in the main tool bar to save the pixel data in the *ShadedButtonsWithText.c* file in the proper directory.

# D: How to Draw a 5 Arm Anti-Aliased Star by Adding Transparent Layers

This example applies only to the color version of IconEdit.

In this example, the aim is to turn one arm into 5 arms while keeping the shading.

Drawing is done with 32 bit ARGB transparency, but the final result can be saved as normal B&W, Alpha, Grey, RGB or Palette based files. If you have a B&W license you can use IconEdit in color demo mode in a separate directory for the first transparent part of the drawing process and then copy to the B&W version of IconEdit for saving.

To make a new symbol press the New Font or Symbol Group button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

```
    Symbol Type
    Font with Characters from MasterFont
    Group of Symbols Filled With Background Color
```

Choose a color format:

```
-Symbol Color Defined by Transparent Pixel Color

© 32 Bit ARGB 8888 - 16777216 Colors 256 Alpha Levels
```

Choose size and number:



Set tool and background to the same color but different transparencies:

Press Tool Color.

Tool Color

Set *Alpha* to maximum:



Press OK.

Press Background Color.

Background Color

Set Alpha to minimum:

0x00	0x00	0x00	0xFF
•	•	•	•
Alpha	Red	Green	Blue

Press OK.



Tool and background are now the same color, but the tool is fully opaque, and the background is fully transparent as indicated by the transparency indicator at the bottom of the color field.

Press OK to get the 3 symbols:



Right-click the first to edit and set a center point at 16,16:



Select *Solid Triangle* with smoothing by right-click, the button changes color to indicate smoothing:



Draw 2 halves of the first arm as 6x15 triangles both starting at 16,15:



Copy to ClipBoard with



Switch to Group Edit:



Mark the other 2 symbols with the mouse:



Paste with *Paste from Clipboard*.



Choose Pixel to Pixel and Overwrite Marked Symbols:



Right-click symbol 0001 and choose *Turn 360 Degrees with ScrollBar*:



Left-click the center pixel 16,16 and scroll down to 72 degrees:



Press OK.



Left-click symbol 0002.

Left-click the center pixel 16.16 and scroll down to 144 degrees:





Choose Blend Colors:



Choose *Edit Inside Blue Frame* because blending ONLY works within a frame:

Right click the button for a frame the full size of the symbol with the mouse:



Copy to ClipBoard with



Choose symbol 0000 and Paste from Clipboard with



### Choose Pixel to Pixel and Blend:



Press OK.



Choose symbol 0001, Copy to ClipBoard with



Choose symbol 0000 and *Paste from Clipboard* with



#### Choose *Pixel to Pixel* and *Blend*:

Copy Pixel to Pixel Inside Frame
 Fit ClipBoard to Frame
 Fit ClipBoard to Frame KeepAspect Ratio
 Fit Frame to ClipBoard
 Interpolate Colors with LowPass Filter
 Blend ClipBoard with Symbol

Press OK.



Turn off the blue frame and start on a new with 2 clicks on *Edit Inside Blue Frame*:



Make the new frame as just under half size and move it to the left:



Use *Mirror Vertical* to make the rest of the star:

•



Remove the frame by click on *Edit Inside Blue Frame* or a mouse-tool such as *Draw Pixels*, the whole group now looks like this:



To remove the temporary symbols switch to *Group Edit*, mark symbol 0001 and 0002 with the mouse and *Delete* with





In natural size:



To save the symbol:



Press the *Save All As...* button in the main tool bar to save the pixel data in the *Star\_5.c* file in the proper directory.

### 1: Save only the Alpha Channel with Reduced Memory Footprint

The symbol in *Star\_5.c* has 32 bit per pixel, but all the relevant information is in the alpha channel with 8 bit per pixel.

In most cases even the 8 bit is overkill, below is shown resolutions of 8, 4, 2 and 1 bit per pixel:



In this case 4 bit seems reasonable so press *Modify Transparent Color*:



Choose 4 bit as this is usually enough:

Symbol Color Defined by Intensity Level for Color Rendering
O 1 Bit Black and White - On & Off Intensity - No Anti Alias
O 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias
4 Bit Intensity Level - 16 Alpha Levels for Anti Alias
8 Bit Intensity Level - 256 Alpha Levels for Anti Alias
Maximize Contrast between Tool and Background Color

Press OK:



The symbol is ready for use, and can later be displayed in any color:



The star is ready, press *Save Dataset As* to save as *Star\_5.c*:



Finished in color mode.

# 2: Save from IconEdit with a Black & White license

#### Copy to ClipBoard with



Start IconEdit B&W.

Paste from Clipboard as New



Symbol Size X 32 Y 32	Number of Symbols 1
File Names Name for C File new_6.c	
Save options	
Directory C: \cpp2010\IconEdit\IOTest\	Browse
Cancel	ок

### Press OK.

Convers	sion of Clipboard Symbols to Black and White.
Choose	a Threshold between Black and White:
Dark	Offset -21 Press for Neutral Light
•	

Choose *Offset* for best look and press *OK*:



Save As normally.



# E: How to Draw a Speedometer by Adding Transparent Layers

Drawing is done with 32 bit ARGB transparency, but the final result can be saved as normal B&W, Alpha, Grey, RGB or Palette based files. If you have a B&W license you can use IconEdit in color demo mode in a separate directory for the first transparent part of the drawing process and then copy to the B&W version of IconEdit for saving.

To make a new symbol press the *New Font or Symbol Group* button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

```
-Symbol Type

C Font with Characters from MasterFont

Group of Symbols Filled With Background Color
```

Choose a color format:

```
Symbol Color Defined by Transparent Pixel Color

32 Bit ARGB 8888 - 16777216 Colors 256 Alpha Levels
```

Choose size and number:

```
        Symbol Size

        X
        201
        Y
        201
        Number of Symbols
        5
```

Check that the Tool is Black and the Background is fully transparent White:



Pres OK.

Change to Symbol Edit:

Symbol Edit

Make the symbol bigger with *Change Zoom to 3*:



# Activate the grid with Show Grey Pixel Grid:





Mark the center at 100,100 and draw a 5x20 rectangle at 98,3



# Copy to ClipBoard with



Change to Group Edit

Group Edit

Mark symbols 1, 2, 3 with the mouse:



# Paste from Clipboard with

Clipboard contains 1 symbols	
Paste Pixel Action	
Copy Pixel to Pixel	· ·
C Fit ClipBoard to Symbol	
☑ Interpolate Colors with LowPass Filter	
Use Dithering to Reduce Aliases	
Put at Caret	
Overwrite Marked Symbols	
Put at End	Clip 201 x 201
Cancel	
Dop't Show this DialogRoy Again Liptil Activated in t	ha Edit Maau

# Press Overwrite Marked Symbols:

0000	0001	0002	0003	0004
•			l I	

Right click symbol 1 to change to symbol edit:



Right click *Turn 360 Degrees with ScrollBar* to activate smoothing:



Click the Center and turn 15 degrees:



Press OK:



Change to symbol 2 and 3 with *Tab* and repeat the turning with 30 and 45 degrees:

0000	0001	0002	0003
	1		
•	- 4		
		-	
		+	

Change back symbol 1 with *Shift Tab* and *Copy to ClipBoard*. with



Change back symbol 0 with *Shift Tab*.

Activate *Overwrite Colors* to *Blend Colors*:



### Activate Edit Inside Blue Frame:

Mark the whole symbol (blending **only** works inside the frame):

Right click the button for a frame the full size of the symbol with the mouse:





Paste from Clipboard with



Lipboard contains 1 symbol	1
Paste Pixel Action	
Copy Pixel to Pixel Inside Frame	
C Fit ClipBoard to Frame	
C Fit ClipBoard to Frame KeepAspect Ratio	
C Fit Frame to ClipBoard	
☑ Interpolate Colors with LowPass Filter	
Blend ClipBoard with Symbol	
Use Dithering to Reduce Aliases	
ОК	Clip 201 x 201
Cancel	

Choose *Blend ClipBoard with Symbol* and press *OK*:







# Copy to ClipBoard with



Change to symbol 4 and *Paste from ClipBoard* with



Turn 90 degrees CW:



Copy to ClipBoard. With



Mirror Horizontal:





Paste from Clipboard:





Copy to ClipBoard. With



Change to symbol 0 and *Paste from Clipboard*:





Change to symbol 3 and Copy to ClipBoard with



Charge back to symbol 0 and *Paste from Clipboard*:





Copy to ClipBoard.



Mirror Vertical and Paste from Clipboard:







To delete the temporary symbols mark symbol 1 to 4

0000	9001	0002	0003	0004
J. 11/1/2	I	1	1	-
2 . 1				. 1
いい				

Press Delete





The basic speedometer scale is ready, press *Save Dataset As* to save as *Speedometer.c*:



### 1: Add Numbers to the speedometer

To add anti-aliased numbers click Write AntiAliased Text:



To add normal B&W numbers right click Write AntiAliased Text and the click Write Normal Text:



In both cases this creates an empty blue frame where you can write the numbers and move them in position with the mouse, and automatically changes the *Master Font Selector* to the *Virtual Keyboard*:



Press Virtual Keyboard to set a font height:



Text in Frame Frame Position X 0 + -	Y 0 + -
Frame Height Height of Windows Font	20 + -

Press OK.

After each number is in place click the *Text* button twice to start a new frame:





In normal size:



2: Save only the Alpha Channel with Reduced Memory Footprint

32 bits per pixel is overkill for this symbol, 4 bits is usually enough.

Click the *Modify* button:



Choose 4 bit:

Symbol Color Defined by Intensity Level for Color Rendering			
🔘 1 Bit Black and White - On & Off Intensity - No Anti Alias			
O 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias			
4 Bit Intensity Level - 16 Alpha Levels for Anti Alias			
🔘 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias			
Maximize Contrast between Tool and Background Color			

Press OK:



Change is not really visible, but memory footprint is reduced by a factor 8.

Finally switch to white on black background with *Invert Black & White*:





The speedometer is ready, press *Save Dataset As* to save as *Speedometer\_160.c*:



Finished in color mode.

# 3: Save from IconEdit with a Black & White license

### Copy to ClipBoard with



Start IconEdit B&W.

#### Paste from Clipboard as New



Symbol Size	Y 201	Number of Syn	nbols 1		
File Names					
Name for C File	new_5.c				
Save options					
Directory					
C:\cpp2010\IconEdit\IOTest\ Browse					
Cancel		ОК			

#### Press OK



Choose *Offset* for best look and press *OK*.


Save As normally.



## F: How to Design a Screen Preview with Library Fonts

In this example we will make a small speedometer screen with a look like this:

## Vertical Speed 0.82 m/s

For that we will use the two library fonts  $T_{16x16}b_{g2}$  and  $T_{32x32}b_{g2}$ , use the normal open function to load the two fonts:



Or the Open Font, Symbol, Text, or Image button in the start dialog box for the first file:

Open Font, Symbol, Text, or Image File

To make a new symbol press the *New Font or Symbol Group* button in the Main Toolbar:



This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

Symbol Type C Font with Characters from MasterFont Group of Symbols Filled With Background Color

Choose the color format of the target display:



Choose the size of the display:



Press **OK** to get an empty screen:



Click the *Text in Frame* button



This automatically changes the *Master Font Selector* to the *Virtual Keyboard*:



Open the *Virtual Keyboard*:



Choose the 16x16 font for the top line:

Internal & Recent Windows Fonts
T_16x16 b_q2 16
T_32x32_b_g2 32
W Arial
W Batang
W BatangChe
W Calibri
W Consolas
W Courier New
W DotumChe
W Gungsuh
W Microsoft JhengHei
W Segoe UI
W Tahoma
W Times New Roman
Zap Recent Windows Fonts List
Pick a Windows Font

Write or paste the top line text:

Text in Frame Frame Position X 0 + -	Y 0 + -
Frame Height Height of Windows Font	24 + -
Vertical Speed	

#### Move the text to the center:

Text in Frame Frame Position X 3 + -	Y 0 + -
Frame Height Height of Windows Font	24 + -
Vertical Speed	

#### Press OK:



Click the *Text in Frame* button to finish the first line, and again to start the next line:



Open the Virtual Keyboard:



Choose the 32x32 font for the bottom line:



Write or paste the bottom line text:

Text in Frame     Frame Position     X     0	Y 0	+ -
Frame Height Height of Windows Font	24	+ -
0.82 m/s		

Move the bottom line in place:

Text in Frame     Frame Position	
X 2 + -	Y 16 + -
Frame Height	
Height of Windows Font	24 + -
0.82 m/s	

Press OK:



Click the *Text in Frame* button to finish the second line:





Your screen preview is finished, and can be saved as an image *ScreenPreview.png* with *Image->Save Character or Symbol in Edit Window as PNG File* 

## **09:** How to Import and Convert Images

## A: How to Convert Several Images to a Single Symbol File

This example applies fully to the color version of IconEdit, but only the parts about opening, adding and resizing applies to the black and white version.

The conversion of digital pictures to RAMTEX sym format can be done in many different ways; this method is primarily for changing a group of different bitmaps with the same aspect ratio into RAMTEX color or black and white images of the same size and with a common color resolution.

First open the Bitmap Violet.bmp.

Press the File Open button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Find the file, and press open. This generates a group of one symbol:



Subsequently added bitmaps will have the same size and color resolution as the first. To avoid losing information during the import of these bitmaps, change the color resolution of the first bitmap to the maximum resolution for bitmaps.

In the color version of IconEdit open the *Modify Existing Data Set* dialog box and select 24 bit RGB:





Press OK.

Then import the other bitmaps Red, White and Yellow, to this group using:

#### Image -> Import and Add Image to Symbol Group

The bitmaps now look like this:



The images now all have the same size and color resolution, but they will take up almost a whole Mega byte of memory. This can be reduced by a third by changing to 8 bit color RGB organized as 3,3,2.

## 1: Reduce Memory Consumption to 8 bit per Pixel - RGB

Press the *Modify Existing Data Set* button in the Main tool bar to get the dialog box.



#### Select 8-bit RGB:

Symbol Color Defined by Pixel Color

- 🔘 2 Bit Grey Tone 4 Grey Tones
- C 4 Bit Grey Tone 16 Grey Tones
- 🔿 8 Bit Grey Tone 256 Grey Tones
- 4 Bit TRGB 1111 8 Colors + 1 Transparency
- 8 Bit RGB 332 256 Colors
- C 16 Bit RGB 565 65536 Colors
- C 24 Bit RGB 888 16777216 Colors

Press OK.



This reduces the number of possible colors to 256 fixed colors, they are fixed because there are only these 256 colors in the 3,3,2 RGB format.

## 2: Reduce Memory Consumption to 8 bit per Pixel – Optimized Palette

A better color approximation to the original can be achieved by making an optimized palette for this group of images. The palette will need less than one kilo byte of memory for 256 colors that are optimized for this group of images:



Press UnDo and open the Modify Existing Data Set dialog box again:



Select 8 bit color palette:



To optimize the palette press:

Modify Palette

This gives the same 256 default colors as the 8 bit RGB:



Press:

Optimize for Photo

This generates a much larger palette internally in the program, converts all pixels to indexes in this palette, sorts all pixel indexes according to frequency, and picks the most common. Then there is a check for "lost" color areas in the palette, and important but rare colors that lie far from all the others are added:



Press OK.

Press OK.

This is lossy compression. It sacrifices color precision but, unlike the normally used JPEG, this method does not create a halo around sharp edges or loose small details.

The colors and the pointers to the colors for each pixel are stored in the data format, so they do not need to be unpacked by the CPU before use thereby making the rendering on the target display simpler and faster:



## 3: Reduce Memory Consumption to 4 bit per Pixel – Optimized Palette with Dither

A half as big memory footprint can be achieved by a smaller palette with dither:



Press UnDo and open the Modify Existing Data Set dialog box again:



Select 4 bit color palette and activate dither:



To optimize the palette press:

Modify Palette

This gives 16 default colors:



Press:

Optimize for Photo with Dither

This generates a much larger palette internally in the program, converts all pixels to indexes in this palette, sorts all pixel indexes according to frequency, and picks the most common:



Press OK.

Press OK.

This is lossy compression with diffused colors. It sacrifices color precision and makes a slightly grainy image, but, unlike the normally used JPEG, this method does not create a halo around sharp edges or loose small details.

The colors and the pointers to the colors for each pixel are stored in the data format, so they do not need to be unpacked by the CPU before use thereby making the rendering on the target display simpler and faster:



## B: How to Import a Large Picture for Reduction from the ClipBoard

This example applies to both the black & white and the color version of IconEdit.

Start Paint, and open the *Decoration.jpg* picture by pressing Open in the File menu.

In Windows 7 8 8.1 & 10 Paint is called mspaint.exe and situated in Windows\System32 or Windows\SysWOW64.

In Windows 11 press Start and write "paint"

Select all with Ctrl+A and put the picture on the Clipboard with Ctrl+C:



Wait for Paint to finish.

Assume IconEdit is already running.

Press Paste from ClipBoard as New Font or Group:



This opens a create dialog box:

Create New Symbol, Group or Font

Reduce it in size to 307x230:

– Symbol Size —		
X 307	Y 230	Number of Symbols 1

## Press OK.



Your Picture is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *Decoration.c* file in the proper directory.

## C: How to Import and Reduce a QR Code Image

This example applies to both the black & white and the color version of IconEdit.

QR Codes are two dimensional barcodes developed by Denso Wave. There are many on-line QR Code generators that can make and save QR Code as a PNG image. This example assumes you already have done that and will show you how to turn it into a symbol file.

Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Find the file *qrcode.png*, and press open. This generates a group of one symbol:



In this case each dot is 6x6 pixels; on a display that by itself have large pixels this is not necessary, 1x1 should be enough even on a normal PC screen.

The symbol is 200x200 which is not dividable with 6

Press *Resize All* to reduce the symbol 198x198:



Press *OK*. Mark the symbol and use the *Rotate* buttons to move the QR Code 1 pixel left and up to make the frame symmetrical:





Press *Resize All* to reduce the symbol 33x33:



Press OK.



The PNG format support full 32 bit color, but QR Codes should be black & white with 1 bit per pixel.

Press Modify Color and change to Black and White:





## Press OK and choose Neutral:



Press OK.



Your QR Code is ready for saving....



Press the *Save All As...* button in the Main tool bar to save the pixel data in the *qrcode.c* file in the proper directory.

## 10: How to Display Asian Languages on Small Embedded Systems

This chapter demonstrates problems with and solutions for writing Asiatic texts on simple displays and it applies to both the black & white and the color version of IconEdit.

A large number of alphabets are defined in Unicode as basic characters and diacritics that have to be combined by the rendering engine at the time of displaying the text. This requires many very special and language specific runtime rendering and layering rules such as multi-symbol overlaying, special symbol specific x,y positions offset adjustments, etc, etc. In addition to that neighbouring characters with or without diacritics may form ligatures, or the characters may change form according to their position in a word.

On relatively powerful computer systems, personal computers and smart phones, this is not a significant challenge for the (usually multi core) processor, but on small embedded systems the amount of memory necessary to hold the rendering code and the processing time for the rendering would be prohibitive.

This chapter will describe different methods of circumventing this problem by using Windows build-in rendering engine for Windows fonts and storing the rendered characters or texts as symbols.

*Limitation for Practical Use:* The use of Auto-generated Character symbols instead of the original combination of a basic character and one or more diacritics is only practical on embedded systems that do not have a keyboard for text input, but only predefined and static texts compiled into the embedded program.

*Limitation in Windows:* The support for different languages in Windows is under constant development and some of the methods described in this chapter only works on relatively new versions of Windows.

If the amount of text is small each whole text could be stored as an image in each their symbol. This method would be fast to implement at the price of high memory consumption.

An alternative method for larger amounts of text is to build the necessary combined characters into a font in the Code Point range reserved by Unicode for private use or special characters and modify the text to use the combined characters. This should be done for the first time when the text strings are finished and the font is designed, and then the text modification must be repeated every time the original text is changed or updated.

The text modification can be done and saved directly as a Unicode text in IconEdit with the **Text -> Save Modified Text** command.

The issues that IconEdit can help solve:

#### How to display Right to Left scripts:

Texts in Unicode are always stored in writing order from Left to Right and most basic display systems displays the characters in a text Left to Right. This means that for Left to Right scripts such as Latin, Greek or Cyrillic the text characters can be displayed one by one without problems, but for Right to Left scripts such as Arabic, Syrian or Hebrew there has to be a pre-processing text modifier that reorders the characters from writing order to display order, in the simplest cases just a mirroring.

#### An example in Hebrew:

Text is displayed like this in an editor:

## אסטראנאמיע

but it is stored in writing order in the text file like this:

#### עימאנארטסא

so it has to be mirrored:

#### אסטראנאמיע

before it can be displayed correctly on a simple display.

#### How to display Arabic scripts:

Texts in Arabic are written with connected characters that change their form according to their position in a word, therefore Unicode defines up to 5 different looks (code-points) of each Arabic character, a Generic form that is stored in the text string when the text is written and up to 4 presentation forms: Initial, Medial, Final and Isolated to be used for the display. So before the texts can be displayed there has to be a pre-processor that converts the generic code-points to presentation code-points.

#### An example in Arabic:

Text is displayed like this in an editor:

## السماوية

but it is stored in writing order in the text file as generic characters like this:

## نيو امس <u>ل</u>ا

so it has to be mirrored:

## السماوية

and then changed to presentation forms:

## السماوية

before it can be displayed correctly on a simple display.

## How to display Vietnamese:

Texts in Vietnamese are written as Latin characters with tonal marks, and Unicode has a special group of code-points that define the look of these combinations. Unfortunately this means that in some instances the texts are stored as basic characters followed by tonal marks, and in other instances the texts are stored as the special Vietnamese characters. So before the texts can be displayed there has to be a pre-processor that identifies eventual tonal marks after basic characters and converts them to the special Vietnamese characters.

#### An example in Vietnamese:

Text is displayed like this in an editor:

## nghệcủa

but it might be stored as in keyboard sequence in the text file with separate diacritics like this:

## nghê<sub>.</sub>cu<sup>2</sup>a

so it has to be combined:

## nghệcủa

before it can be displayed correctly on a simple display.

## How to display Southern Asiatic scripts:

Texts in most Southern Asiatic languages are written and stored as basic characters followed by a number of diacritics or tonal marks; before the text can be displayed these have to be combined to form actual characters or ligatures. Unicode only defines the generic look of all these code-points and leaves the, often very complex, combination of these to the rendering engine. One way around this problem for small systems is to have a pre-processor that identifies the code-point combinations that lead to these actual characters or ligatures, create them on the development system, usually Windows, store them at new code-points, and change the texts to use the new code-points.

## An example in Devanagari:

Text is displayed like this in an editor:

## विकिपीडिया

but is stored as a keyboard sequence with diacritics in the text file like this:

## वउन्किउन्पि ीडउन्या

so it has to be combined and rearranged:

## विकिपी डिया

before it can be displayed correctly on a simple display.

## The method IconEdit can offer:

When a master text or 'C' code file is read into IconEdit it creates or updates a font to fit the text or the text strings in the 'C' code in the master. As part of this process the master is modified with the above mentioned pre-processors to make it displayable by simple Left to Right display systems, and it is the characters needed for the display that is added to the font. The modified master can then be saved under a separate name and used by the display system to show the text or text strings in the master.

**Warning:** This process creates a linked set of 5 files: *Master.h* that is read into IconEdit to create *Font.sym*, *Font.cp* and *Font.c* and the modified version of the master *Modified.h*, so it is very important that these 5 files are considered an undividable unit and are stored and backed up together.

## A: How to make an Image of a Text

In this example we will use the Devanagari text "खगोल शास्त्र" ("astronomy") to build an image of that text.

To make a new symbol press the *New Font or Symbol Group* button in the Main Toolbar:



Or the Create New FONT or SYMBOL with More Options button in the start dialog box:

Create New FONT or SYMBOL with More Options

This opens the create dialog box:

Create New Symbol, Group or Font

Choose how characters or symbols should be organized and shown initially:

Symbol Type
 O Font with Characters from MasterFont
 Group of Symbols Filled With Background Color

Choose a color format, here Black & White. The other options are only available in the color version of IconEdit:



The master font is already a Windows Unicode font, but we should change that later.

Master Font Times New Roman 32 Bold

The size has to fit the text, x size is a guess that can be changed later:



Press OK and turn pixel grid off for clarity:



Copy the text खगोल शास्त्र to the clipboard and paste it in IconEdit with Paste from ClipBoard:



The text is shown in the paste dialog box:



This automatically changes the *Master Font Selector* to the *Virtual Keyboard*:



Maybe change the look of the text with the *Virtual Keyboard* button:



Pick a master font look:

-Internal & Recent Windows Fonts
Arial_36x50_g2 50
Emoji_cpp 40
EmojiForGif 64
printf_cpp 40
W Arial
W Calibri
W Consolas
W Courier New
W Georgia
W Impact
W Lucida Console
W Microsoft JhengHei
W Palatino Linotype
W Tahoma
W Times New Roman
Pick a Windows Font

Change size and position or edit the text:

Text in Frame	
Frame Position	
X 0 + -	Y 0 + -
- Frame Height	
Height of Windows Font	32 + -
खगोल शास्त्र	

Press OK when finished.

Maybe also change the text writing modes **anti-alias**, **normal**, **semi transparent anti-alias**, **semi transparent normal** with right click on the already pressed write text button:



The frame is 84 x 32 pixels, to reduce the size of the symbol change to Group Edit:

Group Edit

Press the Resize All Symbols button:



Set size and copy option:



Press OK:

0000

## खगोल शास्त्र

Symbol 0000 is ready to save



Press the *Save All As...* button in the Main tool bar to save the data as *AstronomyImage.c* in the proper directory.

# B: How to Combine Characters and Diacritics or Surrogates as New Symbols

IconEdit can identify combined characters in a text file for a large number of scripts and build a set of symbols representing the combined character and then put the Auto-generated Presentation Character as a new symbol at a Code Point in the private area Unicode range.

Warning: Emojis and other surrogate characters are only supported on Windows version 8 and newer.

## 1: Plain Text with Auto-generated Composed Characters

In this example we will use a long Devanagari text about astronomy ("खगोल शास्त्र ") to build a small font for the text.

Press the File Open button in the Main tool bar:

Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Open the Unicode text *Astronomy.txt*:

खगोलशास्त्र (अंग्रेज़ी:Astronomy) विजान के एगो शाखा हठवे। एम्मे आकाश की ग्रह नक्षत्र आ आकाश गंगा आदि क पढ़ाई आ रिसर्च होल। प्राचीन काल में एहमें ग्रहन क गति आ आकाश में स्थिति क पूर्वानुमान लगावे का भी अध्ययन होखे।

Choose size and color mode:

-Font Size	and Name fo	r C File
Height	32	Astronomy_txt.c



#### Press OK.

The text file is analyzed for possible Auto-generated Characters, and displayed if any are found:



#### Press OK.

The combined Auto-generated Presentation Character symbols are placed as Code Points at unused positions in the 0xE000 to 0xF8F0 private range, in this case from 0xE700 to 0xE723:

000A	000D	0020	0028	0029	003A	0041	006D	006E	006F	0072	0073	0074	0079	0905	0906	0908	0909	090F	0915
			(	)	:	A	m	n	0	r	S	t	У	अ	आ	ई	3	ए	क
0916	0917	091A	091C	091E	0922	0924	0925	0926	0927	0928	092A	092D	092E	092F	0930	0932	0935	0936	0937
ख	ग	च	ज	ञ	ढ	त	थ	द	ध	न	प	भ	म	य	र	ल	व	থ	ষ
0938	0939	0964	E700	E701	E702	E703	E704	E705	E706	E707	E708	E709	E20A	E70B	E70C	E70D	E70E	E70F	E710
स	ह	i i	गो	शा	स्त्र	अं	ग्रे	ज़ी	वि	ज्ञा	के	खा	वे	म्मे	का	की	ग्र	क्ष	त्र
E711	E712	E713	E714	E715	E716	E717	E718	E719	E71A	E71B	E71C	E71D	E71E	E71F	E720	E721	E722	E723	
मं	गा	दि	द्धा	रि	र्च	हो	प्रा	ची	र्म	ਜਿ	स्थि	ч	र्वा	नु	मा	भी	ध्य	खे	

The text is displayed automatically with the new font and blue marks to identify the characters individually:

```
खगोलशास्त्र (अंग्रेज़ी:Astronomy) विज्ञान के एगो शाखा हठवे।
एम्मे आकाश की ग्रह नक्षत्र आ आकाश गंगा आदि क पढ़ाई आ
रिसर्च होल। प्राचीन काल में एहर्मे ग्रहन क गति आ आकाश में
स्थिति क पूर्वानुमान लगावे का भी अध्ययन होखे।
```

The Font is ready to save



Press the *Save Dataset As...* button in the Main tool bar to save the font as *Astronomy\_txt.c* in the proper directory, the modified text should be saved separately, see below. The Sym and Code Point Character

List files and the Auto-generated Character Alias list in the Code Point Character List files saved automatically.

If *Save Modified Text Automatically when the Font is Saved* is activated you can also save the modified text as *Astronomy\_Modified\_txt.txt* or any other name.

After the font has been created the text can be viewed and modified to use the Auto-generated Presentation Characters instead of the original combination of a basic character and one or more diacritics.

The text view can be turned off and on by pressing the *Show Imported Text for Check of Font Look* button:



## खगोलशास्त्र (अंग्रेज़ी:Astronomy) विज्ञान के एगो शाखा हठवे। एम्मे आकाश की ग्रह नक्षत्र आ आकाश गंगा आदि क पढ़ाई आ रिसर्च होल। प्राचीन काल में एहर्मे ग्रहन क गति आ आकाश में स्थिति क पूर्वानुमान लगावे का भी अध्ययन होखे।

If not already saved, the input file can be saved as a new modified file with the menu command:

## Text ->Save Modified Text with Autogenerated Presentation Characters as New Text File...

Save the new file as *Astronomy\_Modified\_txt.txt*. The file can be read by most text editors and compilers, but the text strings will only be displayed correctly when the font *Astronomy\_txt.c* is used for the display. On normal text editors the Auto-generated Presentation Characters will be shown as blocks because they are not according to the Unicode standard:



## 2: "C" Text Catalogue with Auto-generated Composed Characters

In this example we will use a small text catalogue with Arabic and Thai text strings about astronomy to build a small font for the text catalogue.

Press the *File Open* button in the Main tool bar:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open the Unicode text Astronomy.cpp:

```
// Disclaimer: These texts are only for demonstration of the principle
// and may not make any sense to someone familiar with the language
#ifdef ARABIC
wchar_t szAstronomy_00]={L"الدراسة العلمية للأجرام"};
wchar_t szAstronomy_01]={L"מול النجوم، والكواكب"};
#elif THAI
wchar_t szAstronomy_00]={L"מוז מוז מוז מוז מוז מול מול מול אין
wchar_t szAstronomy_00]={L"מוז מוז מוז מוז מוז מול מול אין
wchar_t szAstronomy_01]={L"מוז מוז מוז מוז מוז מוז מול מול אין
wchar_t szAstronomy_01]={L"מוז מוז מוז מוז מוז מול מול אין
wchar_t szAstronomy_01]={L"מוז מוז מוז מוז מוז מוז מול מול אין
```

Choose size and color mode:

 Font Size and Name for C File

 Height
 32

 Astronomy\_cpp.c

 Symbol Color Defined by Intensity Level for Color Rendering

 I Bit Black and White - On & Off Intensity - No Anti Alias

 2 Bit Intensity Level - 4 Alpha Levels for Anti Alias

 4 Bit Intensity Level - 16 Alpha Levels for Anti Alias

 8 Bit Intensity Level - 256 Alpha Levels for Anti Alias

#### Press OK.

The text catalogue file is analyzed for Combined Characters, Presentation Characters and Mirrored Characters inside the 'C' strings while the surrounding code and comments are ignored.

If any Combined Characters or Mirrored Characters are found they are displayed:

Press OK.

The combined Auto-generated Presentation Character symbols are placed as Code Points at unused positions in the 0xE700 to 0xF8F0 private range, in this case from 0xE700 to 0xE705. The Unicode Presentation Characters, if any, already have Unicode values in the range 0xFE00 to 0xFEFF:



The texts in the strings are displayed automatically with the new font and a blue mark to identify the characters individually:

#ifdef ARABIC wchar\_t szAstronomy\_00[]={L<sup>"</sup>مثل النجوم، والكواكب"}; wchar\_t szAstronomy\_01[]={L<sup>"</sup>مثل النجوم، والكواكب"}; #elif THAI wchar\_t szAstronomy\_00[]={L<sup>"</sup>ดาราศาสตร์ คือวิชาวิทยา"}; wchar\_t szAstronomy\_01[]={L<sup>"</sup>อาทิ ดาวฤกษ์ ดาวเคราะห์"}; #endif

The Font is ready to save



Press the *Save Dataset As...* button in the Main tool bar to save the font as *Astronomy\_cpp.c* in the proper directory, the modified text should be saved separately, see below. The Sym and Code Point Character List files and the Auto-generated Presentation Character Alias list is saved in the Code Point Character List file automatically.

If *Save Modified Text Automatically when the Font is Saved* is activated you can also save the modified text as *Astronomy\_Modified\_cpp.cpp* or any other name.

After the font has been created the text catalogue can be viewed and modified to use the Auto-generated Presentation Characters instead of the original combination of a basic character and one or more diacritics.

The text string viewed can be turned on and off by pressing the *Show Imported Text for Check of Font Look* button:



The view has light-grey code and black strings enclosed by yellow double quotes:

## wchar\_t szAstronomy\_00[]={L<mark>"</mark>ดาราศาสตร์ คือวิชาวิทยาศาสตร์ที่<mark>"</mark>}; wchar\_t szAstronomy\_01[]={L<mark>"</mark>อาทิ ดาวฤกษ์ ดาวเคราะห์ศึกษาวั<mark>"</mark>};

If any characters, presentation characters or diacritics are missing in the font they are shown by the chosen Windows font with pink background. Please note that diacritics always appear after the main character in a text string even if they are supposed to be placed in front of the main character:

wchar\_t szAstronomy\_00[]={L<mark>"</mark>ดาราศาสตร์ คือวิชาวิทยาศาสตร์ที่<mark>'</mark>}; wchar\_t szAstronomy\_01[]={L<mark>"</mark>อาทิ ดาวฤกษ์ ดาวเ<mark>ค</mark>ราะห์ศึกษาวั<mark>'</mark>};

Characters can be identified by blue marks, right click Show Imported Text and Choose Highlight



Hi-light a Character for Identification

Press OK, and click a character.

0E01 0E0A 0E14 0E15 0E17 0E22 0E23 0E24 0E27 0E28 0E29 ขดตทย ศ ษ รถ 3

## wchar\_t szAstronomy\_00[]={L<mark>"</mark>ดาราศาสตร์ คือวิชาวิทยาศาสตร์ที่"}; wchar\_t szAstronomy\_01[]={L<mark>"</mark>อาทิ ดาวฤกษ์ ดาวเ<mark>ค</mark>ราะห์ศึกษาวั<mark>"</mark>};

If not already saved, the input file can be saved as a new modified file with the menu command:

Text -> Export Modified Text with Autogenerated Presentation Characters as New Text File...

This opens a new window with the modified text and the string format and save dialog box:

## #ifdef ARABIC wchar\_t szAstronomy\_00[]={L<sup></sup>''الدراسة العلمية للأجرام''}; wchar\_t szAstronomy\_01[]={L''،مثل النج<mark>و</mark>م، والكواكب''};

Normally 16-bit Unicode is fine, but for very old compilers you may need one of the other formats:

Portable Unicode or ASCII in Output Compiler File String Format

Both Strings and Comments are Saved as Unicode Characters

Strings are Written as 16 Bit Hexadecimal Values and Comments becomes 8 bit Classic Characters

Strings are Written as 8 Bit UTF-8 Hexadecimal Values and Comments becomes 8 bit Classic Characters

Choose a portable format and press **Save Modified Text File As...** 

Save the new file as *Astronomy\_Modified\_cpp.cpp*. The file can be read by most text editors and compilers, but the text strings will only be displayed correctly when the font *Astronomy\_cpp.c* is used for the display.

A list of comma separated values that contain the Auto-generated Presentation Characters and the hexadecimal Code Point of the corresponding symbols as 'C' strings can be saved for documentation.

#### Text -> Export Autogenerated Presentation Character Alias List as CSV File...

Save file as *Astronomy\_cpp.csv*. The file has this form and can be read by most text editors and spreadsheets:

```
"Combined Character";"Hexadecimal Replacement"
"$";"\xE700"
"$";"\xE701"
"$";"\xE702"
"$";"\xE703"
"$";"\xE703"
"$";"\xE704"
"$";"\xE705"
"$";"\xE706"
"$";"\xE707"
```

## C: How to Use Arabic Presentation Characters

In this example we assume a font with Arabic characters already exists and that it is opened. Such fonts can be found included European Fonts library.

Open the text file *Astronomy.cs* with **Text -> Import Text or Text Catalogue to Mark or Create Characters**:

Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

The characters found in the texts will be highlighted in green in the font:

049B 049C 049D 04A2 04A3 04AE 04AF 04B0 04B1 04B8 04B9 04BA 04BB 04D8 04D9 04E8 04E9 05BE 05C0 05C3 05C6 05D H. Ч θə ٤ X К K К H ¥Ι ч  $\mathbf{h}$ h θө Y Y ¥ 1 05D2 05D 05DA 05DB 05DC 05DD 05DE 05DF 05E0 05E1 3 05E4 05E5 05E6 05D6 05 J 7 5 5 ב V b 7 ช ٦ ם n ٦ r Ľ ס Ы ٦ Π. ף 05E9 05EA 05F0 05F1 05F2 05F3 05F4 060C 061B 061F 0621 0622 0623 0624 0625 0626 06 0629 06 ኖ \*\* ئ 6 و b W л ٦٦ c 0632 0633 0634 0635 0636 0 0639 063A 0640 0641 اش 尚 ذ اص اطاض ۶ ۶ â ē ĵ त عز 0649 0644 0660 0661 0662 0663 0664 0665 0666 0667 0668 0669 1E80 1E81 1E82 1E83 1E84 1E85 1EF2 ٥ ٩ ٤ ٧ ٨ WŴ ٦ Ģ W ð q Ş Ŵ w Y 1EF3 2018 2019 201A 201C 201E 20AA 20AC 2116 FE80 FE81 FE82 FE83 FE84 FE85 FE86 FE87 FE88 FE89 FE8A FE8B FE8C € ₪ N⊵ ¢ Ý а. 9 9 19 2 FE93 FE94 FE95 FE96 FE FESD F E FE8F FE91 FE FE9A FE9B FE9C FE D FE9E FE9F FEA FEA1 FEA2 --3 1 ъ 2 2  $\overline{c}$ 전 त् ζ FEA3 FEA4 FEA5 FEA6 FEA2 FEA8 FEA9 FEAA FEAB FEAC FEAD FEAE FEAF FEB0 FEB1 FEB2 FEB3 FEB4 FEB5 FEB6 FEB2 FEB8 Ľ ċ ٤ j ز ţ2 ្រដំ اخا ٤ ١. اهر FEB9 FEBA FEBB FEBC FEBD FEBE FEBF FECO FEC1 FEC2 FEC3 FEC4 FEC5 FEC6 FEC7 FE FEC9 FECA FECB FECC FECD FECE ظططط اظ 벽 벽 ط ضد ضد ض صد صد ص ص ۶ ح FECF FED0 FED1 FED2 FED3 FED4 FED5 FED6 FED7 FED8 FED9 FEDA FEDB FEDC FEDD FEDE FEDF FEE0 FEE1 FEE2 FEE3 FEE4 ک اک < ق 9 ک 1 ê ê à 9 غ ġ. J ÷ FEE5 FEE6 FE **EZ FEES** FEES FEEA **FEED** FEEC FEED **FEEE** FEEF FEFO FEF1 **FEF2** FEF3 FEF4 <u>FEF5 F</u>EF6 FEF2 FEF8 FEF9 FEFA 4 9

The text is now run through both pre-processors and shown as most basic display systems that displays the characters in a text Left to Right would show it:

The text is shown automatically with the font. Press **Show Imported Text for Check of Font Look** to hide or show the text:



#if ARABIC string szAstronomy\_00 = "والظواهر التي تحدث خارج نطاق"; string szAstronomy\_01 = "النجوم، والكواكب، والمنتبات، والمجرات"; #elif HEBREW string szAstronomy\_00 = "היא ענף במדעי הטבע ההוקר"; string szAstronomy\_01 = "כוכב ו -נומוס - הוק"; #endif

The pre-processed text can be saved with the command **Text -> Export Modified Text with Autogenerated Presentation Characters as New Text File...** 

This opens the string format dialog box:

Portable Unicode or ASCII in Output Compiler File String Format
Both Strings and Comments are Saved as Unicode Characters
🔿 Strings are Written as 16 Bit Hexadecimal Values and Comments becomes 8 bit Classic Characters
🔿 Strings are Written as 8 Bit UTF-8 Hexadecimal Values and Comments becomes 8 bit Classic Characters

Choose a portable format and press **OK**.

Save a new code file as Astronomy\_Modified\_cs.cs

**Complication:** If the pre-processed text in *Astronomy\_cs.cs* is read into a text editor it will trigger the text editors own pre-processors and the text will be garbled, therefore *Astronomy\_cs.cs* should only be used for compilation and the original *Astronomy.cs* should be kept and used for future modifications to the text.

## D: How to Maintain Linked Texts and Fonts

In this example we assume the linked set of 5 files *Master.h*, *Font.sym*, *Font.cp* and *Font.c* and the modified version of the master *Modified.h*, already exists.

If the pre-processed text in *Modified.h* is read into a text editor it will trigger the text editors own preprocessors and the text may be garbled or un-displayable, therefore any changes to the texts should be done in the *Master.h* file.

#### An example of how a modified text can appear in a normal text editor:

Master text file in normal text editor:

```
L"אסטראנאמיע"
L''السماوية
L''nghệcủa''
L''आकाशकी''
L''ตาวฤกษ์''
```

Modified text is garbled or un-displayable in normal text editor:

L''עימאנארטסא [ייגֿעַןאַייבויי] L''nghệcủa'' L''आ⊡श⊡'' L''ബാקהם

The Hebrew text is mirrored.

The Arabic text is mirrored and alternative presentation characters are use.

The Vietnamese text appears unchanged, but is now stored as pre-composed characters.

The Devanagari and Thai texts consists partly of composed characters placed in the Unicode private area and can only be displayed correctly with the linked font. The text editor will display the correct Code Points, but the looks of these are not defined by Unicode, so the default symbol for undefined characters is displayed for each private character instead.

#### Updating the font:

When the *Master.h* file is updated start IconEdit and open *Font.c* with **File -> Open...** 

Or the *Open Font, Symbol, Text, or Image* button in the start dialog box:

Open Font, Symbol, Text, or Image File

Then open the text file *Master*.*h* with **Text** -> **Import Text or Text Catalogue to Mark or Create Characters...** 

If there are new additional characters in *Master.h* the **Choose Autogenerated Characters** dialogbox may pop up, choose **Combine Characters**:

#### Font Genaration

- Make Diacritics as Separate Characters
- Combine Characters & Diacritics as Presentation Characters

When and if the question **Insert New Additional Characters** pops up answer **Yes** and save the modified font with **File -> Save in C format**.

The new pre-processed text can then be saved with the command **Text -> Export Modified Text with Autogenerated Presentation Characters as New Text File...** as a new code file *Modified.h.*
## E: How to Make and Synchronize Extra Linked Fonts

In this example we assume the linked set of 5 files *Master.h*, *Font.sym*, *Font.cp* and *Font.c* and the modified version of the master *Modified.h*, already exists.

If you want to use several fonts with the same modified text all characters including presentation characters, pre-composed characters and combined characters have to be in prefect synchronism. These extra fonts are not exact copies of each other, but their Code Point Character Lists have to be identical; for lack of a better word let's call them siblings.

## 1: How to Create an Extra Font with an Alternate Look or Size for a Linked Set

However different a new additional font should look it has to have the same Code Point as the other fonts in the linked set, so we start with that.

Open the Code Point file *Font.cp* with **File** –>**Import Code Point Character List to Create a Text Optimized Font...** 

Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

Choose Size and Name:

Font Size and Name for C File			
Height	32		Font2.c

Choose a color format:



And maybe another master font:

Master Font Times New Roman 32

Press OK.

Save the new extra font as *Font2.c* with **File -> Save in C format**.

## 2: How to Update Extra Fonts to Keep Synchronism between the Fonts

When the *Font.c* file is updated start IconEdit and open *Font2.c* with **File -> Open...** 

Then open the Code Point Character List file *Font.cp* with **File** –>**Import Code Point Character List to Mark or Create Characters...** 

Or the *Open Font, Symbol, Text, or Image* button in the start dialog box:

Open Font, Symbol, Text, or Image File

When and if the question **Insert New Additional Characters** pops up answer **Yes** and save the modified font as *Font2.c* with **File -> Save in C format**.

## F: How to Include Non-Unicode Characters in Texts

Unicode characters cover almost all living languages in the world, but you may need some that are not defined by Unicode. In this hypothetical example we assume that you need an inverted **u** in the text "Empty Your C**u**p".

Unicode provides a large area for Private Characters starting at Code Point E000, and that is where we will put **u**.

Change the original string in the file *Cup.h*:

```
wchar_t Cup[]={"Empty Your Cup"};
```

to:

wchar\_t Cup[]={"Empty Your C\xE000p"};

and import *Cup.h* as font:



Or the Open Font, Symbol, Text, or Image button in the start dialog box:

Open Font, Symbol, Text, or Image File

To get this font:



And this text:



Right click u to edit the character and place a base line for later use:





Copy med Copy to ClipBoard



Change to the Private Character E000 and paste with Paste from ClipBoard





Mirror and Rotate to the base line:



To get this text:

# wchar\_t Cup[]={<mark>"</mark>Empty<mark>|</mark>Your|Спр<mark>"</mark>};



Save the font as *Cup\_h.c.* 

# 11: How to Use the Backward Compatibility Tools

This example applies to both the black & white and the color version of IconEdit.

The old programs LcdIcon, LcdColor and FontEdit had a number of black & white formats where the Bit orientation and the Byte succession could be chosen at any possible value. These formats are all supported in the IconEdit program, but in a slightly different way.

The *Name.h* and *Name.bin* files are opened normally in the menu **File -> Open...** but now they are converted to the standard internal group format also used by the *Name.sym* files, and the menu **File -> Save in C Format** and **File -> Save in C Format** As... will now save the data as *Name.sym* and *Name.c* group files in the standard RAMTEX format.

The advantage of this change to the standard internal group format is that now the group can be converted to a font and the Code Point Character List information for the font can be included in the new extended *Name.h* and *Name.bin* formats. The original formats were meant for virtual buttons and classic 8-Bit fonts with 256 characters, and these do not require a Code Point Character List. The new extended formats are meant for 16-Bit Unicode fonts where only the necessary characters for the texts are present, and therefore require a Code Point Character List.

Data can be saved in the old formats by saving a **Group** with the **File-> Save Black&White As H File...** and **File -> Save Black&White As BIN File...** 

This opens an Export Format dialog box:



Choose a Byte and Bit option and press OK.

Data can be saved in the new extended formats by saving a **Font** in a similar way the only difference is that now the Code Point Character List information is included in the file. In the *Name.h* file the Code Point is added to each symbol header. In the *Name.bin* file all the Code Points are added to the end of the file.

# 12: How to Use the Batch Commands

This chapter applies to both the black & white and the color version of IconEdit and demonstrates various typical scenarios.

The IconEdit batch system can generate text optimized fonts, convert output text strings to UTF-8, 16, or 32, and bulk convert a whole directory of images, symbols, or fonts to symbol format.

Parameter overview:

StartFile can be of the types .c .sym .bdf .h .cbn .bin .ief, or \*.\*

:Height for new files, can be almost any value, but heights under 12 are not recommended

:A (Master Font) add missing characters in Input Font, Master Font is optional

:B ext bulk convert to symbol format ext can be bmp, png, jpg, jpeg, bdf, ief, sym, .bin

:C value character width of added characters 50% to150%

:D monospace font

:E d/i/k/w+value encoding of classic 8-bit texts in InputText and OutputText

:F OutputFont is always optimized C-source code symbol format of type .c or .sym

:G value edge pixel value of added characters 13% to 187% for greytone and 58% to 148% for b&w

:H y/n yes or no to private characters in output text string as Hexadecimal, else as normal Characters

:J OutputText text fitting OutputFont, should be same type as InputText

:K keep width of InputFont in OutputFont by squeezing any larger new added characters

: M y/n yes or no to Match output text string character type, string prefix, and hexadecimal notation : N y/n yes or no to add U to unsigned values

:O InputText optimize font for text, InputText can be of the types .txt .c .h .cpp .cs .cp

:P InputText expand font for text, InputText can be of the types .txt .c .h .cpp .cs .cp

:Q quiet, error messages only in %ERRORLEVEL% and the file *BatchErrorLog.txt* so no pop-ups

:R InputFilter is remove characters from font, InputFilter can be of the types .txt .c .h .cpp .cs .cp

:S save Unicode output text as UTF-8 file format

:**T** FontName:value choice of TrueType or OpenType font already installed in Windows

:U u/8/1/3 output text string type Unicode, UTF-8, UTF-16, UTF-32

:V r/l output text string converter for mostly RightToLeft or LeftToRight text

:W n/s/b weight of added characters Normal, SemiBold Bold

:X u/x output text string hexadecimal notation for UTF  $\downarrow$  00000 or  $\downarrow$  x0000

:Y y/n italics Yes or No

:Z 1/2/4/8/A/B/C/D 1,2,4,8 bit per pixel grey and 4,8,16,24 bit per pixel color

For a detailed description of all batch options and commands see IconEditManual.pdf Appendix 10.

## A: Text optimized font from a text catalogue:

## 1: New font with or without anti alias

Minimum command look for text optimizd new font based on a text or text catalogue:

#### C:\iconedit\IconEdit.exe :24 :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c :Z2 :A

The text is assumed to be Unicode and the optimized font will be a Unicode font as C-source code.

## 2: Font based on existing Master Font

Minimum command look for text optimizing a font based on a text:

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c

The master font and text is assumed to be Unicode and the optimized font will be a Unicode font as C-source code regardless of the master font type such as ief or bdf.

If the text is a classic 8-bit font encoding add the **:E** code-page type parameter so IconEdit can convert it to Unicode.

In this case the text catalogue is in Windows CodePage 1250 Latin Central European, but the master font still has to be Unicode:

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c :Ew1250

IconEdit will convert the text strings in the catalogue as Windows Latin Central European to Unicode and make a Unicode font accordingly. The converted text can be written as a new Unicode text catalogue by adding the **:J** output text command:

```
C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp
:FC:\fonts\OptimizedFont.c :Ew1250 :JC:\texts\UnicodeText.cpp
```

This will make the optimized font and the Unicode text catalogue a matched pair.

## B: New copy of a font with the same characters but different look:

Minimum command look for font copy with new look with serifs and 2 bit per pixel anti alias:

```
C:\iconedit\IconEdit.exe :24 :OC:\fonts\OldFont.cp
:FC:\fonts\NewFont.c :A :TTimes_New_Roman:18 :Z2
```

The old font is assumed to be Unicode. The new font can now be used for the same texts as the old font.

## C: Text optimized font for several plain texts or text catalogues:

Minimum command look for text optimizing a font based on a text catalogue:

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text\_1.cpp :FC:\fonts\OptimizedFont.c

The master font and text strings are assumed to be Unicode and the optimized font will be a Unicode font as C-source code regardless of the master font type such as ief or bdf.

The optimized font for the first text catalogue can subsequently be expanded with any number of texts or text catalogues one at the time from the original master font:

```
C:\iconedit\IconEdit.exe C:\fonts\OptimizedFont.c
:PC:\texts\Text_2.cpp :FC:\fonts\OptimizedFont.c
:AC:\fonts\MasterFont.c
```

The optimized font can now be used for both Text\_1 and Text\_2

## D: Text optimized font for modified C-source code text strings:

Minimum command look for text optimizing a font based on a collection of text strings:

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c

The master font and text strings are assumed to be Unicode and the optimized font will be a Unicode font as C-source code regardless of the master font type such as ief or bdf.

If characters from the text strings are missing in the master font you get a warning and should add the **:A** add missing characters command

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c :A

This adds the characters with default Windows font settings for the Arial TrueType font. For more control start IconEdit with your master font and open the compare dialog box:



Find the Windows font and the settings that give the best match:



Use the additional settings:



#### To get the closest match:



Press OK.

Open the normal Master Font dialog box:



And copy the Windows font name for the batch command:

```
- Windows Font Name for Batch
Times_New_Roman: 18
```

Add the font settings: **:T** for Windows font name **:G** for edge pixel value **:C** for character width **:W** for bold and **:Y** for italics:

```
C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp
:FC:\fonts\OptimizedFont.c :A :TTimes New Roman:18 :G140 :C100 :Wb :Yn
```

If the font width is critical to your application also add the :K keep original font width command

```
C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp
:FC:\fonts\OptimizedFont.c :A :TTimes_New_Roman:18 :G140 :C100 :Wb :Yn
:K
```

A converted text can, or in some cases must, be written as a new Unicode text by adding the **:J** output text command, here are some typical cases:

#### 1: European Languages

For European languages based on the Latina alphabet the UTF-8 string compression can give great memory footprint savings, for all other alphabets it often makes it worse.

#### Memory consumption for different string formats:

UTF-16 hexadecimal and pure Unicode characters always uses 2.0 byte per character ROM space.

**UTF-8 hexadecimal** characters take up different amounts of ROM space per character depending on language and alphabet.

**1.0** byte per character: American English.

**1.1 - 1.3** byte per character: Other languages written with the Latin alphabet.

2.0 - 2.2 byte per character: Other European and Middle Eastern languages except Arabic.

**2.6 - 2.9** byte per character: Arabic and South Asiatic languages.

**3.0** byte per character: Chinese, Japanese, and Korean.

If you want to convert the input text to a new UTF-8 Unicode text add the **:J** output text command and the **:U** utf command

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c :JC:\texts\OutputText.cpp :U8

The output text is as a classic 8-bit file, but the text strings are still Unicode to the compiler. By changing the strings from normal 16-bit Unicode to 8-bit utf the string type is changed from wchar\_t to char, or from char16\_t to char8\_t.

By adding the :**M** match output text string character type, string prefix, and hexadecimal notation command IconEdit will change the code to match the string content

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c :JC:\texts\OutputText.cpp :U8 :My

Comments in the text string file are also converted to classic 8-bit so if your comments are not in English add the **:E** code-page type parameter so IconEdit can convert Unicode comments to classic 8-bit.

In this case Windows CodePage 1253 Latin & Greek is used for comments, see the *IconEditManual.pdf Appendix 10* for other classic CodePages

#### C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c :JC:\texts\OutputText.cpp :U8 :My :Ew1253

The output text strings will be full of hexadecimal numbers, and the comments will only be readable on an editor with the right Windows CodePage.

## 2: Middle Eastern Languages

Middle eastern alphabets are stored in strings from left to right, but should be shown on the display from right to left, and basic Arabic characters should be substituted with presentation characters, see **Chapter 10** for detailed explanation.

IconEdit can automatically detect and convert middle eastern texts in strings, so all you have to do is add the :J output text command and the :J string type command for normal Unicode:

```
C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp
:FC:\fonts\OptimizedFont.c :JC:\texts\ModifiedText.cpp :Uu
```

The modified text will look all wrong in a normal editor, but correct on an embedded display.

## 3: South Asian Languages

The glyphs of South Asian alphabets are not fully defined in Unicode, only basic characters and diacritics and they have to be combined at display-time, see **Chapter 10** for detailed explanation.

This means that you can not make a general font for a South Asian language, but must build a font for your particular set of text strings with the **:A** add characters command and its minimum sub commands **:T** Windows font name **:W** normal or bold and **:Y** italics, and generate a modified text to fit the font with the **:J** output text command and its minimum sub command **:U** for string type Unicode:

C:\iconedit\IconEdit.exe C:\fonts\MasterFont.c :OC:\texts\Text.cpp :FC:\fonts\OptimizedFont.c :A :TTimes\_New\_Roman :Wb :Yn :JC:\texts\ModifiedText.cpp :Uu

This will make the optimized font and the modified text a matched pair. The modified text will look all wrong in a normal editor, but correct on an embedded display with this special font.

## E: Bulk conversion of Images to C-source code:

Minimum command look for convert all PNG images in a directory to C-source code:

#### C:\iconedit\IconEdit.exe C:\images\\*.\* :Bpng

The new C-source will have the same names as the NAME.png just another type NAME.c.

The converted image will normally match the color mode of the original image, but can be converted to other color modes with the **:Z** parameter.

This converts the image to 2 bit grey with dither:

#### C:\iconedit\IconEdit.exe C:\images\\*.\* :Bpng :Z2d

This converts only the specified image to 8 bit color with dither:

#### C:\iconedit\IconEdit.exe C:\images\Søpapagøje.png :Bpng :ZBd

See the IconEditManual.pdf for details.

## Appendix A: Key terms and concepts as used in the IconEdit program

- **Symbol:** A single picture that can be edited either separately or as part of a group. Each symbol has a number that will be its index in the saved file. The insertion and deletion of symbols will change the index of all the higher numbered symbols. The term symbol is also used for the symbol file containing the pixel information of a group or font. A symbol file can contain from 1 to 65536 separate symbols.
- **Group:** A collection of symbols edited and saved as a whole. Typically a group contains symbols representing virtual buttons, arrows and logos.
- **Character:** The combination of a picture or glyph that defines what the character looks like and a Code Point that is a reference to the symbol representing the picture or glyph. The Code Point is the number that represents the character in a text. The character can be edited either separately or as part of a font. The insertion and deletion of characters will NOT change the Code Point pointer to the symbol. The Code Point Character List system will link the numerical index assigned to each character symbol in a font with the Code Point pointer to the character. The resulting lookup table is saved with the font in a separate Code Point Character List file.
- **Symbol Number & Code Point:** A collection of symbols be that characters, buttons, arrows, emoji or logos have a symbol number from 0 to nSymbols-1. Characters and symbols defined in the Unicode Standard have Code Points from 0x000000 to 0x10FFFF. Any character in a font designed in IconEdit has a Code Point that is stored in the Code Point Character List file. Normally IconEdit generates fonts where the Code Point for a character is identical to the Unicode Code Point, but there are exceptions such as Unicode characters moved to the Private Area in Unicode, or fonts that are converted to classical 8 bit standards.
- **Presentation Characters:** In some scripts a character can have several different shapes depending on position in a word or sentence or the character can have indicators for stress or intonation. For scripts written from right to left there is also a small group of mirrored mathematical symbols. The Unicode plane 0 that defines about 50000 characters for living languages has support for only a few scripts that need presentation characters, the rest are supposed to be generated by the display system at time of rendering. This is not a problem for powerful systems such as PCs or mobile phones, but on small embedded systems the overhead is prohibitive. One possible solution is to auto-generate the necessary characters at the time the font is made.
- **Auto-generated Presentation Characters:** Is a combination of one or more Unicode character code-point into a new symbol or glyph that defines what the presentation character looks like. The presentation character can either be made from a basic character from a script followed by one or more diacritics that change the meaning and look of the character, it can be a mirrored symbol, or it can be made from a surrogate pair that points to Code Points outside the 16 bit address room of Unicode plane 0 that defines the first 65536 Code Points in Unicode. In all cases a new Code Point is created in the private area in Unicode and the glyph can be addressed by a 16 bit address in the Unicode plane 0 thereby making 32 bit addressing unnecessary. The modified Code Points are handled by the Code Point Character List file system, and the combination of Unicode Code Point that the new Code Point represent is saved within the Code Point Character List file.
- **Font:** A collection of characters edited and saved as a whole. Traditionally a font contains 256 characters with an eight bit Code Point from 0x00 to 0xFF, where the characters from 0x20 to 0x7E are the American ASCII signs, numbers and letters, while so-called international letters are located at 0xC0 to 0xFF. There are many conflicting standards for the international letters such as DOS Code Points, Windows Code Points, ISO-8859 and KOI8. An attempt to make only one standard is the 16 bit

Unicode Plane 0 which contains 65536 characters from 0x0000 to 0xFFFF. IconEdit is designed to use both the old 8 bit standards and 16 bit Unicode. A font symbol file can contain from 1 to 65536 characters.

- **Proportional and Mono-Spaced Fonts:** A proportional font is a font where the pixel width of the individual character symbols varies so it follows the visual width of the glyphs. A mono-spaced is a font where all character symbols has the same width so each character takes up the same amount of pixel space. Fonts can be either pure mono-spaced or proportional fonts, or some characters such as numbers or arrows in a proportional font can be converted to mono-space.
- **Classic CodePage Fonts with Name and Number:** A classic 8 bit font containing 256 characters with Code Points 0x00 to 0xFF. Classic 8 bit fonts can only cover a limited number of languages. Just for the Europe you need between 6 and 11 different CodePages depending on the standard you use. To distinguish between the many CodePages they usually have a name and number such as ISO8859-4 or Windows 1252.
- **Code Point Character List:** A file with a group of Unicode pointer ranges in a look-up table that describes which symbol index in a symbol file is used to represent each character. This makes it possible to save only the characters needed for a particular task in a symbol file without losing the character pointer. A Code Point Character List has the same name as the file with the symbols, just with the extension .cp. A classic 8 bit font containing 256 characters with Code Points 0x00 to 0xFF does not need a Code Point Character List as all necessary information is already in the .sym file.
- **Default Character:** A special Code Point stored in the Code Point Character List file. This character is displayed when an attempt is made to write a character that is not present in the font. The default character can be any value from the font (typically SPACE ' ' or QUESTIONMARK '?'), but if an application is sure to never need the default character the value can be left as a normally used character. If the value is outside the font when the Code Point Character List file is saved, the default character is set to the first character in the font.
- **Palette:** A file with 4, 16 or 256 colors or grey-tones. The color or grey-tone of a pixel in a symbol can either be stored in the symbol file directly, or the symbol file may just contain an index into the palette for each pixel. If the number of different colors in a symbol is low, this latter method can result in great savings in memory consumption.
- **System Palette:** A Palette file used for more than one symbol file. There are several reasons for using a system palette common to all the symbols in a project. Some display controllers can only work with palette based symbols, and changing the palette dynamically is either not possible or will result in color flicker with each change. The use of a common palette for all symbols means less memory consumption, as there is only one palette in total instead of one for each symbol. Using one common system palette makes it easier to make and maintain symbols such as virtual buttons with a common look and color scheme. If the color scheme for the whole design has to be changed, you need only open one of the symbol files, change the colors to the new style, and save the symbol and system palette. Because the system palette is common to all the symbols in the project, they now all have the new colors.
- **DataSet:** All the information belonging to a font or group, such as file names, pixel and tool colors, palette size and colors, number of symbols, color mode and number of possible colors, Code Points for symbols, and display and undo information. Undo and Redo operate on the whole data set, and not just the pictures. Save and read files normally only operate the information necessary for recreating the font or group.

- **Data Set File Name:** The data set file name and the name of the symbol or font in the sym file is the same. The \*.sym file is a standard "C" file, and the name must be in accordance with the 'C' standard for names. Only ASCII letters, numbers and underscore\_ are permitted, and names must not start with a number.
- **File Mode and Project Mode:** IconEdit can operate and save data in two modes that are not mutually exclusive. In file mode IconEdit saves each DataSet in a separate sym format file and files can be reloaded automatically next time the program is started. In project mode IconEdit saves all DataSets in one project file and the current project can be reloaded automatically next time the program is started. Please note that the sym files and the project files are independent storage units for data and can be used for storing alternative versions of the same DataSet.
- **SYM Format:** Standard internal and external data format for IconEdit. All data formats read from a file or pasted from the clipboard are converted to sym format, and if nothing else is specified data is written to disk as two or more of the four files in the sym format: *Name.c* is a header for the other files, *Name.sym* is the pixel information for characters or symbols, *Name.cp* is the Code Points for fonts and *Name.pal* is pixel and/or tool colors.
- *IEF and IEP Format:* IEF is a compressed input/output disk file format for temporary storage of symbol data. It contains the same information as the normal c-sym-cp-pal file quad of the sym data format, but in a much smaller proprietary format. IEP is a container for all the DataSets in a project, it has general header for the project followed by a number of DataSets in IEF format, all in one format for easy exchange of data with other members of a project group or for working on several projects simultaneously.
- **Save, Open, Import and Export:** All these operations have to do with reading and writing disk files. Import and export imply a data transformation with loss and/or modification of information. One example of this is reading a text or 'C' file, finding all the different characters in the text, ordering the characters alphabetically and drawing the characters in accordance with the Master Font. The text is "lost" but a font with all the characters in the text is gained. Open and save operations may be in different file formats, but with the same information as in the standard sym format. One example is saving a font as a bdf file. The white space around the characters is removed, and the Code Point Character List information is stored with each character in the bdf file instead of storing it as a separate Code Point Character List file, but no information about the font is lost, and it can still be read back in IconEdit as a sym DataSet.
- **Master Font:** A combination of TrueType and OpenType vector fonts installed in Windows and any font opened in IconEdit. The master font is for drawing new fonts or text on symbols based on existing fonts in Windows or fonts stored in \*.sym or \*.bdf disk files.
- **TrueType & OpenType, ClearType, XP Standard and Smoothing:** TrueType and OpenType vector fonts are the most used font file standards in all Windows versions from XP to 10. **TrueType & OpenType** are vector formats, and before the characters can be displayed on the screen the vectors have to be rendered to pixels to make the characters visible. Windows have 3 different font and character rendering modes, **ClearType** does smoothing of all characters regardless of size or shape, **XP Standard** does smoothing of small and large characters but renders intermediate size characters as black & white, finally all smoothing can be turned **Off** to render all size characters as black & white.
- **Glyph:** In printing technology, a glyph (from a Greek word meaning carving) is a graphic symbol that provides the appearance or form for a character. A glyph can be an alphabetic or numeric figure or some other symbol that pictures an encoded character.

- **ASCII Standard:** Standard Latin 7-bit characters designed for use in the USA. Only characters 0x20 ... 0x7E are assigned symbols to make them visible. The rest are modem control codes, most of witch are now obsolete.
- **Unicode Standard:** Standard for assigning symbols to 8-bit, 16-bit or 32-bit characters world wide. The standard pages and planes, there are 256 characters in each page, and 256 pages in each plane, and there are a total of 17 planes. The very first page ( $\mathbb{N}_{\mathbb{D}}$  0) on the first plane contains Northern American and Western European characters, and can be addressed by 8-bit Code Points. The first plane ( $\mathbb{N}_{\mathbb{D}}$  0) contains almost all living languages, and can be addressed by 16-bit Code Points. The higher planes ( $\mathbb{N}_{\mathbb{D}}$  1 to 17) are normally addressed by 32-bit Code Points though only 21 bit is necessary. The second plane ( $\mathbb{N}_{\mathbb{D}}$  1) primarily contains historic scripts, and the third plane ( $\mathbb{N}_{\mathbb{D}}$  2) primarily contains rare Chinese, Japanese and Korean Ideograms. All of these are supported in various degrees by Windows, the higher the Windows version number, the better the support. For information about the present stage of Unicode implementation see: www.unicode.org.
- **Unicode Diacritic or Accent:** In printing technology, a diacritic or accent is a graphic symbol that is added to a basic letter to change the sound-values of the letters to which they are added. The Unicode Standard defines about 700 diacritics or accents.
- **Unicode Pre-composed Character:** In printing technology, a pre-composed character is a glyph consisting of both a basic letter and a diacritic or accent so the combination can be treated as one unit. The Unicode Standard defines about 500 pre-composed Latin characters.
- **Unicode Presentation Character:** In printing technology, a presentation character is an alternate glyph for a basic letter. Presentation characters are used in connection with Arabic scripts where the shape of a letter depends on its position in a word. The Unicode Standard defines about 700 Arabic presentation characters.
- **Unicode Combined Character or Ligature:** In printing technology, a combined character or a ligature is a glyph consisting of both one or more basic letter and one or more diacritic or accent so the combination can be treated as one unit. The Unicode Standard defines a few ligatures for Latin and Arabic. Southern Asiatic scripts have a very large number of ligatures, Unicode does not define them directly as glyphs, but IconEdit can use Windows rendering engine for TrueType and OpenType fonts to generate over 4000 of them to fit a given text.
- **Unicode Scripts & Symbols:** A set of built-in predefined CodePoints for creating fonts with single or multiple Unicode ranges directly from the names of the ranges. There are 2 groups of ranges. The first group is plane 0 ranges, which can be addressed by 16-bit Code Points; these are written as "Name". The ranges are ordered alphabetically and have names in accordance with the Unicode standard for the Basic Multilingual Plane as described at <u>www.Unicode.org</u>. The second group is plane 1 ranges, which can be addressed by either one 32-bit or two consecutive16-bit Code Points; these are written as "NAME".
- Language & Region Filters: A set of built-in predefined Code Points for creating single or multiple language Unicode fonts directly from the names of the languages. The language and region filters fall in 3 groups. The first group usually contains more than just the characters to write a language. Numbers, common signs, characters from other languages or alphabets and currency symbols are also included. The second group is coverage of regions as defined by the ISO-8859 standard; these are marked by "ISO". The third group is minimum requirement for a particular language; these are marked by "Basic". Languages that are commonly written with more than one alphabet have filters for each alphabet. Extra user filters can be created by opening font files, Code Point files or text files.

- **Alpha Blending, Anti-Aliasing and Smoothing:** The mixing of foreground and background colors of a pixel to make contours appear smoother. The pixel is given a color somewhere between the foreground and the background color to make it appear that the foreground figure does not fully cover the pixel, and the background therefore is partly visible. The alpha value is the weight of each foreground pixel's RGB value when it blended with the background.
- **On Off Transparency:** Single color on off transparency is a method for drawing symbols of any shape without having to use the 32bit per pixel semitransparent data format. One of the possible colors in the data format is marked as fully transparent, and can be used to mark the unused pixels around the main part of the symbol to make them invisible. It is referred to in this manual as the **transparent color**. For a pixel to be considered transparent, the pixel color and the transparent color needs an exact color match, any other pixel color however much it resembles the transparent color will still make the pixel fully opaque. Single color on off transparency works with all non transparent data formats from 24 bit RGB color to 2 bit palette can make it possible to reduce memory consumption significantly.
- **Basic Color:** A basic color is the color you normally see when you watch an object. But imagine a stained glass window or a pair of sunglasses; they have a color, but also a degree of transparency. In computer graphics a semi transparent pixel has 4 values: Alpha, Red, Green and Blue. The A value is the opacity (max value = fully opaque, zero = fully transparent), and the R,G,B values are the color you see, and it is referred to in this manual as the **basic color**.
- **Grey Tone:** A grey tone is not a color in the normal meaning of the word. It is a degree of lightness as seen on a black and white photograph or TV. This degree of lightness is referred to in this manual as a **grey tone**. The **grey tone** and the **grey tone palette** data formats are for drawing black and white symbols and characters. The grey tone data format has fixed grey values and is primary for use on screens that has build-in gamma correction, and therefore has a linear relation between input values and lightness of the display. The grey tone palette data format has an additional palette where the grey values can be adjusted to compensate for un-linear relation between input values and lightness on screens that does not have build-in gamma correction.
- **Intensity Level:** An intensity level does not have a color at all. It is a degree of opacity applied to a basic tool color (the rendering color) when it should be drawn on a background. This degree of opacity is referred to in this manual as an **intensity level**. Typical uses for intensity level are anti aliased characters or figures where smoothness of the edges is simulated by mixing the tool color with the background color to make it appear that the figure only covers part of the pixel. Other uses are watermarks and semi transparent copyright notes on color photographs. The **intensity level** data format can be edited in 2 different ways, as a grey symbol or character where black is full opacity and white is full transparency, or as a semi transparent format with a chosen rendering color. The saved data format is independent the editing method, it is the same in both cases.
- **Dither:** Dithering is used to create the illusion of color depth in images on displays with a limited color resolution or a small palette. In a dithered image, colors that are not available on the display or in the palette are approximated by a diffusion of colored pixels from within the available colors.

# **Technical Support**

You do not have to wait until you find an error to contact us. If you think something is missing, or just impractical, please feel free to send an email to:

DanMagic

Bregnerødvej 61 DK 3460 Birkerød Denmark Email John@DanMagic.dk